CAPILLA ALFONSINA
BIBLIOTECA UNIVERSITARIA

CITED LITERATURE

Abdullahi, A. and Vanderlip, R.L. 1972. Relationship of vigor tests and seed source and size sorghum seedlings to establishment. Agron. J. 64:241-242.

Acevedo, E., Hsiao, T.C. and Henderson, D.W. 1971. Immediate and subsequent growth responses of maize leaves to changes in water status. Plant Physiol. 48:631-636.

Acevedo, E., Fercres, E., Hsiao, T.C., and Henderson, D.W., 1979. Diurnal growth trends, water potential and osmotic adjustment of maize and sorghum leaves in the field. Plant Physiol. 64:476-480.

Ackerson, R.C., Krieg, D.R. and Sung, F.J.M. 1980. Leaf conductance and osmo-regulation of field-grown sorghum genotypes. Crop Sci. 20:10-14.

Adams, J.E. 1965. Effect of mulches on soil temperature and grain sorghum development. Agron. J. 57:471-474.

Afria, B.S. and Mukerjee, D. 1981. Metabolic studies in *Sorghum vulgare* pers. and *Zea mays* L. during seedling growth. Proc. Indian Acad. Sci. (Plant Sci.) 901:71-78.

Agrawal, R.P. 1980. Soil and water management Arid zone. Trans.Insdt.& Ucds. 510:129-135.

Agrawal, B.L.. and House, L.R. 1982. Breeding for insect resistance in sorghum. In: Sorghum in Eighties. Proc. International Symposium on sorghum. ICRISAT, international Crops Research Institute for Semi-Arid Tropics, Patancheru,P.O. Andhra Pradesh 502324. pp.435-446.

Agrawal, R.P., Jhorar, B.S., Maiti, R.K., Raju, P.S. and Peacock, J.M. 1986. Effect of soil crust on seedling emergence in sorghum genotypes. Internation J. of Trop. Agricult. 4:15-22.

Ahmed, H.N. 1977. Evaluating differences in vigor amongst sorghum seed lots by varios test methods. Seed. Res. 5:152-157.

Aisien, A.O. 1982. Utilization of soluble carbohydrates during germination and seedling growth. J. Inst. Brewing 88:164-166.

Aisien, A.O. and Ghosh, B.P. 1978. Preliminary studies of the germination behaviour of guinea corn (*Sorghum vulgare*. J. Sci. Fd. Agric. 29:850-852.

Ajmad, F. 1975. Plant population effect on water extraction patterns, growth and yield of non-irrigated sorghum. Univ. of Calif., Davis, M.S. Thesis.

Allan, R.E., Vogel, O.A., Burleigh, J.R. and Peterson, C.J., Jr. 1961. Inheritance of coleoptile length and its association with culm length in four winter wheat crosses. Crop Sci. 1:328-332.

Amthor, J.S. 1983. Sorghum seedling growth as a function of sodium chloride salinity and seed size. Annals of Botany 52:915-917.

Andrews, D.J., Bidinger, F.R., Peacock, J.M., Maiti, R.K., Seetharama, N., Mahalakshmi, V. and Soman, P. 1981. Evaluation of sorghum and pearl millet for tolerance to drought and problems of seedling emergence. Agronomy Abstr. pp.38.

Angus, J.F., Cunningham, R.B., Moncur, M.W. and Mackenzie, D.H. 1980. Phasic development in field crops. I. Thermal response in seedling phase. Field Crops Research. 3:365-378.

Appathural, R. 1957. Influence of temperature and humidity on the growth of sorghums. Madras Agric. J. 44:261-270.

Arkin, G.F., Vanderlip, R.L. and Ritchie, J.T. 1976. A dynamic grain sorghum growth model. Trans. ASAE 19:622-626,630.

Arnold, O.Y. 1959. The determination and significance of the base temperature in a linear heat system. Proc. Am. Horti. Sci. 74:430-455.

Arnon, I. 1975. Physiological principles of dryland crop production. In "Physiological Aspects of Dry farming." U.S. Gupta (Ed.), Oxford and IBH Publishing Co., New Delhi, India. pp. 3-145.

Aspinall, D.1986. Metabolic effects of water and salinity in relation to expansion of the leaf surface. Aust. J. Plant Physiol. 13:59-73.

Atkins, D.S.J. and Hamilton, R.J. 1982a. The changes with age in the epicuticular wax of *Sorghum bicolor* J. Natural Product 45:697-703.

Atkins, D.S.J. and Hamilton, R.J. 1982b. Surface of *Sorghum bicolor*. In: "The Plant Cuticle." D.F. Cutler, K.L., Alvin and C.E. Price. (Eds.), Academic Press, London. pp..231-236.

Austin, R.B., Edrich, J.A., Ford, M.A. and Blackwell, R.D. 1977. The fate of the dry matter, carbohydrates and ^{14}C lost from the leaves and stems of wheat during grain filling. Ann. Bot. 41:1309-1321.

Ayers, G.S., Wert, V.F. and Ries, S.K. 1976. The relationship of protein fractions and individual proteins to seedling vigor in wheat. Ann. Bot. 40:563-570.

Ayyangar, G.N.R. and Ponnaiya, B.W.X. 1941. The occurrence and inheritance of a bloomless sorghum Curr. Sci. 10:408-409.

Ayyangar, G.N.R., Rao, V.P., Nambiare, A.K. and Ponnaiya, B.W.X. 1937. The occurrence and inheritance of waxy bloom on sorghum. Proc. Indian Acad. Sci. Sec. B. 5:4-15.

Bain, R., Holmes, J.C. and Waterson, H.A. 1964. Effect of seed source on yield and maturity of oats. Imp. J. Exp. Agric. 32:319-324.

Baligar, V.C. and Nash, V.E. 1978. Sorghum root growth as influenced by soil physical properties. Comm. Soil Sci. Plant Anal. 9:583-594.

Ball, M.C. and Farquar, G.D. 1984. Photosynthetic and stomatal responses of two mangrove species, *Aegiceras corriculatum* and *Avicennia marina*, to long term salinity and humidity conditions. Plant Physiol. 74:1-6.

Banerjee, S.K. 1974. Induction of variability in the coleoptile length of drawf wheats. Z. Pflanzenzüchtung 72:352-355.

Bansal, S.P., Gajri, P.R., and Prihar, S.S. 1971. Effect of mulches on water conservation, soil temperature and growth of maize, pearl millet. Indiann J. Agric. Sci. 41:467-473.

Barnel, H.R. 1938. Distribution of carbohydrates between component parts of the wheat plant at various times during the season. New Phytol. 27:85-112.

Barton, L.V. 1939. Experiments at Boyce Thompson Institute on germination and dormancy in seeds. Sci. Hort. 7:186-193.

Bartsch, R. 1977. Short-term prediction of cotton yields in the Sudan Gezira. Expl. Agric. 13:25-32.

Bass, L.N. and Stanwood, P.C. 1978. Long-term preservation of sorghum seed as affected by seed moisture, temperature and atmospheric environment. Crop. Sci. 18:575-577.

Begg, J.E. and Turner, N.C. 1976. Crop water deficits. Adv. in Agron. 28:161-217.

Beil, G.M. and Atkins, R.E. 1967. Estimates of general and specific combining ability in F1 hybrids for grain yield and its components in grain sorghum, *Sorghum vulgare* Pers. Crop Sci. 7:225-228.

Bhan, S. 1970. Germination studies on some arid zone crops. Sci. Cult. 36(7):412-415.

Bhan, S., Singh, H.G. and Singh, A. 1973. Note on root development as an index of drought resistance in sorghum (*Sorghum bicolor* L. Moench). Indian J. Agric. Sci.43:828-830.

Bianchi, G., Avato, P., Bertorelli, P. and Mariani, G. 1977. Epicuticular waxes of sorghum (*Sorghum bicolor* pers.) Maydica 22:97-99.

Bidinger F.R. 1978. Water stress effect on crop environment interactions. Proc. Agroclimatological Research Needs in the Semi-Arid Tropics, ICRISAT, 22-29th Nov., Andhra Pradesh, India. pp. 147-159.

Binzel, M.L.,Hess, F.D., Bressan, R.A., and Hasegawa, P.M. 1988. Intracellular compartamentation ions in salt adapted tobacco cells. Plant Physiol. 86:607-614.

Biscoe, P.V., Scott, R.K. and Monteith, J.L. 1975. Barley and its environment. III. Carbon budget of the stand. J. Appl. Ecol. 12:269-293.

Bloodworth, M.E., Burleson, C.A. and Cowley, W.R. 1958. Root distribution of some irrigated crops using undisrupted soil cores. Agron. J. 50:317-320.

Blum, A. 1967. Effect of soil fertility and plant competition on grain sorghum panicle morphology and panicle weight components. Agron. J. 59:400-403.

Blum, A. 1968. Anatomical phenomenon inseedlings of sorghum varieties resistant to the sorghum shootfly (*Atherigona varia soccata*). Crop Science 8, 388-390.

Blum, A. 1970a. Nature of heterosis in grain production by the sorghum panicle. Crop Sci. 10:28-31.

Blum, A. 1970b. Effect of plant density and growth duration on grain sorghum yield under limited water supplu. Agron. J. 62:333-336.

Blum, A. 1972. Sorghum breeding for shootfly resistancein Israel. In: M.G. Jotwani and W.R. Young (Editors). Control of sorghum shootfly . Oxford & IBH, New Delhi, India.

Blum, A. 1973. Components analysis of yield responses to drought of sorghum hybrids. Exp. Agriculture 92:159-167.

Blum, A. 1974a. Genotypic responses in sorghum to drought stress. I. Response to soil moisture stress. Crop Sci. 14:361-364.

Blum, A. 1974b. Genotypic responses in sorghum to drought stress. II. Leaf tissue water relations. Crop Sci. 14:691-692.

Blum, A. 1975a. Effect of the bm gene on epicuticular wax deposition and the spectral characteristics of sorghum leaves. SABRAO Journal 7:45-52.

CAPILLA ALFONSINA
BIBLIOTECA UNIVERSITARIA

Blum, A. 1975b. Sorghum breeding for shootfly resistance in Israel. In: M.G. Jotwani and W.R. Young (Editors) Control of sorghum shootfly. Oxford and IBH, New Delhi, India.pp.180-191.

Blum, A. 1979a. Genetic improvement of drought resistance in crop plants. A case for sorghum. p. 429-445. In: "Stress Physiology in Crop Plants.", H. Musell and R.C. Staples (Eds.), Wiley Interscience, New York, U.S.A.

Blum, A. 1979b. Principles and methodology of selecting for drought resistance in sorghum. Monogragie di Genetic Agraria 4:205-215.

Blum, A. and Naveh, M. 1976. Improved water-use efficiency in dryland grain sorghum by promoted plant competition. Agron. J. 68:111-116.

Blum, A. and Ebercon, A. 1976. Genotypic responses in sorghum to drought stress. III. Free proline accumulation and drought resistance. Crop Sci. 16:428-431.

Blum, A., Arkin, G.F. and Jordan, W.R. 1977a. Sorghum root morphogenesis and growth. I. Effect of maturity genes. Crop Sci. 17:149-153.

Blum, A., Jordan, W.R. and Arkin, G.F. 1977b. Sorghum root morphogenesis and growth. II. Manifestation of heterosis. Crop Sci. 17:153-157.

Böhm, W. 1977. Mini-rhizotrons for root observations under field conditions. Z. Acker Pflanzenbau:282--287.

Bonnett, O.T. 1961. Morphology and development. Pages 441-47 In "Oats and Oat Improvement.", F.A. Coftman (Ed.), Academic Press, New York.

Bonnett, O.T. 1979. Response of grain sorghum (*Sorghum bicolor* L. Moench) to osmotic stress imposed at various growth stages. Ph.D. Thesis, University of Nebraska, Lincoln, Nebraska, USA.

Boursier, P., Lynch, J., and Lauchli, A. 1985. Chloride partitioning in leaves of salt-stressed sorghum, maize, wheat and barley. Aust J. Plant Physiol. 14:463-473.

Boyer, J.S. 1968. Relationship of water potential to growth of leaves. Plant Physiol. 43:10561062.

Boyer, J.S. 1970. Leaf enlargement and metabolic rates in corn, soybean and sunflower at varios leaf water potentials. Plant Physiol. 46:233-235.

Bremner, P.M. and Rawson, H.M. 1972. Fixation of $^{14}CO_2$ by flowering and non-flowering glumes of the wheat ear and the pattern of transport of label to individual grains. Aust. J. Biol. Sci. 25:921-930.

Brooking, I.R. and Taylor, A.O. 1973. Plants under climatic stress. Plant Physiol. 52:180-182.

Brouwer, R. 1965. Root growth of cereals and grasses. In "The Growth of Cereals and Grasses." F.L. Mithorpe and J.D. Ivins (Eds.), Butterworths, London. p. 153-166.

Brouwer, R. and De Wit, C.T. 1969. A simulation model of plant growth and special attention to root growth and its consequences. In "Root Growth." W.J. Whittington (Ed.), Butterworths, London. p. 224-244.

Brown, E., Stanton, T.R., Wiebe, G.A. and Marin, J. 1948. Dormancy and the effect of storage on oats, barley and sorghum. U.S. Dept. Agr. Techn. Bull. No. 953. 30pp.

Brown, R.F. 1978. Environmental effects on panicle development in grain sorghum (*Sorghum bicolor* (L.) Moench. Ph.D.Thesis, University of Queensland, St. Lucia, Australia.

Bueno, A. and Atkins, R.E. 1981. Estimation of individual leaf areas in sorghum. Iowa State. J. Research 55:341-349.

Bueno, A. and Atkins, R.E. 1982. Growth analysis of grain sorghum hybrids. Iowa State J. Res. 56:367-381.

Bulisani, E.A. and Werner, R.L. 1980. Seed protein and nitrogen effects upon seedling vigor in wheat. Agron. J. 7:657-662.

Burch, G.J., Smith, R.C.G. and Mason, W.K. 1978. Agronomic and physiological responses of soyabean and sorghum crops to water deficits. 2. Crop evaporation, soil water depletion and root distribution. Aust. J. Plant Physiol. 5(2):169-177.

Caddel, J.L. and Weibel, D.E. 1971. Effect of photoperiod and temperature on the development of sorghum. Agron. J. 63:799-803.

Caldwell, W.P. 1960. Seed vigor and vigor tests. Proc. Assoc. Off. Seed Anal. 50:124-129.

Carlson, G.E. and Atkins, R.E. 1960. Effect of freezing temperatures on seed viability and seedling vigor of grain sorghum. Agron. J. 52:329-333.

Carnes, A. 1934. Soil crusts - method of study, their strength and a method of overcoming their injury to cotton stands. Agr. Engr. 15:167-171.

Carrillo, G.M.J. 1986. Efecto de la profundidad de siembra sobre la emergencia y vigor de plántula de sorgo (*Sorghum bicolor* L. Moench). Tesis Biólogo, Facultad de Ciencias Biológicas, Universidad

Autónoma de Nuevo León, Monterrey, México.
Carrison, R.E., Yarger, D.N. and Shaw, R.H. 1972. Environmental influences on the leaf temperatures of two soybean varities grown under controlled irrigation. Agron. J. 64:224-229.
Casey, J.E. 1947. Apparant dormancy in sorghum seed. Seed Anal. Assoc. Off. Seed Anal. News Letter 21:34-36.
Casteleberry, R.M. 1973. Effects of thinning at different growth stages on morphology and yield of grain sorghum (*Sorghum bicolor*) L. Moench. Ph.D. Thesis, University of Nebraska, Lincoln, Nebraska, USA. 164pp.
Castor, L.L. and Frederiksen, R.A. 1977. Seed molding of grain sorghum caused by Fusarium and Curvularia sp. Proc. Amer. Phyto. Soc. 4:151. (Abstract).
Castor, L.L. and Frederiksen, R.A. 1980. *Fusarium* and *Curvularia* grain molds in Texas, 93-102 In: Proc. Internatl. Workshop on Sorghum Dis., 11-15 Dec., ICRISAT, Hyderabad, India. Eds. R.J. Williams, S.A. Frederiksen, L.K., Mughogho, G.D. Bengston. ICRISAT, Patancheru, A.P., India.
Chamberlain, R.C. 1978. The physiology of lodging of grain sorghum (*Sorghum bicolor* (L.) Moench. M.S. Thesis University of Nebraska, Lincoln, USA.
Chang, Shin-Chi 1981. Flowering and seed development of sorghum. Rep. of the Corn Res. Centre, Tainan DAIS 15:1-10.
Chatterton, N.J., Hanna, W.W., Powell, J.R. and Lee, L.R. 1975. Photosynthesis and transpiration of bloom and bloomless sorghumm. Canadian Journal of Plant Science. 55: 641-643.
Cheeseman, J.M. 1988. Mechanisms of salinity tolerance in plants. Plant Physiol. 87:547-550.
Ching, T.M. 1973. Adenosin triphosphate content and seed vigor. Plant Physiol. 51:400-402.
Ching, T.M., Hedtke, S., Boulger, M.C. and Kronstad, W.E. 1977. Correlation of field emergence rate and seed vigor criteria in barley cultivars. Crop Sci. 17:312-314.
Chopart, J.L. and Nicou, R. 1976. Influence of ploughing on the root development of different crop plants in Senegal. Consequences on their water supply. (in French) Agron. Trop. 31:7-28. (Summary in English).
Chotib, A., Evenson, J.P. and Harty, R.I. 1976. The role of the primary seminal root system in the promotion of normal growth in hybrid sorghum. Seed Sci. Technol. 4:239-243.
Chowdhury, A.R. and Allan, R.E. 1963. Inheritance of coleoptile length and seedling height and their relation to plant height of four winter wheat crosses. Crop. Sci. 3:53-58.
Choudhury, M.R. and Prihar, S.S. 1974. Root development and growth of corn following mulching, cultivation for inter-row compaction. Agron. J. 66:350-355.
Chowdhury, S.I. and Wardlaw, I.F. 1978. The effect of temperature on kernel development in cereals. Aust. J. Agric. Res. 29:205-223.
Christensen, J.E. 1972. Developmental aspects of micro-sporogenesis in *Sorghum bicolor*. Ph.D. Thesis, Iowa State University, USA. 240 pp.
Christie, B.R., and Kalton, R.R. 1960. Recurrent selection for seed weight in bromegrass, *Bromus inermis* Leyss. Agron. J. 252:575-578.
Clark, L.E. 1970. Embryonic leaf number in sorghum. Crop Sci. 10:307-309.
Clark, L.E., Collier, J.W. and Langston, R. 1967. Dormancy in *Sorghum bicolor* (L.) Moench. I. Relationship to seed development. Crop Sci. 7:497-501.
Clark, L.E., Collier, J.W. and Langston, R. 1968. Dormancy in *Sorghum bicolor* (L.) Moench. II. Effect of pericarp and testa. Crop Sci. 8:155-158.
Clark, R.B. 1982. Mineral nutrition factors reducing sorghum yields. In "Sorghum in the Eighties." L.R. House, L.K. Mughogho and J.M. Peacock (Eds.), Patancheru, P.O. 502324, A.P., India. ICRISAT. p. 170-190.
Clough, B.F. and Milthorpe, F.L. 1975. Effects of water deficit on leaf development in tobaco. Aust. J. Plant Physiol. 2:291-300.
Collins-George, N. and Hector, J.B. 1966. Germination of seed as influenced by matric potential and by area of contact between seed and soil water. Aust. J. Soil Res. 4:145-164.
Connor, D.J. 1975. Growth, water relations and yield of wheat. Aust. J. Plant Physiol. 2:353-366.
Cowie, A.M. 1973. Effects of nitrogen supply on grain yield and protein content in hybrid grain sorghum. Ph.D. Thesis, Department Agriculture, University of Queensland, St. Lucia, Queensland, Australia.
Dale, J.E. 1982. The growth of leaves. Oxford and IBH Publishing Co., New Delhi, India. 60pp.
Dalton, L.G. 1967. A positive regression of yield on maturity in sorghum. Crop Sci. 7:271.

CAPILLA ALFONSINA
BIBLIOTECA UNIVERSITARIA

Dasgupta, P.R. and Austenson, H.M. 1973. Relation between estimates of seed vigor and field performance in wheat. Can. J. Plant Scie. 53:43-46.
Daynard, T.B. and Duncan, W.G. 1969. The black layer and grain maturity in corn. Crop Sci. 9:473-476.
Dhindsa, S.S. and Slinkard, A.E. 1963. Variation in Russian wild grass, *Elymus junceus* Fisch. Crop Sci. 3:405-406.
Dhopte, A.M. 1984. Influence of night temperature in micro-sporogenesis and mega-sporogenesis in *Sorghum bicolor* (L.) Moench. Ph.D. Thesis, University of Nebraska, Lincoln, USA.
Dickinson, T.E. 1976. Caryopsis development and the effect of induced temperatures in *Sorghum bicolor* (L.) Moench. M.S. Thesis, University of Nebraska, Lincoln, USA.
Dickinson, T.E. and Eastin, J.D. 1976. Caryopsis development in two sorghum hybrids and a line. Ann. Report No. 9. Research in physiology of yield and management of sorghum in relation to genetic improvement. Univ. Nebraska, ARS, USDA.
Doggett, H. 1970. Sorghum. Longmans Green. Co. Ltd., London. 403 pp.
Douglas, A.J. and Asay, R.H. 1978. Technique in assessing seedling emergence under drought stress. Crop. Sci. 18:520-522.
Downes, R.W. 1968. The effect of temperature on tillering of grain sorghum seedlings. Aust. J. Agric. Res. 19:50-64.
Downes, R.W. 1972. Effect of temperature on the phenology and grain yield of *Sorghum bicolor*. Aust. J. Agric. Res. 23:585- 594.
Eastin, J.D. 1972a. Photosynthesis and translocation in relation to plant development. In "Sorghum in the Seventies." N.G.P Rao and L.R. House, (Eds.) Oxford and IBH Publishing Co., New Delhi, India. pp. 214-216.
Eastin, J.D. 1972b. Efficiency of grain dry matter accumulation in grain sorghum. Proc. Ann. Sorghum Res. Conf. 27:7-17.
Eastin, J.D. 1976. Temperature influence on sorghum yield. Proc. Annual Corn and Sorghum Research Conference 31:19-23.
Eastin, J.D. and Sullivan, C.T. 1974. Yield considerations in selected cereals: sorghum growth stages. Bulletin the Research Society of New Zealand, 12:871-877.
Eastin, J.D. and Lee, K.W. 1984. *Sorghum bicolor* (L.) Moench. In "Handbook of Flowering." A.H. Hallevy (Ed.), Chemical Rubber Co. Press, Boca Raton, Florida, USA.
Eastin, J.D., Hultquist, J.H. and Sullivan, C.Y. 1973. Physiologic maturity in grain sorghum. Crop Sci. 13:175-178.
Eastin, J.D., Brooking, L. and Taylor, A.O. 1975. Temperature influence on sorghum development and yield components. Ann. Report No. 8, Research in the physiology of yield and management of sorghum in relation to genetic improvement. July, 1973 to March 1975, University of Nebraska, ARS. USDA.
Eastin, J.D., Castleberry, T.J., Gerik, T.J., Hustquist, J.H. Mahalakshmi, V., Ogunlela, V.B. and Rice, J.R. 1983. Physiological aspects of high temperature and water stress. In "Crops Reactions to Water and Temperature Stress in Humid Temperate Climates." J.M. Raper and P.J. Kramer (Eds.), West View Press, Boulder, Colorado, USA.
Eastin, J.D., Sullivan, C.Y., Bennett, J.M., Dhopte, A.M., Gerik, T.J., González-Hernández, V.A., Lee, K.W., Ogunlela, V. and Rice, J.R. 1984. Sorghum sensitivities to environmental stress. In "Sorghum Root and Stalk Root- a Critical Review.", L.K. Mughogho (Ed.), ICRISAT. p. 131-143., Patancheru, P.O. 502324, A.P., India.
Ebercon, A., Blum, A. and Jordan, W.R. 1977. A rapid colorimetric method for epicuticular wax on sorghum leaves. Crop Science 17: 179-180.
El-Sarkawi, H,M. and Springuel, I.V. 1977. Germination of some crop plants seeds under reduced water potential. Seed Sci. Technol. 5:677-688.
El-Sarkawi, H,M. and Springuel, I.V. 1979a. Germination of some crop plants seeds under salinity stress. Seed Sci. Technol. 7:27-37.
El-Sarkawi, H.M. and Springuel, I.V. 1979b. Effect of indole acetic on the germination of seed under reduced water potential. Seed Sci. Technol. 7:209-223.
Elias, F.C. 1976. Growth, development and yield of sorghum in the field under variable water supply. Ph.D. Thesis, Univ. of Calif., Davis.
Elston, J. 1980. A paper presented on portential productivity of field crops under different environments, held at IRRi, Manila, Sept. 22-26, 1980.

Esechie, A.H. 1975. Studies of physiological, morphological and anatomical aspects of lodging in grain sorghum. Ph.D. Thesis, University of Nebraska, Lincoln, Nebraska, USA.

Evans, L.T. 1960. The influence of environmental conditions on inflorescence development in some long day grains. New Phytol. 59:163-174.

Evans, L.T. 1980. Book Review of: "Stress Physiology in Crop Plants", H. Mussell and R.C. Staples (Eds.), Field Crops Research 3:194-196.

Evans, L.T. and Dunston, R.L. 1970. Some physiological aspects of the evolution in wheat. Aust. J. Biol. Sci. 23:725-741.

Evans, L.T. and Rawson, H.M. 1970. Photosynthesis and respiration by the flag leaf and components of the ear during grain development in wheat. Aust. J. Biol. Sci. 23:245-254.

Evans, L.T. and Wardlaw, I.F. 1976. Aspects of the comparative morphology of grain yield in cereals. Adv. Agron. 28:301-359.

Evans, W.F. and Stickler, F.C. 1961. Grain sorghum seed germination under moisture and temperature stress. Agron. J. 53:369-372.

F.A.O. 1982. Production year book 1981. Food and Agricultural Organization of the United Nations, Rome. pp 107-108.

Fawusi, M.O.A and Agwoola, A.A. 1980. Soil moisture requeriments for germination of sorghum, millet and celosia. Agron. J. 72:353-357.

Fischer, K.S. and Wilson, G.L. 1975a. Studies of grain production in *Sorghum bicolor* (L.) Moench. III. The relative importance of assimilate supply, grain growth capacity, and transport system. Austr. J. Agric. Res. 26:11-23.

Fischer, K.S. and Wilson, G.L. 1975b. Studies of grain production in *Sorghum bicolor* (L.) Moench. V. Effect of planting density on growth and yield. Aust. J. Agric. Res. 26:31-41.

Fischer, R.A. and Turner, W.C. 1978. Plant productivity in the arid and semi-arid zones. Ann. Rev. Plant Physiology 29:277- 317.

Flowers, T.J., Troke, P.F. and Yeo, A.R. 1977. The mechanisms of salt tolerance in halophytes. Ann. Rev. Plant Physiol. 28:89-121.

Foale, M.A. and Upchurh, D.R. 1982. Soil coring method for sites with restricted access. Agron. J. 74:761-763.

Ford, M.A. and Thorne, G.N. 1974. Effects of atmospheric humidity on plant growth. Ann. Bot. Ns. 38:441-452.

Francois, L.E.T. and Mass, E.V. 1984. Salinity effects on seed yield, growth and germination of grain sorghum. Agron. J. 76:741-744.

Freeman, J.E. 1970. Development and structure of the sorghum plant and its fruit. In "Sorghum Production and Utilisation." J.S. Wall and W.M. Ross (Eds.), pp. 28-72 AVI Publishing Co., West Port, Conn., USA.

Fryer, H.C., Pauli, A.W. and Stickler, F.C. 1966. Temperature influence of anthesis date in grain sorghum, *Sorghum vulgare* Pers. Agron. J. 58:9-12.

Gallagher, J.N. 1979. Field studies of cereal leaf growth. I. Initiation and expansion in relation to temperature and ontogeny. J. Exp. Bot. 30:625-636.

Gallagher, J.N., Biscoe, P.V. and Scott, R.K. 1975. Barley and its environment. Ecol. 12:319-336.

Gallaher, R.N., Harris, H.B., Anderson, O.E. and Dobson, J.W. Jr. 1975. Hybrid grain sorghum response to magnesium fertilazation. Agron. J. 67:297-300.

García-Mendoza, F. 1986. Estudio comparativo sobre algunas caracteristicas morfologicas, anatomicas y bioquimicas in lineas "Glossy" y nonglossy de sorgo (*Sorghum bicolor* (L.) Moench en diferentes etapas de desarrollo. Biology Thesis, Facultad de Ciencias Biologicas, U.A.N.L., Mexico.

García-Sandoval, N.D. 1991. Evaluación y selección de líneas de sorgo "Glossy" (*Sorghum bicolor* (L.) Moench) para su tolerancia a diferentes factores de estrés en la etapa de plántula. Tesis Biólogo, Facultad de Ciencias Bilogicas, Universisdad Autonoma de Nuevo Leon, Mexico.

García-Saucedo, J.M. 1985. Comparación de algunas características morfológicas y fisiológicas in líneas 'glossy' y 'no-glossy' de sorgo (*Sorghum bicolor* (L.) Moench) para su resistancia a la sequía en estado de plántula. Thesis, Bachelor in Biology, Facultad de Ciencias Biologicas, Universidad Autónoma de Nuevo León, México.

Gardner, W.R. and Nieman, R.H. 1964. Lower limit of water availability to plants. Science. 143:1460-1462.

Gates, D.M. 1968. Transpiration and leaf temperature. Ann. Rev. Plant Physiol. 19:211-238.

CAPILLA ALFONSINA
BIBLIOTECA UNIVERSITARIA

Gbur, E.E., Thomas, G.L. and Miller, F.R. 1979. Use of segmented regression in determination of the base tempertature in heat accumulation models. Agron. J. 7:949-953.

Gelmond, H., Peles, R. and Lurie, I. 1976. Sorghum seed vigor. He. Hassadeh 56:652-654.

Gelmond, H., Luria, I., Woodstock, L.W. and Pearl, M. 1978. The effect of accelerated ageing of sorghum seeds on seedling vigor. J. Exp. Bot. 29:489-495.

Gibson, P.T. and Schertz, K.F. 1977. Growth analysis of a sorghum hybrid and its parents. Crop Sci. 17:387-391.

Gibson, P.T., and Maiti, R.K. 1983. Trichomes in segregating generations of sorghum matings.I. Inheritance of presnce and density. Crop Science 23, 73-75.

Giles, K.L., Bassett, H.C.M. and Eastin, J.D. 1975. The structure and ontogeny of the hilum region in *Sorghum bicolor*. Austr. J. Bot. 23:795-802.

Giles, K.L., Cohen, D. and Beardsell, M.F. 1976. Effects of water stress on the ultrastructure of leaf cells of *Sorghum bicolor*. Plant Physiol. 57:11-14.

Glenn, E.P. 1987. Relation between cation accumulation and water content of salt-tolerance grasses and sedge. Plant, Cell and Environment 10:205-212.

Glueck, J.A. and Rooney, L.W. 1976. Physical and chemical characterization of sorghum lines with resistance to grain deterioration. Cereal Foods World 21:436-437.

Glueck, J.A. and Rooney, L.W. 1978. Chemistry and structure of grain in relation to mold resistance. P. 118-140. "Sorghum Diseases, a World Review." Proc. International Working on sorghum disease, 11-15 December, Hyderabad, India.

Glueck, J.A. and Rooney, L.W. 1980. Chemistry and structure of grain in relation to mold resistance, 119-140. Proc. Internatl. Workshop Sorghum Dis. 11-15 Dec. 1979, ICRISAT, Hyderabad, India. Eds. R.J. Williams, R.A. Frederiksen, L.K. Mughogho and G.D. Bengston. ICRISAT, Patancheru, A.P., India.

Goldsworthy, P.R. and Taylor, R.S. 1970. The effect of plant spacing on grain yield of tall and short sorghum in Nigeria. J. Agric. Sci. Camb. 74:1-10.

González-Hernández, V.A. 1982. Sorghum responses to high temperature and water stress imposed during panicle development. Ph.D. Thesis, University of Nebraskam Lincoln, Nebraska, USA.

González-Rodríguez, H. 1989. Quantitative description of sorghum root system. Thesis in Masters Plant Physiology, Texas A & M University, USA.

Goodsell, S.F. 1957. Germination of dormant sorghum seed. Agron. J. 49:387-389.

Gorham, J., Wyne Jones, R.G. and McDonnell, E. 1985. Some mechanisms of salt tolerance in crop plants. Plant and soil 89:15-40.

Gorham, J., Forster, B.P., Budrewicz, E., Wyne Jones, R.G., Miller, T.E. and Law, C.N. 1986. Salt tolerance in the *Triticaceae*: solute accumulation and distribution in an amphidiploid derived from *Triticum aestivum cv. chinense spring* and *Thinopyrum bessarabicum*. J. Exp. Bot. 37:1435- 1449.

Green, P.B. and Cummins, W.R. 1974. Growth rate and turgor pressure. Plant Physiol. 54:863-870.

Greenway, H. and Munns, R. 1980. Mechanisms of salt tolerance in nonhalophytes. Ann. Rev. Plant Physiol. 31:149-190.

Grieve, C.M. and Mass, E.V. 1984. Betaine accumulation in salt stressed sorghum. Physiol. Plant 61:167-171.

Gritton, E.T. and Atkins, R.E. 1963. Germination of sorghum seed as affected by dormancy. Agron. J. 55:169-174.

Grosh, G.M. and Miller, M. 1959. Water penetration and internal cracking in tempered wheat grains. Cereal Chemistry 36:260-273.

Guneyli, E., Burnside, O.C., and Nordquist, P.T. 1969. Influence of seedling characteristics on weed competitive ability of sorghum hybrids and in-bred lines. Crop Sci. 9:713-716.

Gunning, B.E.S. and Pate, J.S. 1969. 'Transfer cells' plant cells with wall ingrowths, specialized in relation to short distance transport solutes their occurrence structure and development. Protoplasma 68:107-133.

Haberlandt, G. 1928. Physiological Plant Anatomy. 1965 Reprint edition as translated by M. Durmmond. Today and Tomorrow Book Agency, New Delhi, India. pp.107-108.

Hackett, C. 1973. A growth analysis of the young sorghum root system. Aust. J. Soil Sci. 26(5):1211-1214.

Hadas, A. and Stibbe, E. 1973. Analysis of soil water movement towards seedlings prior to emergence. In: "Physical Aspects of Soil Water and Solutes in Ecosystems." A. Hades *et al.* (Eds.), Chapman and Hall Ltd, London.

Hadas, A. and Russo, D. 1974. Water uptake by seeds as affected by water stress, capillary conductivity and seed-soil water contact. 1. Experimental study. Agron. J. 66:643-647.

Hajibagheri, M.A., Harvey, D.M.R. and Flowers, T.J. 1987. Quantitative ion distribution within root cells of salt sensitive and salt-tolerant maize varieties. New Phytol. 105:367-379.

Hanif, M. and Langer, R.H.M. 1972. The vascular system of the spikelet in wheat (*Triticum aestivum*. Ann. Bot. 36:721-727.

Hanks, R.J., Keller, J., Rasmussen, V.P. and Wilson, G.D. 1976. Line source sprinkler for continuous variable irrigation - crop production studies. Soil Sci. Soc. Am. J. 40:426-429.

Harlan, R.R. and De Wet, J.M.J. 1972. A simplified classification of cultivated sorghum. Crop Sci. 12:172-176.

Harris, H.B. and Burns, R.E. 1970. Influence of tannin content on preharvest seed germination in sorghum. Agron. J. 62:835-836.

Harris, H.B. and Burns, R.E. 1973. Relationship between tannin content of sorghum grain and preharvest seed molding. Agron. J. 65:957-959.

Harris, H.B., Johnson, B.J. and Stacy, S.V. 1962. Georgia 609 - a weather resistant grain sorghum. Univ. Ga. Agric. Exp. Sta. Leaflet (N.S) 29:1-6.

Heatherly, L.G. 1975. Root and shoot development of grain sorghum (*Sorghum bicolor* (L) Moench) under field conditions. Ph.D. Thesis, University of Missouri, Columbia, Missouri, USA. 109pp.

Hegarty, T.W. 1977. Seed activation and seed germination under moisture stress. New Phytol. 78:349-359.

Heinrich, G.M. 1981. Morphological and physiological mechanism of yield stability in grain sorghum (*Sorghum bicolor* (L.) Moench), across diverse environments. Ph.D. Thesis, Univ. of Nebraska, Lincoln, USA. 93 pp.

Hemsath, D.L. and Muzurak, A.P. 1974. Seedling growth of sorghum in clay-sand mixtures at various compactions and water contents. Proc. Soil Sci. Soc. Amer. 38:387-390.

Hensell, R.G., McCree, K.J., Van Bavel, C.H.M. and Schertz, K.F. 1975. Method for screeening sorghum genotypes for stomatal sensitivity to water deficits. Crop Sci. 15:516-518.

Hewitt, J.S. and Dexter, A.R. 1979. An improved model of root growth in structured soil. Plant and Soil 52:325-343.

Heydecker, W. 1974. Germination of an idea: Priming of seeds. Univerisity of Nottingham, School of Agriculture Report (part III), 1973/1974.

Heydecker, W. and Coolbear. P. 1977. Seed treatment for improved performance-survey and attempted prognosis. Seed Sci. Tech. 5:353-425.

Higgins, G.M. 1978. Report on the agro-ecological zones. Vol I. Methodology and results for Africa 157:FAO, Rome.

Hoffman, G.J. and Jobes, J.A. 1978. Growth and water relations of cereal crops as influenced by salinity and relative humidity. Agron. J. 70:765-769.

Hou, H.T., Zhang, S.Y., Zhao, G.D. 1987. A preliminary study on the inheritance of drought tolerance in sorghum. Heriditas 9:8-12.

House, L.R. 1980. A Guide to Sorghum Breeding. ICRISAT, Patancheru P.O. 502 324, A.P., India. 238pp.

House, L.R. 1982. A look ahead into the 1980's. In "Sorghum in the Eighties." Eds. L.R. House, Mugogho, L.K. and Peacock,J.M., ICRISAT, Patancheru, A.P., India.

Hsiao, T.C. 1973. Plant responses to water stress. Ann. Rev. of Plant Physiol. 24:519-570.

Hsiao, T.C. 1973. Plant responses to water stress. Ann. Rev. Plant Physiol. 24:519-570.

Hsiao, T.C. and Acevedo, C. 1974. Plant response to water deficits, water use efficiency and drought resistance. Agric. Meteorology 14:59-84.

Hsiao, T.C., Acevedo, E. and Henderson, D.W. 1970. Maize leaf elongation: continuous measurements and close dependence on plant water status. Science 168:590-591.

Huda, A.K.S. 1982. Evaluation of SORGF sub-routines - A consultancy report, Blackland Research Center, Temple, Texas.

Hultquist, J.H. 1973. Physiologic and morphologic investigations of grain sorghum (*Sorghum bicolor* L.). Vascularization. II. Response to internal drought stress. Ph.D. Thesis, University of Nebraska, Lincoln, USA.

Hurd, E.A. 1976. Plant breeding for drought resistance. In "Water Deficits and Plant Growth." T.T. Kozlowski (Ed.), Academic Press, New York, USA. pp. 317-353.

Hurkman, W.J. and Tanaka, C.E. 1987. The effects of salt on the pattern of protein synthesis in barley roots. Plant Physiol. 83:517-524.

CAPILLA ALFONSINA
BIBLIOTECA UNIVERSITARIA

Hussain, I. and Aspinall, D. 1970. Water stress and apical morphogenesis in barley, Ann. Bot. NS. 34:393-406.

IBPGR 1980. Sorghum descriptors. International Board for Plant Genetic Resources, Rome, Italy.

IBPGR/ICRISAT, 1981. Sorghum descriptors. IBPGR, Rome, Italy, 34 pp.

ICRISAT 1977. Annual Report, 1976-77. Hyderabad, A.P., India: ICRISAT. 293pp.

ICRISAT 1980. Annual Report. International Crops Research Institute for the Semi Arid Tropics, Patancheru, India.

ICRISAT 1981. Anual report. International Crops Research Institute for the Semi-Arid Tropics. Patancheru, A.P. India.

ICRISAT 1982. Annual Report. International Crops Research Institute for the Semi Arid Tropics, Patancheru, India.

Inouye, J. and Tanakamaru, S. 1977. Studies on the seedling emergence in crops effect of compaction of covering-soil on the emergence in some cereals. Crop.Sci.Soc.Jap. 46:14-18.

Inuyama, S., Musick, J.T. and Dusek, D.A. 1976. Effect of plant water deficits at varios growth stages on growth, grain yield and leaf water potential of irrigated grain sorghum. Proc. Crop Sci. Soc. Japan 45:298-307.

Isley, D. 1958. Employment of tetrazolium chloride for determining viability of small grains seeds. Assoc. Off Anal. Pro. Soc. Range Manage. 31:55-56.

Jacques, G.L., Vanderlip, R.L. and Whitney, D.A. 1975. Growth and nutrient accumulation and distribution in grain sorghum. I. Dry matter production and Ca and Mg uptake and distribution. Agron. J. 67:607-611.

Jean, F.C. and Weaver, J.E. 1924. Root behaviour and crop yield under irrigation. Carnegie Inst. Wash. Pub. No. 357, pp 66.

Johnson, R.R., Frey, N.M. and Moss, D.N. 1974. Effect of water stress on photosynthesis and transpiration of flag leaves and spikes of barley and wheat. Crop Sci. 14:728-731.

Johnson, W.J. 1967. Diurnal variation in growth rate of grain sorghum. Agron. J. 59:41-44.

Jones, M.M. and Turner, N.C. 1978. Osmotic adjustment in leaves of sorghum response to water deficits. Plant Physiol. 61:122- 126.

Jones, M.M., Turner, N.C. and Osmond, B.C. 1979. Mechanisms of drought resistance. In: "The Physiology and Biochemistry of Drought Resistance." L.G. Paleg and D.A. Aspinal (Eds.), Academic Press, London, UK.

Jordan, W.R. 1983. Wole plant responses to water deficit. An Overview. In: "Limitations to Efficient Water Use in Crop Production." H.M. Taylor, W.R. Jordan and T.R. Sinclair (Eds.), American Society of Agronomy, Madison, U.S.A..

Jordan, W.R. and Miller, F.R. 1980. Genetic variability in sorghum root systems: implications for drought tolerance. In "Adaptation of Plants to Water and High Temperature Stress." N.C. Turner and P.J. Kramer (Eds.), John Wiley, New York, USA. pp. 383-399.

Jordan, W.R. and Monk, R.L. 1980. Enhancement of drought resistance of sorghum: progress and limitations. Proc. Annual corn and Sorghum Research Conference. 35:185-204.

Jordan, W.R. and Sullivan, C.Y. 1982. Reaction and resistance of grain sorghum to heat and drought. In: "Sorghum in the Eighties." L.R. House, L.K. Mughogho, J.M. Peacock, (Eds.) ICRISAT, Patancheru, 502 324, A.P., India. pp. 131-142.

Jordan, W.R., McCrary, M. and Miller, F.R. 1979a. Compensatory growth in the crown root system of sorghum. Agron. J. 71:803-806.

Jordan, W.R., Miller, F.R. and Morris, D.E. 1979b. Genetic variation in root and shoot growth of sorghum in hydroponics. Crop Sci. 19:468-472.

Jordan, W.R., Monk, R.L., Miller, F.R., Rosenow, D.T. and Clark, L.E. 1981. Environmental physiology of sorghum. I. Environmental and genetic control of epicuticular wax load. Crop Sci. 21.

Jordan, W.R., Clark, R.B., and Seetharama, N. 1983. The role of edaphic factors in disease development. Paper presented during consultative group discussion on research needs and stategies for control of sorghum root and stalk rot diseases held at the Rockefeller Foundation Bellagio study Centre, Lake Como, Italy, 27th Nov.-Dec. 1983.

Jordan, W.R., Shouse, P.J., Blum, A., Miller, F.R. and Monk, R.L. 1984. Environmental physiology of sorghum II. Epicuticular wax load and cuticular transpiration. Crop Science 24 : 1168-1173.

Jowett, D. 1965. The grain structure of sorghum related to water uptake and germination. E.Afr.Agric.For.J. 31:25-30.

Kaigama, B.K., Teare, I.D., Stone, L.R. and Powers, W.L. 1977. Root and top growth of irrigated and non-irrigated grain sorghum. Crop Sci. 17:555-559.

Kalton, R.R., Delong, R.A. and Mclead, D.S. 1959. Cultural factors in seedling vigours of smooth brome gran and other forage species. Iowa State. J. Sci. 34:47-80.

Kambal, A.E. and Webster, O.J. 1966. Manifestation of hybrid vigor in grain sorghum and the relations among the components of yield, weight per bushel, and height. Crop Sci. 6:513-515.

Kantor, D.J. and Webster, D.J. 1967. Effects of frezzing and mechanical injury on viability of sorghum seed. Crop Sci. 7:196-199.

Kassam, A.H. and Andrews, D.J. 1975. Effects of sowing date on growth, development and yield of photosensitive sorghum at Samaru, Northern Nigeria. Expt. Agric. 11:27-240.

Kaufmann, M.L. and MacFadden, A.D. 1963. The influence of seed size on results of barley yield trails. Can. J. Plant Sci. 43:51-58.

Kaufmann, M.L. and Guitard 1967. The effect of seed size on the early plant development in barley. Can J. Plant Sci. 47:73-78.

Kawasaki, T. and Moritsugu, M. 1979. A characteristic sympton of calcium deficiency in maize and sorghum. Communication in Soil Science and Plant Analysis 10:41-56.

Kersting, J.F., Sticklet, F.C. and Pauli, A.W. 1961. Grain sorghum caryopsis development. I. Changes in dry weight, moisture percentage and viability. Agron. J. 53:36-38.

Khanna-Chopra, R. and Sinha, S.K. 1977. Physiological and biochemical analysis of hybrid vigor in sorghum. I. Germination and seedling weight. India J. Exp. Biol. 15:913- 917.

Khera, K.L., Khera, R., Prihar, S.S., Sandhu, B.S. and Sandhu, K.S. 1976. Mulch, nitrogen and irrigation effects on growth, yield and nutrient uptake of forage corn. Agron. J. 68:937-941.

Kilen, T.C. and Andrews, R.H. 1969. Measurement of drought resistance in corn. Agron. J. 61:669-672.

Kirby, J.S. and Atkins, R.E. 1968. Heterotic response for vegetative and mature plant characters in grain sorghums *Sorghum bicolor* (L.) Moench. Crop Sci. 8:335-339.

Kleinendorst, A. 1975. An explosion of leaf growth after stress conditions. Neth. J. Agric. Sci. 23:139-144.

Kneebone, W.R. 1970. Breeding for seedling vigour. In "The biology and utilization of grasses." Eds. C.M. McKell and V.B. Younger, Academic Press, London.

Kneebone, W.R. and Cremer, C.L. 1955. The relationship of seed size to seedling vigor in some netive grass species. Agron. J. 47:472-477.

Kobayashi, Y. and Mizutani, S. 1970. Some observations on the root differentiation of corn plants. Rep. Tokai. br. Crop Sci. Soc. Japan. 73:100-105.

Kramer, P.J. 1969. Plant and Soil Water Relationships: a Modern Synthesis. 2nd Ed., McGraw-Hill, Bombay, India. 482pp.

Krieg, D.R. and Rice, J.R. 1975. Seed development of four sorghum cultivars. Progress Report, Texas Agric. Exp. Station No:3312C. 12 pp.

Lane, H.C. 1963. Effect of light quality on maturity in the milo group of sorghum. Crop Sci. 3:496-499. 1963.

Langer, R.H.M. and Dougherty, C.T. 1976. Physiology of grain yield in wheat. pp. 59-67, In "Perspectives in Experimental Biology." N. Seetharama (Ed.), Pergamon Press, Oxford, UK.

Lanning, F.C. and Linko, Y.Y. 1961. Role of silica in plants: absorption and deposition of silica by four varieties of sorghum. J. Agric. Food Chem. 9:463-465.

Lavy, T.L. and Eastin, J.D. 1969. Effect of soil depth and plant age on 32 phosphorus uptake by corn and sorghum. Agron. J. 61:677-680.

Lawlon, D.W. 1969. Plant growth in polyethylene glycol solutions in relation to the osmotic potential of the root medium and the leaf water balance. J. Exp. Bot. 20:895-911.

Lawrence, T. 1963. A comparison of methods of evaluating Russian wild ryegrass for seedling vigor. Can. J. Plant Sci. 14:80-84.

Lee, K. 1974. Ultrastructural study of the shoot apex in *Sorghum bicolor*. Ph.D., Thesis University of Nebraska, Lincoln.

Lee, K. and Lommasson, R.C. 1972. Mitochondria - like structure of chloroplast origin in *Sorghum bicolor*. Proceedings of the Nebraska Academy of Sciences and Affiliated Societies 82:13-14.

Lee, K., Lommasson, R.C. and Eastin, J.D. 1974. Developmental studies on the panicle initiation in sorghum. Crop Sci. 14:80-84.

Lemos, P. and Lutz, J.F. 1957. Soil crusting and some factors affecting it. Soil Sci. Soc. Amer. Proc. 21:485-491.

CAPILLA ALFONSINA
BIBLIOTECA UNIVERSITARIA

Leng, E.R. 1951. Time-relationships in tassel development of inbred and hybrid corn. Agron. J. 43:445--449.

Leopold, A.C. and Kriedemann, P.E. 1975. Plant growth and development. New Yord, USA: McGraw-Hill Co. 2nd ed. pp.375-399.

Levitt, J. 1972. Responses of Plants to Environmental Stresses. Academic Press, New York, USA. 697pp.

Lewis, R.B. Hiler, E.A. and Jordan, W.R. 1974. Susceptibility of grain sorghum to water deficit at three growth stages Agron. J. 66:589-591.

Lockhart, J.A. 1965a. Cell extension. In: "Plant biochemistry". J. Bonner and J.E. Varner (Eds.), Academic Press, New York, USA. p. 826-849.

Lockhart, J.A. 1965b. An analysis of irreversible cell extension. J. Theoret. Biol. 8:264-275.

Long, F.L., 1981. The influence of sorghum-Sudangrass roots on nutrient leaching. Agron. J. 73:537-546.

Longstreth, D.J., Bolaños, J.A. and Smith, J.E. 1984. Salinity effects on photosynthesis and growth in *Alternanthera philoxeroides* (Mart.) Griesb. Plant Physiol. 75:1044-1047.

López-Irison, M. 1991. Efecto de temperatura sobre crecimiento de sorgo glossy (tropical) and templado en la etapa de plantula. Bachelor thesis, Facultad de Agronomia, Universidad Autonoma de nUevo Leon, Mexico.

Lyles, L. and Fanning, C.D. 1964. Effects of presoaking moisture tension and soil salinity on the emergence of grain sorghum. Agron. J. 56:518-520.

Macklon, A.E.S. and Weatherly, P.E. 1965. Controlled environmental studies of the nature and origins of water deficits in plants. New Phytol. 64:414-427.

Maiti, R.K. 1977. Studies on growth and development of panicles and grains of some sorghum hybrids and their parents. pp. 81-112. In "Advances in Plant Reproductive Physiology." C.P. Malik (Ed.), Kalyani Publishers, New Delhi, India.

Maiti, R.K. 1980. The role of glossy and trichome traits in sorghum crop improvement. Annual Meeting of All India Sorghum Improvement-Sorghum Improvement Workshop, Coimbatore, India, 12-14 May.

Maiti, R.K. 1981. Evaluation of sorghum for multiple stress resistance: a pragmatic approach towards sorghum crop improvement in semi-arid tropics. Lecture delivered at the Summer Institute on Production Physiology of Dryland Crops held at the Department of Plant physiology, Andhra Pradesh Agricultural University, May 11th to June 5th, 1981.

Maiti, R.K. 1983. Evaluación de sorgo bajo condiciones de estrés multiple en el Noreste de México. Boletín No. 1. Centro de Investigaciones Agropecuarias de la Facultad de Agronomía de la UANL., Marín, N.L., México.

Maiti, R.K. 1986. Morfología, crecimiento y desarrollo del sorgo *Sorghum bicolor*. Universidad Autónoma de Nuevo León. Facultad de Agronomía, Marín, Nuevo León, México. 1-419.

Maiti, R.K. and Bidinger, F.R. 1979. A simple approach to the identification of shootfly tolerance in sorghum. Ind. J. Plant Prot. 7:135-140.

Maiti, R.K. and Gibson, P.T. 1983. Trichomes in segregating generations of sorghum matings II. Association with shootfly resistance. Crop Science 23:76-79.

Maiti, R.K. and Carrillo, M.J. 1989. Effect of planting depth on seedling emergence and vigor in sorghum (*Sorghum bicolor* L. Moench) Seed Sci. & Technol. 17:90.

Maiti, R.K. and Carrillo, M.J. 1991. The responses of sorghum with short and long mesocotyl under different stress conditions. Publicaciones Biológicas, FCB/UANL, México 5(1):18-21.

Maiti, R.K., Raju, P.S. and Bidinger, F.R. 1979. Studies on germinability and some aspects of pre-harvest and post-harvest physiology of grain sorghum. Paper presented at the National Seminar on Physiological Basis of Crop Productivity and Harvesting Solar Energy in Relation to Agricultural Development, held at Allgarth Muslim University, 19-21 March, India.

Maiti, R.K., Seetharama, N. and Peacok, J.M. 1980a. Sorghum Improvement for water, heat and nutrient stress (drought and crop. establishment). Paper presented at 5th Joint Meeting of the UNDP-CIMMYT-ICRISAT Advisory Policy Commitee, 14-18th Oct.

Maiti, R.K., Seshu Reddy, K.V., Gibson, P.T. and Davies, J.C. 1980b. Nature and occurrence of trichomes in sorghum lines with resistance to the sorghum shootfly. In; Joint Progress Report, Sorghum Physiology-3, Sorghum Entomology-3. Patancheru, A.P. 502324, India, International Crops Research Institute for Semi-Arid Tropics.

Maiti, R.K., Raju, P.S. and Bidinger, F.R. 1981. Evaluation of visual scoring for seedling vigour in sorghum. Seed Sci. Technol. 9:613-622.