Maiti, R.K., H. González, R., C.O. Alanís, L. and M.A. Rivera, P. 1983a. Algunos aspectos del establecimiento del cultivo de sorgo (*Sorghum bicolor* (L.) Moench), en Marín, N.L. Resumen presentado en el Taller Sobre Producción y Calidad de Sorgo. Irapuato, Guanajuato, México; 26-29 Sept.

Maiti, R.K., Manohar, K.S. and Raju, P.S. 1983b. Anatomía del Sorgo. Monterrey, N.L., México. Universidad Autonóma de Nuevo León.

Maiti, R.K., Prasad Rao, K.E., Raju, P.S. and House, L.R. 1984. The glossy trait in sorghum. Its characteristics and significance in crop improvement. Fields crops Research Institute 9, 279-289.

Maiti, R.K., Raju, P.S. and Bidinger, F.R. 1985. Studies on germinability and some aspects of pre-harvest physiology of sorghum grain. Seed Sci. Tech. 13:27-35.

Maiti, R.K., Verde Star, J., Martínez-Lozano, S. and Rodríguez-Arzave, J.A. 1991. Evaluation of some glossy sorghums strains for epicuticular wax, chlorophyll and hydrocyanic acid content at the seedling stage. Publicaciones Biologicas, F.C.B./U.A.N.L., Mexico 5:27-30.

Mali, C.V., Musande, V.G. and Varade, S.B. 1977. Influence of soil bulk density on seedling emergence of sorghum. J. Maharastra Agric. Univ. 2:193-195.

Mali, C.V., Varade, S.B. and Musande, V.G. 1979. Water absorption by germinatig seeds of sorghum varieties at different moisture potentials. Ind. J. Agric. Sci. 49:22-25.

Mann, J.A., Kimber, C.T. and Miller, F.R. 1983. The origin and early cultivation of sorghum in Africa. Texas A & M University, College Station, TX, USA. pp 1-21.

Manohar, M.S. and Heydecker, W. 1964. Water requirements for seed germination. Rep. Univ. Nottingham Sch. Agric., 1963, 65-75.

Maranville , J.W. and Clegg, M.D. 1976. Influence of seed size and density on germination, seedling emergence and yield of grin sorghum. Agron. J. 69:329-330.

Marsh, B. 1971. Measurement of length in random arrangements of lines. J. Appl. Ecol. 8:256-257.

Martens, C. and Clauzel, Y. 1982. Premieres observations sur l'utilisation de l'endoscopic dans l'etude de l'enracinement *in situ* de plantes cultivees *Sorghum vulgare* et *Lolium multiflorum*. Agronomic 2(7):677-680.

Martin, J.H. 1941. Climate and Sorghum. In: "USDA year book of Agriculture". Washington, DC., USA. Government Printing House. p. 343-347.

Masojidek, J., Trivedi, S., Halshaw, L., Alexiou, Hall, D.O. 1991. The synergistic effect of drought and light stresses in sorghum and pearlmillet. Plant physiology 96:198-207.

Mate, S.N., Phadanwis, B.A. and Mehetre, S.S. 1988. Studies on growth and physiological factors in relation to shootfly attack on sorghum. Journal of Agricultural Research 22: 81-84.

Mathers, A.C., Lotspeich, F.B. Lease, G.R. and Wilson, G.C. 1966. Strength of compacted amarillo fine sandy loam as influenced by moisture, clay content and exchangeable cation. Soil Sci. Soc. Amer. Proc. 30:788-791.

Mauseth, J.D. 1988. Plant anatomy. The Benjamin/ Cummings Publishing, California, U.S.A.

Maxson, E.D., Fryar, W.B., Rooney, L.W. and Krishnaprasad, M.N. 1971. Milling properties of sorghum grain with different proportions of corneous to floury endosperm. Cereal Chem. 3:478-490.

Mayaki, W.C., Stone, L.R. and Teare, I.D. 1976a. Irrigated and nonirrigated soybean, corn and grain sorghum root systems. Agron. J. 68:532-534.

Mayaki, W.C., Teare, I.D. and Stone, L.R. 1976b. Top and root growth of irrigated and non-irrigated soybeans. Crop Sci. 16:92-94.

Mayer, A.M. 1977. Metabolic control of germination. pp. 357-384. In: "Physiology and Biochemistry of Seed Dormancy and Germination." North Holland Pub. Co., Amsterdam.

McBee, G.G. and Miller, F.R. 1982. Carbohydrates in sorghum culums as influenced by cultivars, spacing and maturity over a diurnal period. Crop Sci. 22:381-385.

McClure, J.W. and Harvey, C. 1962. Use of radiophosphorus in measuring root growth of sorghum. Agron. J. 54:457-459.

McCree, K.J. and Davis. S.D. 1974. Effect of water stress and temperature on leaf size and on size and number of epidermal cells in grain sorghum. Crop Sci. 14:751-755.

McDonough, W.T. 1976. Water potential of seed of *Bromus inermis* and *Medicago sativa* imbibed on medio of various osmotic potential. Can J. Bot. 54:1997-1999.

McFadden, A.D. 1963. Effect of seed source on comparative tests results in barley. Can. J. Plant Sci. 43:295-300.

McKell, G.C.M. 1972. Seedling vigour and seedling establishment. In: "The Biology and Utilization of Grasses." C.M. McKell and V.B. Younger (Eds.). Academic Press. New York & London.





McWilliam, J.R. 1983. Physiological basis for chilling and the consequences for crop production. In: "Crop Reaction to Water and Temperature Stresses in Humid, Temperate Climates." D. Raper and P.J. Kramer (Eds.), Boulder, Colorado, U.S.A. p. 113-132.

McWilliam, J.R., Manokaran, W. and Kipnis, T. 1979. Adaptation to chilling stress in sorghum. In: "Low Temperature Stress in Crop Plants." J.M. Lyons, D. Graham and J.R. Raison (Eds.). New York, USA: Academic Press. p. 491-505.

Mehta, A.P. and Prihar, S.S. 1973. Seedling emergence in soybean and cotton as affected by seed-bed characyteristics and surface mulches. Indian J. Agri. Sci. 43(1):45-49.

Merrill, S.D. 1976. Distribution and growth of sorghum roots in response to irrigation frequency. Ph.D. Thesis, University of California, Riverside, California, USA, 248pp.

Merrill, S.D. and Rawlins, S.L. 1979. Distribution and growth of sorghum roots in response to irrigation frequency. Agron. J. 71:738-745.

Miller, A.A., Jenson, R.W., Bauer, A. and Norum, E.B. 1971. Influence of atmospheric and soil environmental parameters on the diurnal flucturations of leaf water status of barley. Agricult. Meterol. 8:93-105.

Miller, D.E. and Gifford, R.O. 1970. Modification of soil crust for plant growth. In: "Soil Crusts." Technical Bulletin 3214. Agric. Exp. Station, University of Arizona, U.S.A.

Miller, E.C. 1916. Comparative study of root systems and leaf areas of corn and sorghum. J. Agric. Res. 6:311-332.

Miller, F.R. 1982. Genetic and environmental response characteristics of sorghum. Pages 393-402 In Sorghum in the eighties (Eds.) L.R. House, L.K. Mughogho and J.M. Peacock. Patancheru, P.O. 502 324, A.P. India: ICRISAT.

Miller, F.R., Quinby, J.R. and Cruzado, H.J. 1968a. Expression of known maturity genes of sorghum in temperate and tropical environments. Crop Sci. 8:675-677.

Miller, F.R., Barner, D.K. and Cruzado, H.J. 1968b. Effect of tropical photoperiods on the growth of sorghum when grown in 12 monthly plantings. Crop Sci. 8:499-502.

Miller, I.L., and Atkins, R.E. 1979. Comparisons of embryo weight and seedling growth in grain sorghum parents and hybrids Iowa State Journal of Research. 53:273-282.

Milthorpe, F.L. and Moorby, J. 1976. Introduction to Crop Physiology. Cambridge University Press, London, U.K. 202pp.

Mirhadi, M.J. and Kobayashi, Y. 1979. Studies on the productivity of grain sorghum. II. Effects of wilting treatments at different stages of growth on development, nitrogen uptake and yield of irrigated sorghum. Japan Jour. Crop Sci. 48(4):531-542.

Mirhadi,M. J. Yoshida, S. and Kobayashi, Y. 1979. Studies on the productivity of grain sorghum. I. Nitrogen nutrition of grain sorghum. Jap. J. Crop Sci.48(4):483-489.

Monteith, J.L. 1965. Light distribution and photosynthesis in field crops. Ann. Bot. N.S. 29:17-37.

Monteith, J.L. 1972. Solar radiation and productivity in tropical eco-systems. J. Appl. Ecol. 9:747-766.

Moore, R.P. 1964. Seed vigour or soundness and corn improvement. Seed World 94:6-10.

Moreno-Limón, S. 1988. Evaluación de germoplasma de sorgo para su adaptación a la siembra temporal. Tesis Biólogo, Facultad de Ciencias Biológicas, Univ. Autónoma de Nuevo León, México.

Morgan, P.W., Miller, F.R., and Quinby, J.R. 1977a. Manipulation of sorghum growth and development with gibberellic acid. Agron. J. 69(5):789-793.

Morgan, P.W., Miller, F.R., Quinby, J.R., Clark, L.E., Williams, E.N., Williams, L., and Isbal, V.R. 1977b. Manipulation of flower initiation, height and tillering in sorghum. Proc. Annual Meeting of the Plant Growth Regulator Working Group (Cereals) 4:137-140.

Moss, D.N., Musgrave, R.B. and Lemon, E.R. 1961. Photosynthesis under field conditions. III. Some effects of light, carbon dioxide, temperature and soil moisture on photosynthesis, respiration and transpiration of corn. Crop Sci. 1:83-87.

Motha, R.P. and Sakamoto, C.M. 1979. The performance of crop-yield models in drought prone countries of Central Africa. Paper presented at the 71st Annual Meeting of the American Society of Agronomy, 5-10 August, 1979, Fort Collins, Colorado.

Muchow, R.C. and Wilson, G.L. 1976. Photosynthetic and storage limitations to yield in *Sorghum bicolor* (L.) Moench. Austr. J. Agric. Res. 27:489-500.

Munns, R. and Termaat, A. 1986. Whole plant responses to salinity. Aust J. Plant Physiol. 13:146-160.

Murdock, G.P. 1959. Staple Subsistence Crops of Africa. Geogr. Rev. 50: 521-540.

Musick, J.T., New, L.L. and Dusek, D.A. 1976. Soil water depletion - yield relationships of irrigated sorghum, wheat and soybeans. Trans. ASAE 19 3:489-493.

Myers, R.J.K. 1980. The root system of a grain sorghum crop. Field Crops Res. 3:53-64.

Myers, R.J.K. and Asher, C.J. 1982. Mineral nutrition of grain sorghum macronutrients. In "Sorghum in the Eighties" L.R. House, L.K. Mughogho and J.M. Peacock (Eds.), Patancheru, A.P., India: ICRISAT. p. 161-177.

Nakayama, F.S. and van Bavel, C.H.M. 1963. Root activity distribution patterns of sorghum and soil moisture conditions. Agron. J. 55:271-274.

Narasagoudar, N.A., Chavan, P.D and Karade, B.A. 1979. Germination of *Sorghum vulgare* under saline conditions. Geobios 6:327-328.

Nayeem, K.A. and Bapat, D.R. 1976. Inducing drought tolerance in sorghum by seed hardening treatment. Sorghum Newsletter 22:143.

Newman, E.I. 1966. A method of estimating the total length of root in a sample. J. Appl. Ecol. 3:139-145.

Newton, R.J., Baltuskonies, D.A., Goesch, J.D., Meckenstock, D.H and Miller, F.R. 1980. Distribution and transformation of soluble carbohydrates during germination growth of sorghum. Crop. Sci. 20:264-268.

Nicholas, P.B. and May, L.H. 1963. Studies on the growth of barley apex. I. Interrelationships between primordium formation, apex length and spikelet development. Aust. J. Biol. Sci. 16:561-571.

Nielsen, K.F. and Cunningham, R.K. 1964. The effects of soil temperature and form and level of nitrogen on growth and chemical composition of Italian ryegrass. Proc. Soil Sci. Am. 28:213-218.

Nour, A.E.M. and Weibel, D.L. 1978. Evaluation of root characteristics in grain sorghum. Agron. J. 70(2):217-218.

Nour, A.E.M., Weibel, D.E. and Todd, G.W. 1978. Effect of repeated drought periods on the survival of sorghum seedlings. Agron. J. 70:509-510.

Nutile, G.E. 1964. Effect of desiccation on viability of seeds. Crop. Sci. 4:325-328.

Nutile, G.E. and Woodstock, L.W. 1967. The influence of dormancy inducing desiccation treatments on the respiration and germination of sorghum. Physiol. Plant. 20:554-561.

Nwanze, K.F., Reddy, Y.V.R., and Soman, P. 1990. The role of leaf surface wetness in the larval behaviour of the sorghum shootfly, *Atherigona soccata*. Entomologia et. Applicada 56, 187-195.

Nwanze, K.F., Reddy, Y.V.R., Taneja, S.L., Sharma, H.C., and Agrawal, B.C. 1991. Evaluating sorghum genotypes for multiple resistance. Insect Sci. Application. 22, 168-183.

O'Leary, J.W. 1975. The effect of humidity on crop production. In: "Physiological Aspects of Dryland Farming." U.S. Gupta (Ed.), Oxford and IBH Publ. Co., New Delhi, India. pp. 261-280.

Ogra, R.K. and Baijar, B.D. 1978. Tolerance of some sorghum varieties to salt stress at early seedling stage. Indian J. Agric. Sci. 48:713-717.

Ogunlella, V.B. 1979. Physiological and agronomic response of a grain sorghum (*Sorghum bicolor* (L.) Moench) to elevated night temperature. Ph.D. Thesis, University of Nebraska, Lincoln, USA.

Okonkwo, S.N.C. and Nwoke, F.I.O. 1978. Initiation development and structure of the primary haustorium in *Striga gesnerioides* (Scrophulariaceae). Ann. Bot. 42:455-463.

Omori, T., Agrawal, B.L., and House, L.R. 1983. Componental analysis of the factors influencing shootfly resistance in sorghum (*Sorghum bicolor* (L.)Moench.). Japanese Agricultural Research Quaterly 17, 215-218.

Omori, T., Agrawal, B.L., and House, L.R. 1988. Genetic divergence for resistance to shootfly resistance in sorghum (*Sorghum bicolor* (L.) Moench and its relationship with heterosis. Insect Science Application 9,483-488.

Osmond, C.B., Bjorkman, O. and Anderson, D.J. 1980. Physiological processes in plant ecology: towards a synthesis with *Atriplex*. Springer Verlag, Berlin, New York. 468 p.

Palanivel, S. and Ramanathan, K.M. 1981. Studies on root growth of sorghum under different mulching systems. Madras. Agric. J. 68(9):599-603.

Papp, J.C., Ball, M.C. and Terry, N. 1983. A comparative study of the effects of NaCl salinity on respiration, photosynthesis, and leaf extension growth in *Beta vulgaris* L. (Sugar beet). Plant cell and Environment 6:675-677.

Parmer, M.T. and Moore, R.P. 1968. Carbowax 6000, mannitol and sodium chloride for stimulating drought conditions in germination studies of corn (*Zea mays* L.) of strong and weak vigor. Agron. J. 60:192-195.





Parry, D.W. and Kelso, M. 1975. The distribution of silicon deposits in the roots of *Molinia caerulea* (L.) Moench. and *Sorghum bicolor* (L.) Moench. Ann. Bot. 39(164):995-1001.

Parvatikar, S.R., Kulkarni, M.V. and Prasad, T.G. 1975. Physiological studies on sorghum response of sorghum varieties to seed-hardening treatment. Sorghum Newsletter 18:35.

Passioura, J.B. 1972. The effect of root geometry on the yield of wheat growing on stored water. Austr. J. Agric. Res. 23:745-752.

Patel, J.D., Bhat, K.V., Devi, S.G. and Kothari, I.L. 1981. Fibro-vascular strands in the Great Millet (*Sorghum bicolor*) Pers. Flora 171:410-418.

Pathamanabhan, G. and Sakharam Rao, J. 1975. Effect of salinity on the nutrient uptake in sorghum at seedling stage. Curr. Res. 6:62-65.

Pauli, A.W., Stickler, F.C. and Lawless, J.R. 1964. Developmental phases of grain sorghum (*Sorghum vulgare* Pers.) as influenced by variety, location and planting date. Crop Sci. 4:10-13.

Paulson, I.W. 1962. Embryology and seedling development to floral transition of *Sorghum vulgare* Pers. Ph.D. Thesis, Iowa State University, Ames, Iowa, USA.

Paulson, I.W. 1969. Embryogeny and caryopsis development of *Sorghum bicolor* (L.) Moench. Crop Sci. 9:97-102.

Peacock, J.M. 1975a. Temperature and leaf growth in *Lolium Perenne*. I. The thermal micro climates: its measurement and relation to crop growth. J. Applied Ecol. 12:99-114.

Peacock, J.M. 1975b. Temperature and leaf growth in *Lolium Perenne*. II. The site of temperature perception. J. Applied Ecol. 12:115-123.

Peacock, J.M. 1976. Temperature and leaf growth in four grass species. J. Applied Ecol. 13:225-232.

Peacock, J.M. 1980. The role of crop physiologists in a sorghum improvement programme. Institute Seminar. ICRISAT, Internal Report.

Peacock, J.M. 1982. Reponse and tolerance of sorghum to temperature stress. Pages 143-159 In: "Sorghum in the Eighties." Proceedings of the International Symposium on Sorghum, 2-7 Nov-1981, ICRISAT Centre A.P., India.

Peacock, J.M. 1984. ICRISAT's Sorghum Research in the Semi-arid Tropics, paper presented at the conference on "Evaluating sorghum for tolerance to Al-toxic tropical soils in Latin America", held at CIAT, Cali, Colombia.

Peacock, J.M. and Ntshole, M.R. 1976. The effect of row spacing and plant population on the growth, development, grain yield, micro-climate and water use of *Sorghum bicolor* CV 65. Pages 31-44 in Dryland Farming Research Scheme (DLFRS), Botswana, initial scientific report, phase III.

Pearsell, W.H. 1927. Growth studies. VI. On the related size of plant organ. Ann. Bot. 41:449-556.

Penman, H.L. 1948. Natural evaporation from open water bare soil and grass. Proc. Roy. Soc. London 193:120-146.

Penman, H.L. 1956. Evaporation - an introductory survey. Neth. J. Agric. Sci. 4:9-29.

Perl, M. 1978. Phosphoenol-pyruvate-carboxylase activity in cotton and sorghum seeds and its relation to seedling development. Plant 139(3):239-243.

Perl, M. and Luria, I. 1978. Seeds undergoing vigor tests. Hassadeh 58(7):1384-1389.

Perl, M., Luria, I., and Gelmond, H. 1978. Bio-chemical changes in sorghum seeds affected by accelerated aging. J. Exp. Bot. 29:497-509.

Perrier, A. 1973. On the orientation of the bio-climatiology station in the semi-arid areas, south of the Sahara. WMO No. 340, World Meteorological Organization, Geneva, Switzerland.

Phillips, J.C. and Youngman, V.E. 1971. Effect of initial seed moisture content on emergence and yield of grain sorghum. Crop Sci. 11:354-357.

Pickett, R.C. and Fredericks, E.E. 1959. The new look in sorghum. Report Purdue Univ. Agric. Exp. Stn., 2:5-8.

Pinthus, M.J. and Rosenblum, J. 1961. Germination and seedling emergence of sorghum at low temperatures. Crop. Sci. 1:293- 296.

Ponnaiya, B.W.X. 1960. Silica deposition in sorghum roots and its possible roles. Madras Agric. J. 47:31-32.

Porter, H.K., Pal, N. and Martin, R.V. 1950. Physiological studies in plant nutrition. II. Assimilation of carbon by the ear of barley and its relation to the accumulation of dry matter in the grain. Ann. Bot. NS 14:55-68.

Powell, L.M. and Pfeifer, R.P. 1956. The effect of controlled limited moisture on seedling growth of cheyenne winter wheat selections. Agron. J. 48:555-557.

Powell, P., Weibel, D., Sotomayor-Ríos, A. and Alameda, M. 1977. Increased susceptibility of bloomless (bm bm) sorghum to foliar fungal pathogens. Sorghum Newsletter 20:76-77.

Quarrie, S.A. 1980. Cereal yields and drought resistance. Nature pp. 612-613.

Quarrie, S.A. and Jones, H.G. 1977. Effects of abscisic acid and water stress on development and morphology of wheat. J. Exp. Bot. 28:192-203.

Quinby, J.R. 1966. Fourth maturity gene locus in sorghum, Crop Sci. 6:516-518.

Quinby, J.R. 1967. The maturity genes of sorghum. Adv. Agron. 19:267-305.

Quinby, J.R. 1972a. Grain-filling period of sorghum parents and hybrids. Crop Sci. 12:690-691.

Quinby, J.R. 1972b. The genetic control of plant growth in sorghum. In "Sorghum in the Seventies." N.G.P. Rao and L.R. House (Eds.), Oxford and IBH Publishing Co., New Delhi, India.

Quinby, J.R. 1972c. Influence of maturity genes on plant growth in sorghum. Crop Sci, 12:490-492.

Quinby, J.R. 1973. The genetic control of flowering and growth in sorghum. pp. 125-162. In "Advances in Agronomy." N.C. Brady (Ed.), American Society of Agron., Madison, Wisconsin, USA.

Quinby, J.R. 1974. Sorghum improvement and the genetics of growth. 108 pp. Texas A & M University Press, College Station, TX, USA

Quinby, J.R. and Karper, R.E. 1945. The inheritance of three genes that influence time of floral initiation and maturity date in milo. J. Am. Soc. Agron. 37:916-936.

Quinby, J.R., Hesketh, J.D. and Voigt, R.L. 1973. Influence of temperature and photo period on floral initiation and leaf number in sorghum. Crop Sci. 13:243-246.

Raju, P.S., Clark, R.B., Maiti, R.K.,and Marraville, J.W. 1987. Phosphorus uptake, distribution and use by glossy and non-glossy sorghum. Journal of Plant Nutrition 10, 2017-2024.

Ramagopal, S. 1988. Regulation of protein synthesis in root. shoot and embrionic tissues of germinating barley during salinity stress. Plant, Cell and Environments. 11:501-515.

Ramírez, R. and Bejarano, A. 1973. Efecto de la siembra en suelo seco sobre la germinacion y desarollo inicial del maiz. Agron. Trop.l. 23:217-231.

Ramírez-Sarquis, J.I. 1988. The growth of glossy and nonglossy sorghum subjected to water deficit. M.Sc. thesis, Texas A & M University, USA.

Rao, N.G.P. and Venkateswarlu, J. 1971. Genetic analysis of some exotic X Indian crosses in sroghum. III. Heterosis in relation to dry matter production and nutrient uptake. Ind. J. Genet. Plant Breedg. 31:156-176.

Rao, N.G.P. and Rana, B.S. 1982. Selection in temperate-tropical crosses of sorghum. Pages 403-419 In: Sorghum in the eighties (Eds.) L.R. House, L.K. Mughogho and J.M. Peacock. Patancheru, P.O., 502 324, A.P., India: ICRISAT.

Rawson, H.M. and Evans, L.T. 1971. The contribution of stem reserves to grain development in a range of wheat cultivars of different height. Aust. J. Agric. Res. 22:851-863.

Rawson, H.M., Bagga, A.K. and Bremner, P.M. 1977. Aspects of adaptation by wheat and barley to soil moisture defects. Aust. J. Plant Physiol. 4:389-401.

Reddy, S.J. 1983. A simple method of estimating the soil water balance. Agric. Meteorl. 28:1-17.

Reddy, S.J. 1984. Agro-climatic classification of semi-arid tropics. III. Charateristics of variables relevant to crop production potential. Agric. meteorol. 30:269-292.

Reddy, S.J., Maiti, R.K. and Seetharama, N. 1984. An interactive regression approach for prediction of sorghum phenology (*Sorghum bicolor* (L.) Moench in the semiarid tropics. Agric. & Forest Meteorol. 32:323-338.

Richards, L.A. 1953. Modulus of rupture as an index of crusting of soil. Soil. Sci. Soc. Amer. Proc. 17:321-323.

Richards, R.A. and Passioura, J.B. 1981. Seminal root morphology and water use of water. I. Environmental effects. Crop Sci. 21:249-252.

Ries, S.K. and Everson, E.H. 1973. Protein content and seed size relationship with seedling vigor of wheat cultivars. Agron. J. 65:884-886.

Ríos-Leal, F. 1990. Variabilidad del caracter "Glossy" and cera epicuticular en sorgo (*Sorghum bicolor* (L.) Moench y su relacion con la resistencia a la sequia. Masters Thesis In Agronomy, Facultad de Agronomia, Universidad Autonoma de Nuevo Leon, Mexico.

Ritchie, J.T. 1972. Model for predicting evaporation from a row crop with incomplete cover. Water Resource Res. 8:1204-1213.

Robbins, W.A. and Porter, R.H. 1946. Germinability of sorghum and soybean seed exposed to low temperatures. J. Amer. Soc. Agron. 38:905-913.





Rodríguez-Cabrera, E. 1987. Efecto de gradiente de humedad del suelo sobre genotipos de sorgo para grano (Sorghum bicolor (L.) Moench con caracteristicas "Glossy" and no-glossy. Masters Thesis in Agronomy, Facultad de Agronomia, Monterrey, Mexico.

Rodríguez-Sandoval, A.P. 1991. Caracteristicas morfo-fenologicas y bromatologicas de 18 genotipos de sorgo de grano (*Sorghum bicolor* (L.) Moench.) relacionadas con su potencialidad forrajera. Tesis Biólogo, Facultad de Ciencias Biologicas, Universidad Autonoma de Nuevo Leon, Mexico.

Rodríguez, E., Healey, P.L. and Mehetre, I. 1983. Biology and chemistry of plant trichomes. Plenum Press, New York.

Rogers, W.E. and Nelson, R.R. 1962. Penetration and nutrition of *Striga asiatica*. Phytopathology 52:1064-1070.

Rooney, L.W. and Clark, L.E. 1968. The chemistry and processing of sorghum grain. Cereal Sci. Today 13:259-264, 285.

Rooney, L.W. and Sullins, R.D. 1977. The structure of sorghum and its relation to processing and nutritional value,1-109 Proc. Sympos. Sorghum Millets Human Food, 11-12 May 1976, Vienna, Austria. Ed. D.A.V. Dendy. Trop. Prod. Inst., London.

Rosenburg, N.J. 1974. Micro-climate: the biological environment. New York, USA: John Wiley. 315pp.

Rosenhow, D.T., Casady, A.J. and Heyne, E.G. 1962. Effects of freezing on germination of sorghum seed. Crop Sci. 2:99-102.

Ross, W.M. 1955. Associations of morphological characters and earliness in oats. Agron. J. 47:453-457.

Ross, W.M. 1972. Effect of bloomless (bl bl) on yield in combine kafir - 60. Sorghum Newsletter 15:121.

Rost, T.L. and Lersten, N.R. 1970. Transfer aleurone cells in *Setaria lutescens* (Graminae). Protoplasma 71:403-408.

Roy, R.N. and Wright, B.C. 1974. Sorghum growth and nutrient uptake in relation to soil fertility. II. N, P and K uptake pattern by various plant parts. Agron. J. 66:5-10.

Russell, R.S. 1977. Plant root systems: Their Function and Interaction with the Soil. London, UK: McGraw Hill Book Co. 298pp.

Sachs, M.M. and Ho. T.H.D. 1986. Alterations of gene expression during environmental stress in plants. Ann. Rev. Plant Physiol. 37:363-376.

Saint-Clair, P.M. 1976. Germination of *Sorghum bicolor* under polyethylene glycol-induced stress. Canad. J. Plant Sci. 56:21-24.

Saint-Clair, P.M. 1977. Root growth of cultivars of grain sorghum, *Sorghum bicolor* (L.) Moench. (in French). Naturaliste Canadian 104(6):537-541. (Summary in English).

Sammons, D.J., Peters, D.B. and Hymowitz, T., 1978. Screening soybeans for drought resistance. I. Growth Chamber Procedure. Crop Sci. 18:1050-1055.

Sammons, D.J., Peters, D.B. and Hymowitz, T. 1979. Screening soybeans for drought resistance. II. Drought box procedure. Crop Sci. 19:719-722.

Sánchez-Días, M.F. and Kramer, P.J. 1971. Behaviour of corn and sorghum under water stress and during recovery. Plant Physiol. 48:613-616.

Sánchez-Días, M.F. and Kramer, P.J. 1973. Turgor difference and water stress in maize and sorghum leaves during drought and recovery. J. Exp. Bot. 24:511-515.

Sánchez-Días, M.F., Hesketh, J.D. and Kramer, P.J. 1972. Wax filaments on sorghum leaves as seen with a scanning electron microscope. Journal of Arid Zone Academic Science 7: 6-7.

Sanders, E.H. 1955. Developmental morphology of kernel in grain sorghum. Cereal Chem. 31:12-25.

Sanders, J.L. and Brown, D.A. 1978. A new fiber optic technique for measuring root length of soybeans under field conditions. Agron. J. 70:1073-1076.

Sands, R. and Correll, R.L. 1976. Water potential and leaf elongation in radiata pine and wheat. Physiol. Plant 37:293-297.

Sangster, A.G. and Parry, D.W. 1976a. Endodermal silicification in mature, nodal rots of *Sorghum bicolor* (L.) Moench. Ann. Bot. 40:373-379.

Sangster, A.G. and Parry, D.W. 1976b. Endodermal silicon deposits and their linear distribution in developing roots of *Sorghum bicolor* (L.) Moench. Ann. Bot. 40:361-371.

Sangster, A.G. and Parry, D.W. 1976c. The ultrastructure and electron-probe microassay of silicon deposits in the endodermis of the seminal roots of *Sorghum bicolor* (L.) Moench. Ann. Bot. 40:447-459.

Saunders, A.R. 1933. Studies on phanerogaic parasitism with particular reference to *Striga lutea* Lour. I-III. Sci. Bull. Dept. Agr. Forest S. Afr. No. 128. 56pp.

Schaffer, J.A., Bunck, J.H. and Vernderlip, R.L. 1979. Effect of planting date on the devlopment of grain sorghum. Agronomy Abstracts p.93.

Schubert, S. and Lauchli, A. 1986. Na+ exclusion H+ release, and growth of two different maize cultivars under NaCl salinity. J. Plant Physiol. 126:145-154.

Schwarz, M. and Gale, J. 1981. Maintenance respiration and carbon balance of plants at low levels of sodium chloride salinity. J. Exp. Botany. 32:933-941.

Sedgley, R.M. 1963. The importance of liquid-seed contact during germination of *Medicago tribuloides* Desc. Austr. J. of Agricultural Research. 14:646-653.

Seeman, J.R. and Critchley, C. 1985. Effects of salt stress on the growth, ion content, stomatal behavior and photosynthetic capacity of a salt-sensitive species, *Phaseolus vulgaris* L. Planta. 164:151-162.

Seetharama, N. 1980. Growth stages of sorghum. Proc. Cooperators meeting, Agroclimatology, 2-4 April, 1980, ICRISAT, Patancheru, India.

Seetharama, N., Wade, L.J., Peacock, J.M., Verma, P.K., Rego, T.J. and Sardar Singh 1982. Effect of nitrogen and water stress on leaf area development in sorghum. Paper presented at the Ninth International Plant Nutrition Colloquium, London, Warwick, 22-27 August.

Sharma, M.L. 1973. Simulation of drought and its effects on germination of five pasture species. Agron. J. 65:982-987.

Sharma, M.L. 1976. Interaction of water potential and temperature effects on germination of three semi-arid plant species. Agron. J. 68:390-394.

Sharma, D.P. and Agrawal, R.P. 1978. Effect of initial moisture content and conditions of drying on crust strength. J. Indian Soc. Soil Sci. 26:254-256.

Sharma, D.P. and Saxena. 1979. Crop response to drought-screening techniques and breeding for resistance. Paper presented at the Symposium on Plant Responses to Water Availability, 22-24 Feb, 1979, IARI, New Delhi, India.

Sharma, H.C., Taneja, S.L., Leuschner, K. and Nwanze, K.F. 1992. Techniques to screen sorghums for resistance to insect pests. Information Bulletin No.32. International Crops Research Institute for the semi-arid Tropics, Patancheru, Andhra Pradesh 502324. pp.1-48.

Sharon, M., Maiti, R.K. and Srinivas, P. 1988. Reemergence of sorghum seedlings and amino acid C-14 incorporation. Indian J.Plant Physiol. 29:407-409.

Sieglinger, J.B. 1936. Leaf number of sorghum stalks. J. Amer. Soc. Agron. 28:636-642.

Singh, N.T. and Dhaliwal, G.S. 1972. Effect of soil temperature on seedling emergence in different crops. Plant and Soil 37:441-444.

Singh, V.P., Tripathi, I.D. and Chowdhury, R.K. 1975. Effect of seed size on seedling growth and mature plant characters in Barley (*Hordeum vulgare* L.). Haryana Agric.Univ.J.Res. 5:48-51.

Sircar, S.M. 1977. Grain-filling and photosynthetic efficiency in productivity. Pages 262-271 In "Advancces in Plant Reproducitve Physiology." C.P. Malik (Ed.), Kalyani Publishers, New Delhi, India.

Sivakumar, M.V.K. and Virmani, S.M. 1980. Plant and atmospheric parameters in water studies. Pages 181-194 In: Proc. of the later workshop on the agro-climatological Research Needs of the Semi-Arid Tropics, 22-24 Nov. 1978, ICRISAT, Hyderabad, India. Patancheru, A.P., India: ICRISAT.

Sivakumar, M.V.K. and Virmani, S.M. 1982. The physical environment: Pages 83-100 In: Sorghum in the eighties. (Eds.) L.R. House, L.K. Mughogho and J.M. Peacock. Patancheru, P.O., 502 324, A.P., India: ICRISAT. India.

Sivakumar, M.V.K., Seetharama, N., Gill, K.S. and Sachan, R.C. 1981. Response of sorghum to moisture stress using line source sprinkler irrigation I. Plant water relations. Agric. Water Management. 3:279-289.

Slack, C.R., Roughan, P.G. and Bassett, H.C.M. 1974. Selective inhibition of mesophyll chloroplast development in some C4 pathway species by low night temperature. Bulletin, The Royal Society of New Zealand 12:499-504.

Slatyer, R.O. 1957a. Significance of the permanent wilting percentage in studies of plant and soil water relations. Bot. Rev. 23:585-636.

Slatyer, R.O. 1957b. The influence of progressive increases in total soil moisture stress on transpiration, growth and internal water relationships of plants. Aust. J. Biol. Sci. 10:320-336.

Slatyer, R.O. 1967. Plant Water Relationships. Academic Press, New York, London, UK. 366pp.

Slatyer, R.O. 1969. Physiological significance of internal water relation to crop yield. In: "Physiological Aspects of Crop Yields." J.D. Eastin *et al.* (Eds.), Wes. Am. Soc. Agron. and Crop Science, Madison, Wi., U.S.A. pp.53-88.





Slatyer, R.O. 1973. The effect of internal water status on plant growth, development and yield. In: "Plant Response to Climatic Factors." R.O. Slatyer (Ed.), UNESCO, Paris, France. pp. 177-191.

Slavik, B. 1973. Transpiration resistance in leaves of maize grown in humid and dry air. In: "Plant Response to Climatic Factors." R.O. Slatyer (Ed.). UNESCO, Paris, France. pp. 267-269.

Smith, F.W. and Myers, R.J.K. 1978. Patterns of uptake and distribution of phosphorus and nitrogen in grain sorghum during its development. In "Plant Nutrition 1978: Proceedings of the 8th International Colloquim on Plant Analysis and Fertiliser Problems, 28 Aug. - 1 Sept. 1978, Auckland, New Zealand." A.R. Ferguson, R.L. Bieleski and I.B. Ferguson. (Eds.) Wellington, New Zealand, Dept. of Scientific and Industrial Research. p. 491-498.

Sofield, I., Evans, L.T., Cook, M.G. and Wardlaw, I.E. 1977. Factors influencing the rate and duration of grain filling in wheat. Aust. J. Plant Physiol. 4:785-797.

Soman, P. 1980. The effect of potassium and water stress on the water relations and growth of *Vicia faba* C.V. The Sulton, Ph.D. Thesis, Departament of Agricultural Botany, University of Reading, London.

Srivastava, D.P. and Pinnell, E.L. 1963. Germination studies in grain sorghum. Missouri Agric. Expt. Sta. Rec. Bull. No. 828. 24 pp.

Stanway, V. 1958. Pre-chilled vs non-pre-chilled germination of *Sorghum vulgare* Pers. Assoc. Off. Seed Anal. Proc. 48:93-95.

Stanway, V. 1959. Germination of *Sorghum vulgare* Pers. at alternating temperatures of 20∝C - 30∝C. Assoc. Off. Seed Anal. Proc. 49:84-87.

Steeves, T.A. and Sussex, I.M. 1972. Patterns in Plant Development. Prentice Hall, pp.89.

Sterling, J.D.E., Johnston, H.W. and Munro, D.C. 1977. Effect of seed source and seed treatment on barley emergence, yield and kernel weight. Canad. J. Plant Sci. 57:251-256.

Stickler, F.C. and Pauli, A.W. 1961. Influence of date of planting on yield and yield components in grain sorghum. Agron. J. 53:20-22.

Stickler, F.C., Pauli, A. W. and Casady, A.J. 1962. Comparative responsses of kaoliang and other grain sorghum types to temperature. Crop. Sci. 2:136-139.

Stocker, O. 1960. Physical and morphological changes in plant due to water use deficiency. Arid Zone Research 15:63-104.

Stone, L.R., Horton, M.L. and Olson, T.C. 1973. Water loss from an irrigated sorghum field. I. Water flux within and below the root zone. Agron. J. 68:693-694.

Storey, R. and Wyne Jones, R.G. 1977. Quaternary ammonium compounds in plants in relation to salt resistance. Phytochemistry. 16:447-453.

Stout, D.G. and Simpson, G.M. 1978. Drought resistance of *Sorghum bicolor*. Drought avoidance mechanisms related to leaf water potential. Can. J. Plant Sci. 58:213-223.

Stout, D.G., Kannangara, T. and Simpson, G.M., 1978. Drought resistance of *Sorghum bicolor*. 2. Water stress effects on growth. Can. J. Plant Sci. 58:225-233.

Stoy, V. 1965. Photosynthesis, respiration and carbohydrate accumulation in spring wheat in relation to yield. Physiol. Plant Suppl. 16:178-182.

Subramanyam, M., Deyoe, C.W. and Harbers, L.H. 1980. Corn and sorghum. 1. Relationship of grain maturity to nutritional composition. Nutr. Rep. Internatl. 22:657-666.

Suh, H.W., Casady, A.J. and Vanderlip, R.L. 1974. Influence of sorghum seed weight on the performance of the resulting crop. Crop Sci. 14:835-836.

Sullins, R.D. and Rooney, L.W. 1974. Microscopic evaluation of the digestibility of sorghum lines that differ in endosperm characteristics. Cereal Chem. 51:134-142.

Sullins, R.D. and Rooney, L.W. 1975. Light and scanning electron microscopic studies of waxy and nonwaxy endosperm sorghum varieties. Cereal Chem. 52:361-366.

Sullivan, C.Y. 1972. Mechanisms of heat and drought resistance in grain sorghum and methods of measurement. In: "Sorghum in Seventies." N.G.P. Rao and L.R. House (Eds.), Oxford and IBH Publishing Co., New Delhi, India. pp. 247-263.

Sullivan, C.Y. and Ross, W.M. 1979. Selecting for drought and heat resistance in grain sorghum. In: "Stress Physiology in Crop Plants." H. Mussell and R.C. Staples (Eds.), John Wiley, New York, U.S.A. pp. 263-281.

Sullivan, C.Y., Norcio, N.V. and Eastin, J.D. 1977. Plant responses to high temperatures. Pages 301-317 In: Genetic diversity in plants. (Eds.) A. Muhammed, R. Aksel and R.C. Von Borstel. New York, USA: Plenum Press.

Sullivan, C.Y., Watts, D.G., Garrity, D.P. and Maurer, R.E. 1980. Responses of sorghum and corn to limited irrigation. Proc. Annual Corn and Sorghum Res. Conf. 35:205-218.

Swanson, A.F. and Hunter, R. 1936. Effect of germination and seed size on sorghum stands. J. Amer. Soc. Agron. 28:997-1004.

Swindale, L.D. 1980. Foreword, In "A guide to sorghum breeding", Ed. L.R. House, ICRISAT, India.

Swindale, L.D. 1982. Inaugural address, In "Sorghum in the 80s." Eds. L.R. House, Mughogho,L.K. and Peacock, J.M.), pp 5-9, ICRISAT, Patancheru, A.P., India.

Tackett, J.L. and Pearson, R.W. 1965. Some characteristics of soil crusts formed by simulated rainfall. Soil Sci. 99:407-413.

Taneja, S.L. and Woodhead, S. 1989. Mechanisms of stem borer resistance in sorghum. In : Proc. International Workshop on sorghum stem borers, 17-20 Nov., 1987, ICRISAT Centre, India, Ptancheru, A.P., INdia. pp.137-143.

Tarumoto, I. 1980. Inheritance of glossiness of leaf blades insorgum, *Sorghum bicolor* (L.) Moench. Japanese Journal Breeding 30, 237-240.

Tarumoto, I., Miyazaki, M. and Masurama, T. 1981. Scanning electron microscopic study of the surfaces of glossy and nonglossy leaves in sorghum, *Sorghum bicolor* (L.) Moench. Bull. Nat. Grass Res. Inst. 18: 38-43.

Tateno, K. and Ojima, M. 1976. Effect of temperature and soil water content during grain filling period on the yield of grain sorghum. Proc. Crop Science Society of Japan 45:63-68.

Taylor, H.M., and Böhm, W. 1976. Use of acrylic plastic as rhizotron windows. Agron. J. 68:693-694.

Tennant, D. 1975. A test of a modified line intersect method of estimating root length. J. Ecol. 63:955--1001.

Terán-H., M.L. 1990. Evaluación y selección de 30 genotipos de sorgo (*Sorghum bicolor* (L.) Moench) en etapa de plántula para resistencia a los estrés de sequía y de salinidad. Tesis Biólogo, Facultad de Ciencias Biológicas, Universidad Autónoma de Nuevo León, Monterrey, México.

Tester, C. and McCormick, G. 1954. Germination of Johnson grass: results of tests made by the Arkansas State Plant Board. Assoc. Off. Seed Anal. Proc. 44:96-99.

Thiel, G., Lynch, J. and Lauchli, A. 1988. Short term effects of salinity stress on the turgor and elongation of growing barley leaves. J. Plant Physiol. 132: 38-44.

Thomas, G.L. 1980. Thermal and phyto-thermal models for the development of diverse sorghum genotypes. Ph.D. Thesis, Texas, A&M University, College Station, Texas, USA. 117pp.

Thomas, G.L. and Miller, F.R. 1979. Base temperatures for germination for temperate and tropically adapted sorghums. Pages 24 in 11th Biennial Grain Sorghum Research and Utilisation Conference, 28 Feb - 2 March, Wichita, Kansas, USA, Wichita, Kansas, USA: Grain SOrghum Producers Association.

Tossell, W.E. 1960. Early seedling vigor and seed weight in relation to breeding in smooth bromegrass, *Bromus inermis* Leyss. Can. J. Plant Sci. 40:268-280.

Towley-Smith, T.F. and Hurd, E.A. 1979. Testing and selecting for drought resistance in wheat. In "Stress Physiology in Crop Plants." H. Mussell and R.C. Staples (Eds.), John Wiley New York, U.S.A. pp. 447-464.

Traere, I.D., Kanemasu, E.T., Powers, W.L. and Jacobs, H.S. 1973. Water-use efficiency and its relation to crop canopy area, stomatal regulation and root distribution. Agron. J. 65:207-211.

Tromp, J. 1977. Growth and mineral nutrition of apple fruits as effected by temperature and relative air humidity. In: "Environmental Effects on Crop Physiology." J.J. Landsberg and C.V. Cutting (Eds.), Academic Press, London, UK. pp. 101- 121.

Troughton, J.H., Bjorkman, O. and Berry, J.A. 1974. Growth of sorghum at high temperature. Carnegie Institution Year Book 73:835-838.

Turner, N.C. and Jones, M.M. 1980. Turgor maintenance by osmotic adjustment. A review and evaluation. In "Adaptation of Plants to Water and High Temperature Stress.", N.C. Turner and P.J. Kramer (Eds.) Wiley-Interscience, New York. pp.87-103.

Uhvits, R. 1946. Effect of osmotic pressure on water absorption and germination of alfalfa seeds. Am. J. Bot. 33:278-285.

Unger, P.W. 1978. Straw mulch effects on soil temperatures and sorghum germination and growth. Agron. J. 70:858-864.

Upchurch, D.R. and Ritchie, J.T. 1983. Root observations using a video recording system in meni-rhizotron. Agron. J. 75:1009-1015.





Van Bavel, C.H.M. and Ehrler, W.L. 1966. Water loss from a sorghum field and stomatal control. Agron. J. 60:84-86.

Vanderlip, R.L. 1969. How a sorghum plant develops. Kansas State University, Manhattan, Kansas 66506, USA.

Vanderlip, R.L. and Reeves, H.E. 1972. Growth stages of sorghum (*Sorghum bicolor* (L.) Moench.. Agron. J. 64:13-16.

Vanderlip, R.L. 1974. Corn and sorghum vigor tests. Proc. Anual Corn and Sorghum Res. Conf. 29:40-46.

Vanderlip, R.L. and Reeves, H.E. 1972. Growth stages of sorghum *Sorghum bicolor* (L.) Moench. Agron. J. 54:13-16.

Vanderlip, R.L., Mockel, F.E. and Halim, J. 1973. Evaluation of vigor tests for sorghum seed. Agron. J. 65:486-488.

Villanueva G., M., Cárdenas, E.C. and Maiti, R.K. 1988. Estudio comparativo sobre algunos aspectos morfológicos, anatómicos y del crecimiento de cuatro genotipos de sorgo de grano (*Sorghum bicolor* (L.) Moench) y un genotipo de sorgo escobero (*Sorghum bicolor* var. *technicum*). Publ. Biol. FCB/UANL México 2:73-98.

Virmani, S.M., Sivakumar, M.V.K. and Reddy, S.J. 1980. Climatological features of the semi-arid tropics in relation to the Farming System Research Program. pp 5-16. In "Proceedings, International workshop on agro-climatological research needs of the semi-arid tropics", ICRISAT, 22-24 November 1978, Hyderabad, India.

Von Oppen, M. and Ryan, J.G. 1981. Determining regional research resource priorites at ICRISAT Mimeo. Economics Program, ICRISAT, Patancheru, India.

Voorhees, W.B. 1976. Root elongation along a soil plastic container interface. Agron. J. 68:143.

Waddington, J. 1971. Observation of plant roots in situ. Can. J. Bot. 49:1850-1852.

Wade, L.J. 1980. Methdology for the study of factors affecting leaf area development in sorghum. ICRISAT, Sorghum Physiology Progress Report, Patancheru, A.P. 502324, India.

Wade, L.J., Seehtarama, N. and Peacock, J.M. 1982. Leaf growth studies in sorghum, *Sorghum bicolor* 1. Glasshouse study. Techniques and problems (Personal Communication).

Wanjari, K.B. and Bhoyar, P. 1980. Coleoptile length in sorghum. Seed Sci. & Technol. 8:169-174.

Warsi, A.S. and Wright, B.C. 1973. Influence of nitrogen on the root growth of grain sorghum. Indian. J. Agric. Sci. 43:142-147.

Watt, L.A. 1973. The effect of water potential on the germination behaviour of several warm season grass species with special reference to cracking black clay soils. J. Soil Conserv. Serv. New South Wales 30:28-41.

Watts, W.R. 1974. Leaf extension in *Zea mays*. III. Field measurements of leaf extension in response to temperature and leaf water potential. Journ. Exp. Bot. 25:1085-1096.

Weatherly, P.E. 1970. Some aspects of water relations. Adv. Bot. Res. 3:171-206.

Webster, O.J. 1977. Sorghum studies in Arizona. Sorghum Newletter 20:81.

Webster, O.J. and Schmalzel, C. 1979. Yield trials of isogenic lines, normal vs bloomless (bm bm). Sorghum Newletter 22:24.

Weimberg, R., Lerner, H.R. and Poljakoff-Mayber, A. 1984. Changes in growth and water soluble solute concentration in *Sorghum bicolor* stressed with sodium and potassium salts. Physiol. Plant 62:472-480.

Weir, H.L. 1959. Germination of Johnson grass. Assoc. Off. Seed Anal. Proc. 49:82-83.

Welch, R.W. 1977. Seedling vigor and grain yield of cereals grown from seeds of varying protein contents. J. Agric. Sci. Comb. 88:119-125.

Werker, E. and Kislev, M. 1978a. Mucilage on the root surface and root hairs of sorghum heterogeneity in structure, manner of production and site of accumulation. Ann. Bot. 42(180)809-816.

Werker, E. and Kislev, M. 1978b. Production of mucilage by varios cell compartments in sorghum roots. Israel, J. Bot. 27(1):45.

Whiteman, P.C. and Wilson, G.L. 1965. Effects of water stress on the reproductive development of *Sorghum vulgare* Pers. University of Queensland Paper. IV:14.

Williams, R.D. 1962. On the physiological significance of seminal roots in perrennial grasses. Ann. Bot. 26:129-136.

Williams, T.V., Shell, R.S. and Ellis, J.F. 1967. Methods of measuring drought tolerance in corn. Crop Sci. 7:179-182.

Wilson, G.L. and Whiteman, P.C. 1965. The effects of water stress on the reproductive development of *Sorghum vulgare*. Pers. Univ. Of Queensland Dept. Bot. Pap. 4:233-239.