Wilson, G.L. and Eastin, J.D. 1982. The plant and its environments. Pages 101-119. In: "Sorghum in the Eighties." Proceedings of the International Symposium on Sorghum 2-7 Nov. 1981, ICRISAT Centre, A.P., India.

Wilson, G.L., Raju, P.S. and Peacock, J.M. 1982. Effect of soil temperature on seedling emergence in sorghum. Indian J. Agric. Sci. 52:848-851.

Woodhead, S.J. and Taneja, S.L. 1987. The importance of the behaviour of young larvae in sorghum resistance to Chili partellus. Entomologia Experimentalis et Applicata 45: 47-54.

Wright, G.C. 1981. Adaptation of grain sorghum to drought stress. Thesis, New England University, Armidale, Australia.

Wright, L.N. 1971. Drought influence on germination and seedling emergence. In "Drought injury and resistance in crops." Crop Sci. Soc. Amer. Spl. Publ. 2:19-44.

Wright, S.A., Jordan, W.R., Morgan,P.W. and Miller, F.R. 1983. Genetic and hormonal control of shoot and root growth of sorghum. Agron. J. 75:682-686.

Yada, R.P. 1976. Morphological studies in the leaves of sorghum in relation to resistance. Sorghum Newsletter 19:11.

Yamamoto, R., Kawamura, H. and Masuda, Y. 1974. Stress relaxation properties of the cell wall of growing intact plants. P1. Cell Physiol. 15:1073-1082.

Yang, Y.W., Newton, R.J. and Miller, F.R. 1989. Salinity tolernce in sorghum: I. Whole plant responses to NaCl in *Sorghum bicolor* and *Sorghum halepense*. Crop Science (In press).

Yayock, J.Y., Jan, H. and Vanderlip, R.L. 1975. Temperature, time and NH_4Cl concentration in vigor testing of sorghum seed. Agron. J. 67:241-242.

Yoshida, S. 1972. Physiological aspects of grain yield. Ann. Rev. Plant Physiol. 23:437-464.

Yoshida, S. 1981. Fundamentals of rice crop science. Los Banos, Laguna, Phillippines. IRRI. 269pp.

GENERAL REFERENCES

Abdul-Baki, A.A. and Anderson, J.D. 1973. Vigor determination in soybean seed by multiple criteria. Crop Sci. 13:630-633.

Adams, F. (Ed.) 1984. Soil Acidity and Liming. Soil Sci. Soc. Am., Madison, WI.

Allan, R.E., Vogel, O.A. and Peterson, C.J., Jr. 1962. Seedling emergence rate of fall-sown wheat and its association with plant height and coleoptile length. Agron. J. 54:347-350.

Allard, R.W. 1960. Principales of plant breeding. New York, USA: John Wiley. 485pp.

Arndt, W. 1965. The impedance of soil seals and the forces of emerging seedlings. Aust. J. Soil Res. 3:55-68.

Arnott, R.A. 1975. A quantitative analysis of the endosperm-dependent seedling growth in grasses. Ann. Bot. 39:757-765.

Asay, K.H. and Johnson, D.A. 1980. Screening for improved stand establishment in Russian wild rye grass. Can. J. Plant Sci. 60:1171-1177.

Bajay, J. and Papp, B. 1969. Relationship between germination of grain sorghum (*Sorghum vulgare* var frumentaceum) and temperature of soil. Acta Agron. Hung. 18:238-241.

Baker, D.N., Lambert, J.R., Phone, C.J. and Mckinion, J.T. 1976. A simulator of cotton crop dynamics. In "Computer Applied to Large Agricultural Enterprises." Proc. US-USSR Seminar, Moscow, Riga, Kishenev. pp. 100-133.

Bapna, S.L., Jha, D. and Jodha, N.S. 1979. Agro-economic features of semi-arid tropical India. In "Proceedings of the International Workshop on Socio-economic Constraints to Development of Semi-Arid Tropical Agricultural", 19-23 Feb 1979, ICRISAT, Hyderabad, Patancheru, A.P., India.

Barlow, E.W.R., Munns, R., Scott, N.S. and Reisner, A.H. 1977. Water potential, growth, and polyribosome content of the stressed wheat apese. J. Exp. Bot. 28:909-916.

Barnes, B.S. 1960. The evaluation of methods for determining vigor in sorghum. M.S. Thesis, Misissippi State Univ. State College.

Bianchi, A. and Marchesi, G., 1960. The surface of the leaf in normal and glossy seedlings. Z. Vererlo, Lehre 91:214-219.

Bianchi, A., Avato, P., Bertorelli, P. and Mariani, G. 1978. Epicuticular waxes of two sorghum varieties. Phytochemistry 17(5):999-1001.

Blum, A. 1972. Effect of planting date on water use and its efficiency in dryland grain sorchum. Agron. J. 64:775-778.

Böhm, W. 1979. Methods of Studying Root System. Ecological Studies Vol. 33. SpringerVerlag, Berlin, Germany. 116-117 pp.

Bower, J.T. 1972. A comparison of root systems of two isogenic lines of hybrid grain sorghum. M.S. Thesis, University of Nebraska, Lincoln, Nebraska, USA.

Boyer, J.S. and McPherson, H.G. 1975. Physiology of water deficits in cereal crops. Adv. Agron. 27:1-23.

Brouwer, R. 1962. Distribution of dry matter in the plant. Netherland Journal Agricultural Science 10:361-376.

Brouwer, R. 1963. Some aspects of the equilibrium between overground and underground plant parts. Jaarb. I.B.S. Wageningen, 31-39.

Burton, G.W. and DeVane, E.H. 1953. Estimating heritability in tall fescue (*Festuca arundinacea*) from, replicated clonal material. Agron. J. 45:478-481.

Chancellor, R.J. 1980. Dormancy. In: Crop, Seed and Soil Environment. Min. Agric. Fisheries Food, London.

Ching, T.M. 1972. Metabolism of germinating seeds. p.103-218 In: "Seed Biology." T.T. Kozlowski (Ed.), Vol.2, Academic Press, New York, U.S.A.

Christensen, J.E. and Horner, H.T. Jr. 1974. Pollen pore development and its spatial orientation during micro- sporogenesis in the grass *Sorghum bicolor*. Amer. J. Bot. 61:604-623.

Christie, B.R. and Kalton, R.R. 1960. Inheritance of seed weight and associated traits in bromegrass, *Bromus inermis* Leyss Can. J. Plant. Sci. 40:353-365.

Clark, L.E.. Ellis, E.B. and Johnson, J.W. 1973. Evaluation of selected sorghum lines for weathering resistance. In:"Eighth Bienn. Grain Sorghum Res. Utiliz. Conf." Lubbock, TX. p. 66-70.

Clark, R.B. 1981. Effect of trace element deficiencies and excesses on mineral nutrients in sorghum. J. Plant Nutr. 3:357-374.

Clark, R.B. 1982. Plant response to mineral element toxicity and deficiency. In: "Breeding Plants for Less Favorable Environments." M.N. Christiansen and C.F. Lewis (Ed.), John Wiley & Sons, N.Y. p.71-142.

Clegg, M.D., Biggs, W.W., Eastin, J.D., Maranville, J.W. and Sullivan, C.Y. 1974. Light transmission in field communities of sorghum. Agron. J. 66: 471-476.

Cleland, R. 1971. Cell wall extension. Ann. Rev. Plant Physiol. 22:197-222.

Curry, R.B., Baker, C.W. and Streeter, J.G. 1975. SOYMOD I: a dynamic simulator of soybean growth and development. Trans. ASAE 18:963-968,974.

Davidson, R.L. 1969. Effects of root/leaf temperature differentials on root/shoot ratios in some pasture grass and cloves. Ann. Bot. N.S. 33:561-569.

De Wit, C.T. 1958. Transpiration and crop yields. Verslag Landbouwk, Onderzock, 64:88.

De Wet 1965. Photosynthesis of leaf canopies. Versl. landbouwk. Onderz. Ned. 663.

Dickinson, T.E. and Maunder, A.B. 1977. Growth stages of twenty -six sorghum hybrids. Sorghum Newsletter 20:89-90.

Duncan, W.G. 1975. SIMAIZ. A model simulating growth and yield of corn In "An Application of System Methods to Crop Production." D.N. Baker, P.G. Creech and F.G. Maxwell, (Eds.), Miss. Agric. and For. Expt. Stn. Miss. State Univ. Miss. pp.32-48.

Eastin, J.D. 1968. Physiology of yield in grain sorghum. Proc. Annual Corn and Sorghum Research Conference. 23.

Eastin, J.D. 1981. Sorghum development and yield. Proc. Symp. On the potential productivity of field crops under different environments. Sept. 1980. ed. Yoshida, Los Rawson, Laguna, Philippines, IRRI.

Escalada, R.G. and Pluckett, D.L. 1975. Ratoon cropping of sorghum. II. Effect of daylength and temperature on tillering and plant development. Agron. J. 67:479-484.

Fischer, K.S. and Wilson, G.L. 1971a. Studies of grain production in *Sorghum vulgare*. I. The contribution of pre-flowering photosynthesis to grain yield. Aust. J. Agric. Res. 22:33-37.

Fischer, K.S. and Wilson, G.L. 1971b. Studies of grain production in *Sorghum vulgare*. II. Sites responsible for grain dry matter production during the post-anthesis period. Aust. J. Agric. Res. 22:39-47.

Fisher, R.A. and Kohn, G.D. 1966. The relationship of grain yield to vegetative growth and post-flowering leaf area in the wheat crop under conditions of limited soil moisture. Aust. J. of Agr. Res. 17:281-295.

Frederiksen, R.A. and Mughogho, L.K. (Eds.) Compendium of Sorghum Diseases. Am. Phytopath. Soc., St. Paul, MN. (in press).

Fussell, L.K. 1978. Grain development and yield of pearl millet. Ph.D. Thesis, Univ. Sidney.

Gardner, W.R. 1960. Dynamic aspects of water availability to plants. Soil Science 89:63-73.
Garrity, D.P., Sullivan, C.T. and Watts, D.C. 1979. Quantification of drought stress conditioning of sorghum. Agron. Abstr. p. 18.
Gipson, J.R., Johnson, J.W. and Rosenow, D.T. 1979. Effect of night temperature on phenotypic periods and yield components of grain sorghum. Agronomy Abstracts p.88.
Glueck, J.A. 1979. Identification and characterization of *Sorghum bicolor* (L.) Moench. lines with resistance to preharvest grain deterioration. Ph.D. Thesis, Texas A & M Univ., College Station, TX.
Glueck, J.A., Rooney, L.W., Rosenow, D.T., Miller, F.R. and Lichtendalner, R.E. 1978. Physical and structural properties of weathered sorghum grain. Misc. Pub. Tex. Agric. Expt. Stn. 1375:12-30.
Gofbolr, G.M., Patil, F.S.and Khalikar, P.V. 1976. On improvement of germinability of mouldy sorghum seeds. Sorghum Newsletter 19:49.
Hadas, A. 1970. Factors affectiug seed germination under soil moisture stress. Israel J. Agric. Res. 20:3-14.
Hanks, R.J. and Thorp, F.C. 1956. Seedling emergence of wheat as related to soil moisture content, bulk density, oxygen diffusion rate and crust strength. Soil Sci.Soc.Amer.Proc. 20:307-310.
Harlan, J.R. 1975. Geographic patterns of variation in some cultivated plants. J. Heridity. 66:182-191.
Harlan, J.R. and De Wet J.M.J. 1972. A simplified classification of cultivated sorghum. Crop Sci. 12:172-176.
Harrington, G.T. 1923. Use of alternating temperatures in the germination of seeds. J. Agr. Res. 23:295-332.
Harrington, G.T. 1933. Use of alternating temperature in germination of seed. J. Agr. Res. 23:295-332.
Harrington, J.F. 1972. Seed storage and longevity. In: "Seed Biology." T.T. Kozlowski (Ed.) Academic Press, New York, USA. pp. 145-245.
Hegarty, T.W. 1977. Seed and seedling susceptibility to phased moisture stress in soil. J. Exp. Bot. 28:659-668.
Hegarty, T.W. 1978a. The physiology of seed hydration and dehydration and relation between water stress and control of germination. Plant, Cell and Envir. 1:101-119.
Hegarty, T.W. 1978b. Seed-bed conditions and seedling establishment. Acta Hort. 83:297-305.
Herron, G.M., Grimes, D.W. and Musick, J.T. 1963. Effects of soil moisture and nitrogen fertilization of irrigated grain sorghum on dry matter production and nitrogen uptake at selected stages of plant development. Agron. J. 55:393-396.
Hewitt, E.J. and Smith, T.A. 1975. Plant Mineral Nutrition. John Wiley & Sons, New York.
Heyne, E.G. and Brunson, A.M. 1940. Genetic studies of heat and drought tolerance in maize J. Amer. Soc. Agron. 32:803-814.
Heyne, E.G. and Laude, H.H. 1940. Resistance of corn seedlings to high temperatures in laboratory tests. J. Amer. Soc. Agron. 32:116-126.
Hodges, T., Kanemasu, E.T. and Teare, I.D. 1979. Modeling dry matter accumulation and yield of grain sorghum. Can. J. Plant Sci. 59:803-818.
Horrocks, R.D. and Cloninger, F.D. 1974. Model for predicting emergence of grain sorghum. Crop Sci. 14:365-367.
House, L.R. 1980. The ICRISAT Sorghum Improvement Program. Paper presented at the 5th Joint Meeting of UNDP-CIMMYT-ICRISAT Policy Advisory Commitee, 14-18 Oct, 1980.
Huda, A.K.S. and Virmani, S.M. 1980. A systems analysis approach to developing cropping systems in the semi-arid tropics. In "Operations Research in Agriculture and Water Resources. D. Yaron and C.S. Tapiero (Eds.), North Holland Pub. Co., Amsterdam, Netherlands. pp. 239-248.
Huda, A.K.S., Ghildyal, B.P., Tomar, V.S. and Jain, R.C. 1975. Contribution of climatic variables in predicting rice yield. Agric. Meteorol. 15:71-86.
Huda, A.K.S., Sivakumar, M.V.K. and Virmani, S.R. 1980. Modeling approach and minimum data set. Interdisciplinary Research Needs of Agroclimatological Studies: Proceedings. International Workshop on the Agro-climatological Research Needs of the Semi-Arid Tropics, 22-24 Noc. 1978, ICRISAT, Hyderabad, India, Patancheru, A.P., India. pp. 197-210.
Huda, A.K.S., Sivakumar, M.V.K., Virmani, S.M., Sekaran, J.G. and Sardar Singh, 1982. Role of simulation models in yield predictions - ICRISAT experience in modeling sorghum growth and development. Paper presented at IRAT - ICRISAT Workshop in Water Management and Crop Production, Montpellier, France.
Hyoung, W. Suh., Casady, A.J. and Vanderlip, R.L. 1974. Influence of sorghum seed weight on the performance of the resulting crop. Crop Sci. 14:835-836.

ICRISAT 1975. Proc. Sorghum Consultants Meeting 1975, ICRISAT, Patancheru, 502324, A.P., India.
Jensen, M.E. 1968. Water consumption by agricultural plants. In: "Water Deficits and Plant Growth. V.2" T. Koslowski. (Ed.), Academic Press, New York, U.S.A. pp. 1-22.
Jiménez, C.A. and Mendoza, O.L.E. 1982. Comparación de métodos indirectos para la estimación del area foliar en sorgo, *Sorghum bicolor* (L.) Moench. Agricultural Técnica en México 7:113-125.
Johansen, D.A. 1940. Plant Microtechnique. McGraw-Hill Book Co., New York, USA. 523pp.
Johnson, D.A. and Asay, K.H. 1978. A technique for assessing seedling emergence under drought stress. Crop Sci. 18:520-522.
Jones, D.B. and Peterson, O.L. 1976. Rice seedling vigor at sub-optimal temperatures. Crop Sorghum: response of sorghum varieties to seed-hardening treatment. Sorghum Newsletter 18:35.
Jordan, W.R. and Miller, F.R. 1977. Genotypic variability in sorghum Agronomy Abstr. p 87.
Kanemasu, E.T., Stone, L.R. and Powers, W.L. 1976. Evapotranspiration model tested for soybean and sorghum. Agron. J. 68:569-572.
Kanwar, J.S. 1979. Research at ICRISAT- A Review. International Crops Research Institute for the Semi-arid Tropics. Proc. ICRISAT Inauguration Symposium, Patancheru, India.
Kowal, J. and Andrews, D.J. 1973. Pattern of water availability and water requirement for grain sorghum production at Samaru, Nigeria. Trop. Agric. 50:89-100.
Krieg, D.R. 1975. The physiology of sorghum seed development as affected by light and water stress. Proc. Annual Corn and Sorghum Research Conf. 30:13-24.
Lane, H.C. and Walker, H.J. 1961. Mineral accumulation and distribution in grain sorghum. Texas Agr. Exp. Stn. MP-533.
Langer, R.H.M. and Hanif, M. 1973. A study of floret development in wheat (*Triticum aestivum*). Ann. Bot. 37:743-751.
Lauchli, A., and Bieleski, R.L. (Eds.) 1983. Inorganic Plant Nutrition. Vol. 15A and 15B. Encyclopedia of Plant Physiology, New Series. Springer-Verlag, Berlin.
Lockman, R.B. 1972. Mineral composition of grain sorghum plant samples. II. As affected by soil acidity, soil fertility, stage of growth, variety, and climate factors. Commun. Soil Sci. Plant Anal. 3:283-293.
Maas, S.J. and Arkin, G.F. 1978. User's guide to SORGF: a dynamic grain sorghum growth model with feed back capacity. Blackland Research Centre, Program and Model Documentation No. 78-1. Temple, Texas, USA, Texas Agric. Expt. Stn.
Maiti, R.K. 1982. Evaluation of sorghum for multiple stress resitance. An approach towards sorghum crop improvement in the semi-arid tropics. Paper presented and abstract published in a commemorative volume by the Silver Jubilee celebration, Indian Society of Plant physiology held at IARI, New Delhi, Jan 20-22.
Maiti, R.K., González, R.H. y Alanís, C.O. 1984a. El establecimiento de los cultivos en el trópico semiárido del Noreste de México, una síntesis práctica. Boletín. Facultad de Agronomía, UANL, Marín, N.L., México. 1-20.
Maiti, R.K., Ramaiah, K.V., Bisen, S.S. and Chidley, V.L. 1984b. A comparative study of the haustorial development of *Striga asiatica* (L.) Kuntze on sorghum cultivars. Annals of Botany 54:447-457.
McCree, K.J. 1974. Equations for the rate of dark respirations of white clover and grain sorghum, as functions of dry weight, photosynthetic rate and temperature. Crop Sci. 14:509-514.
McMennamy, J.A. 1980. Dynamic simulation of irrigated rice crop growth and yield. Proc. Symposium on the Agro-climatology of the rice crop WMO and IRRI, Manila, Philippines.
Mederski, H.J. and Jeffers, D.L. 1973. Yield response of soybean varieties grown at two soil moisture stress levels. Agron. J. 65:410-412.
Mengel, K. and Kirby, E.A. 1982. Principles of Plant Nutrition. Int. Potash Inst., Bern, Switzerland.
Mirhadi, M.J. 1980. The relationship between the growth of different plant organs of grain sorghum hybrid H-726. Japan Jour.Crop Sci.49(3):420-427.
Mirhadi, M.J. and Kobayashi, Y. 1980. Relationship between the growth of different plant organs of grain sorghum hybrid H-726. Jap. J. Crop Sci. 49(3):420-427.
Mortvedt, J.J., Giordano, P.M. and Lindsay, W.L. (Eds.) 1972. Micronutrients in Agriculture. Soil Sci. Soc. Am., Madison, WI.
Murty, B.R., Arunachalam, V. and Saxena, M.B.L. 1967. Classification and catalogue of a world collection of sorghum. Indian J. Genet. Plant Breed. 27 (Suppl.):1-74. Nutile, G.E., (1964). Effect of desiccation on viability of seeds. Crop Sci. 4:325-328.

Mussell, H. and Staples, R.C. (Eds.) 1979. Stress Physiology in Crop Plants. John Wiley, New York, U.S.A. 510pp.

Nobel, P.S. 1977. Internal leaf area and cellular CO_2 resistance: photosynthetic implications of variations with growth conditions and plant species. Physiol. Plant. 40:137-144.

Norcio, N.V. 1976. The effects of high temperatures and moisture stress on photo-synthetic and respiration rates of grain sorghum. Ph.D. Thesis, University of Nebraska, Lincoln, Nebraska, USA. 196pp.

Parker, C., Hitchcock, A.M. and Ramaiah, K.V. 1977. Germination of *Striga* species by crop root exudates techniques for selecting resistant crop cultivars. Procedings of the Asian-Pacific Weed Science Conference 6:67-74.

Pepper, C.E. and Prine, G.M. 1972. Low light intensity effects on grain sorghum at different stages of growth. Crop Sci. 12:590-593.

Prisco, J.T., Barbosa, L. and Ferreira, L.G.R. 1975. Efeitos da salinidade na germinacao e vigor de plantulas de *Sorghum bicolor* (L.) Moench. Ciencia Agronómica 51:19-23.

Quinby, J.R. and Martin, J.H. 1954. Sorghum improvement. Adv. Agron. 6:305-359.

Quinby, J.R. and Karper, R.E. 1947. The effect of short photoperiod on sorghum varieties and first generation hybrids. J. Agric. Res. 75:295-300.

Rao, N.G.P., Rana, B.S., and Jotwani, M.G. 1978. Host resistance to major insect pests of sorghum .In: Plant breeding for resistance to insect pests. Consideration of the use of induced mutation, IAEA, Vienna, Austria, pp.63-78.

Rawson, H.M. 1970. Spikelet number its control and relation to yield per ear in wheat. Aust. J. Biol. Sci. 23:1-15.

Reicosky, D.C., Campbell, R.B. and Doty, C.W. 1975. Diurnal fluctuation of leaf-water and microclimate. Agron. J. 67:380-385.

Rench, W.E. and Shaw, R.H. 1971. Black layer development in corn. Agron. J. 63:303-305.

Rice, J.R. 1979. Physiological investigations of grain sorghum (*Sorghum bicolor* (L.) Moench. subjected to water stress conditions. Ph.D. Thesis, University of Nebraska, Lincoln, Nebraska, USA.

Ries, S.K., Ayers, G., Wert, V. and Everson, E.H. 1976. Variation in protein, size and seedling vigor with position of seed in heads of winter wheat cultivars. Canad. J. Plant Sci. 56:823-827.

Ritchie, J.T. 1974. Atmospheric and soil water influence on the plant water balance. Agric. Meteorology 14:183-198.

Ross, W.M. and Webster, O.J. 1970. Culture and use of grain sorghum. USDA Agricultural Handbook No. 385. Washington, D.C., U.S. Govt. Print. Press. 30pp.

Roy, R.N. and Wright, B.C. 1973. Sorghum growth and nutrient uptake in relation to soil fertility. I. Dry matter accumulation patterns, yield and N content of grain. Agron. J. 65:709-711.

Sale, P.J.M. and Harrison, D.J. 1964. Seedling emergence as affected by soil capping. J. Hort. Sci. 39:141-161.

Sánchez, R.L. and Smeltzer, D.G. 1965. Sorghum pollen viability. Crop Sci. 5(2):111-113.

Sangster, A.G. 1978. Silicon in the roots of higher plants. American J. Bot. 65(9):929-935.

Sayer, R.L. 1970. Sorghum seed dormancy, germination and vigor in relation to field stands. Proc. Ann. Corn and Sorghum Res. Conf. 25:28-40.

Seetharama, N. 1980. Growth stages of sorghum. Proc. Collaborative Multi - location Sorghum Modeling Experiment, 2-4 April, 1980, ICRISAT, Patancheru, India.

Sharma, B.C. 1942. Shoot apex in grasses and cereals. Nature 149:82-88.

Shu, T.W. 1975. Genetic studies on seedling growth in rice plants 1. Seedling growth depending completely on the materials in the seeds. J.Agric.Assoc.China, Ser.No. 89.

Sinclair, T.R., Bingham, G.E., Lemon, E.R. and Allen, L.H., Jr. 1975. Water use efficiency in field grown maize during moisture stress. Plant Physiol. 56:245-249.

Sivakumar, M.V.K., Seetharama, N., Sardar Singh and Bidinger, F.R. 1979. Water relations, growth and dry matter accumulation of sorghum under post-rainy season conditions. Agron. J. 71:843- 847.

Slatyer, R.O. 1973. Effects of short periods of water stress on leaf photosynthesis. In "Plant Response to Climatic Factors." R.O. Slatyer (Ed.), UNESCO, Paris, France. pp. 271-276.

Smith, T.J. and Camper, H.M., Jr. 19750. Effect of seed size on soybean performance. Agron. J. 67:681-684.

Smith, O.E., Welch, N.C. and McCoy, 173. Studies on lettuce seed quality. II. Relationship of seed vigor to emergence, seedling weight and yield. J. Amer. Spc. Hort. Sci. 98:552-556.

Spanner, D.C. 1973. The components of the water potential in plant and soils. J. Exp. Bot. 24:816-819.

Stanway, V. 1958. Pre-chilled vs non-pre-chilled germination of *Sorghum vulgare* Pers. Assoc. Off. Seed Anal. Proc. 18:93-95.

Steeves, T.A. and Susex, I.M. 1972. Patterns in plant development Prentice Hall Inc. Eaglewood Cliffs, New Jersey. p.83-101.

Stewart, J.I., Misra, R.O., Pruitt, W.O. and Hagan, R.M. 1975. Irrigating corn and grain sorghum with a deficient water supply. Trans. ASAE. 18:270-280.

Stone, L.R. and Horton, M.L. 1974. Estimating evapotranspiration using canopy temperature: field evaluation. Agron. J. 66:450- 454.

Stone, L.R., Gwin, R.E., Jr. and Dilon, M.A. 1978. Corn and grain sorghum yield response to limited irrigation. J. Soil and water Cons. 33:235-238.

Stout, D.G., Simpson, G.M. and Flotre, D.M. 1980. Drought resistance of *Sorghum bicolor* (L.) Moench. 3. Seed germination under osmotic stress. Can. J. Plant Sci. 60:13-24.

Subramanian, V., Jambunathan, R. and Seetharama, N. 1983. Biochemical changes during seed development in sorghum (*Sorghum bicolor*). Phytochem. 22:1097-1101.

Syme, J.R. 1970. A high-yielding Mexican semi-dwarf wheat and the relationship of yield to harvest index and other varietal characteristics. Aust. J. of Exp. Agric. & Animal Husbandry, 10:350-353.

Tadmor, N.H., Cohen, Y. and Harpaz, Y. 1969. Interactive effects of temperature and osmotic potential on the germination of range plants. Crop Sci. 9:771-774.

Tarumoto, I., Miyazaki, M. and Matsumura, T. 1981. Scanning electron microscope study of glossy and non-glossy leaves in sorghum, *Sorghum bicolor* (L.) Moench. Bull. Nati. Grassland Res. Inst. 18:38-44.

Thomas, J.C., Brown, K.W. and Jordan, W.R. 1976. Stomatal response to leaf water potential as affected by preconditioning water stress in the field. Agron. J. 68:706-708.

Thorne, G.N. 1965. Photosynthesis of ears and flag leaves of wheat and barley. Ann. Bot. NS 28:317-329.

Thorne, G.N. 1966. Physiological aspects of grain yield in cereals. In "The growth of cereals and grasses" (ed. F.L. Milthorpe and J.d. Ivins, Butterworth, London, pp. 88-105.

Toole, V.K. 1973. Effect of light, temperature and their interactions on germination of seeds. Seed Sci. & Technol. 1:339-396.

Traere, M., Sullivan, C.Y., Rososki, J.R., Lee, K.W. 1989. Comparative leaf surface and glossy characteristics of sorghum, maize, and pearl millet. Annals of Botany. 64 : 447- 453.

Troughton, J.H. 1969. Plant water status and carbon dioxide exchange of cotton leaves. Austr. J. Biol. Sci. 22:289-302.

Turner, N.C. 1979. Drought resistance and adaptation to water deficits in crop plants. In Stress Physiology in Crop Plants." H. Mussell and R.C. Staples (Eds.), John Wiley, New York, U.S.A. pp. 343-372.

Turner, N.C. 1974. Stomatal behavious and water status of maize, sorghum and tobacco under field conditions. Plant Physiol. 53:360-365.

Vanderlip, R.L. 1972. How a sorghum plant developes. Cooperative Extension Service, Kansas State University, Manhattan.

Walker, J., 1933. The suitability of inmature seed corn for seed. Sci. Agric. 13:642-645.

Walsh, L.M. and Beaton J.D. (Eds.) 1973. Soil Testing & Plant Analysis. Soil Sci.Soc.Am., Madison, Wi.

Watts, D.G., Sullivan, C.Y. and Giley, J.R. 1979. Development and operation gradient irrigation systems for evaluation of plant response to drought stress. Agron. Abs. p.17.

Welbank, P.J., Gibb, M.J., Taylor, P.J. and Williams, E.D. 1974. Root growth of cereal crops. Rep. Rothamsted Exp. Stn. for 1973. Part 2:26-66.

Wilt, M.D., Vanderlip, R.L. and Bark, L.D. 1972. Effect of row width and orientation on light intercepted by grain sorghum. Trans. Kansas Acad. Sci. 75:29-40.

Wolf, M.J., Buzan, C.L. MacMasters, M.M. and Rist, C.E. 1952. Structure of the mature corn (microscopic structure of pericarp, seed coat and hilar layer of dent corn. Cereal Chem. 29:334-348.

Wright, S.A. 1978. The effect of height genes and gibberellic acid on root and shoot development of *Sorghum bicolor* L. Moench. M.S. Thesis, Texas A&M University, College Station, Texas, USA.

Yen, S.T. and Carter, O.G. 1972. Effect of seed pretreatment with gibberellic acid on germination and early establishment of grain sorghum. Austr. J. Exp. Agric. Animal Husbandry 2:653-661.

ERRATA

Corresponding figure: corrected version.

Figure 4.19 Transverse section of a culm, giving orientation and development of the tissue of the leaf sheaths encircling the stem.

Figure 4.20 Transverse section of a pseudostem, depicting little mechanical tissue, small and large vascular bundles in the peripheral region.

Figure 4.21 Transverse section of stem showing heavy mechanical tissue in the peripheral region and around the vascular bundle.