

Many of the illustrations are copied from previous authors, while some are original. The following quotation from the preface to Tyler Smith's *Manual of Obstetrics* will explain why the source of the copied woodcuts has not been in each instance acknowledged: "When I began to publish, I determined to give the authority for every woodcut copied from other works. I soon found, however, that obstetric authors of all countries, from the time of Mauriceau downward, had copied each other so freely without acknowledgment as to render it difficult or impossible to trace the originals."

The Author has to express his acknowledgments to many friends for their kind assistance by the loan of illustrations and otherwise, and more especially to his colleague, Dr. Hayes, for his valuable aid in passing the work through the press.

31 GEORGE STREET, HANOVER SQUARE.
March, 1876.

CONTENTS.

PART I.

ANATOMY AND PHYSIOLOGY OF THE ORGANS CONCERNED IN PARTURITION

CHAPTER I.

ANATOMY OF THE PELVIS.

	PAGE
Its importance—Formation of pelvis—The os innominatum; its three divisions —Separation between the true and false pelvis—The sacrum and coccyx— Mechanical relations of the sacrum—Pelvic articulations and ligaments— Movements of the pelvic joints—The pelvis as a whole—Differences in the two sexes—Measurements of the pelvis—Its diameters, planes, and axes— Development of the pelvis—Soft parts in connection with the pelvis	33

CHAPTER II.

THE FEMALE GENERATIVE ORGANS.

Division according to function: 1. External or copulative; 2. Internal or formative organs—Mons Veneris—Labia majora and minora—The clitoris— The vestibule and orifice of the urethra—Passing of the female catheter— Orifice of vagina—The hymen—Caruncula myrtiformes—The glands of the vulva—The perineum—The vagina—The uterus: its position and anatomy—[Partitioned uterus]—The ligaments of the uterus—The paro- varium—The Fallopian tubes—The ovaries—The Graafian follicles and the ova—The mammary glands	49
---	----

CHAPTER III.

OVULATION AND MENSTRUATION.

Functions of the ovary—Changes in the Graafian follicle: 1. Maturation; 2. Escape of the ovum—Formation of the corpus luteum—[Precocious physical womanhood]—Quality and source of the menstrual blood—Theory of menstruation—Purpose of the menstrual loss—Vicarious menstruation —Cessation of menstruation	82
---	----

(ix)

PART II.
PREGNANCY.

CHAPTER I.

CONCEPTION AND GENERATION.

The semen—Site and mode of impregnation—Changes in the ovum—Cleavage of the yolk—The decidua and its formation—Formation of the amnion—The umbilical vesicle and allantois—The liquor amnii and its uses—The chorion—The placenta; its formation, anatomy, and functions	PAGE 96
--	------------

CHAPTER II.

THE ANATOMY AND PHYSIOLOGY OF THE FETUS.

Appearance of the fetus at various stages of development—[Very small foetuses habitually produced by some mothers]—Anatomy of the fetal head—The sutures and fontanelles—Influence of sex and race on the foetal head—Position of the fetus <i>in utero</i> —Functions of the fetus—The foetal circulation	122
--	-----

CHAPTER III.

PREGNANCY.

Changes in the form and dimensions of the uterus—Changes in the cervix—Changes in the texture of the uterine tissues, the peritoneal, muscular, and mucous coats—General modifications in the body produced by pregnancy	137
--	-----

CHAPTER IV.

SIGNS AND SYMPTOMS OF PREGNANCY.

Signs of a fruitful conception—Cessation of menstruation—Sympathetic disturbances—Morning sickness, etc.—Mammary changes—Enlargement of the abdomen—Quickening—Intermittent uterine contractions—Vaginal signs of pregnancy—Ballottement, etc.—Auscultatory signs of pregnancy—Fetal pulsations—Uterine souffle, etc.	149
---	-----

CHAPTER V.

THE DIFFERENTIAL DIAGNOSIS OF PREGNANCY—SPURIOUS PREGNANCY—THE DURATION OF PREGNANCY—SIGNS OF RECENT PREGNANCY.

Adipose enlargement of the abdomen—Distention of the uterus by retained menses, etc.—Congestive enlargement of uterus—Ascites—Uterine and ovarian tumors—Spurious pregnancy; its causes, symptoms, and diagnosis—The duration of pregnancy—Sources of fallacy—Methods of predicting the date of delivery—Protraction of pregnancy—Signs of recent delivery	164
--	-----

CHAPTER VI.

ABNORMAL PREGNANCY, INCLUDING MULTIPLE PREGNANCY, SUPER-FETATION, EXTRA-UTERINE FOETATION, AND MISSED LABOR.

PAGE

Plural births; their frequency, relative frequency in different countries, causes, etc.—Super-fetation and super-fecundation—Nature—Explanation—Objections to admission of such cases—Their possibility admitted—Extra-uterine pregnancy—Classification—Causes—Tubal pregnancies—Changes in the Fallopian tubes—Condition of uterus—Progress and termination—Diagnosis—Treatment—Abdominal pregnancy; description, diagnosis, treatment—Missed labor; its symptoms, causes, and treatment—[Causes of missed labor]	173
--	-----

CHAPTER VII.

DISEASES OF PREGNANCY.

Some only sympathetic, others mechanical or complex in their origin—Derangement of the digestive organs; excessive nausea and vomiting, diarrhoea, constipation, hemorrhoids, ptyalism, dyspepsia, etc.—Palpitation—Syncope—Anaemia and chlorosis—Albuminuria	203
---	-----

CHAPTER VIII.

DISEASES OF PREGNANCY (*continued*).

Disorders of the nervous system; insomnia, headaches and neuralgia, paralysis—Chorea; disorders of the urinary organs; retention of urine, irritability of the bladder, incontinence of urine, phosphatic deposits—Leucorrhœa—Effects of pressure—Laceration of veins—Displacements of the gravid uterus; prolapse, anteversion, retroversion—Diseases coexisting with pregnancy; eruptive fevers, smallpox, measles, scarlet fever, continued fever, phthisis, cardiac disease, syphilis, icterus, carcinoma—Pregnancy complicated with ovarian and fibroid tumors	217
---	-----

CHAPTER IX.

PATHOLOGY OF THE DECIDUA AND OVUM.

Pathology of the decidua—Hydrorrhœa gravidarum—Pathology of the chorion; vesicular degeneration, myxoma fibrosum—Pathology of the placenta; blood extravasations, fatty degeneration, etc.—Pathology of the amnion—[Hydramnios]—Deficiency of liquor amnii, etc.—Pathology of the umbilical cord—Pathology of the fetus; blood diseases transmitted through the mother; smallpox, measles, and scarlet fever, intermittent fevers, lead-poisoning, syphilis—Inflammatory diseases—Dropsies—Tumors—Wounds and injuries of the fetus—Intra-uterine amputations—[Arrested pullulation]—Death of the fetus	234
--	-----

CONTENTS.

CHAPTER X.

ABORTION AND PREMATURE LABOR.

	PAGE
Importance and frequency—Definition and classification—Frequency—Reurrence—Causes—Causes referable to fetus—Changes in a dead ovum retained <i>in utero</i> —Extravasations of blood—Moles, etc.—Causes depending on maternal state, syphilis—Causes acting through nervous system, physical causes, etc.—Causes depending on morbid states of uterus—Symptoms—Preventive treatment—Prophylactic treatment—Treatment when abortion is inevitable—After-treatment	252

PART III.

LABOR.

CHAPTER I.

THE PHENOMENA OF LABOR.

Causes of labor—Mode in which the expulsion of the child is effected—The uterine contraction—Mode in which the dilatation of the cervix is effected—Rupture of the membranes—Character and source of pains during labor—Effects of pains on mother and fetus—Division of labor into stages—Preparatory stage—False pains—First stage—Second stage—Third stage—Mode in which the placenta is expelled—Duration of labor	265
--	-----

CHAPTER II.

MECHANISM OF DELIVERY IN HEAD PRESENTATIONS.

Importance of subject—Frequency of head presentations—The different positions of the head—First position—Division of mechanical movements into stages—Flexion—Descent and levelling movement—Rotation—Extension—External rotation—Second position—Third position—Fourth position—Caput succedaneum—Alteration in shape of head from moulding	278
--	-----

CHAPTER III.

MANAGEMENT OF NATURAL LABOR.

Preparatory treatment—Dress of patient during pregnancy—The obstetric bag—Duties on first visiting patient—Antiseptic precautions—False pains—[Kelly's rubber protector in parturient cases]—Their character and treatment—Vaginal examination—The position of patient—Artificial rupture of membranes—Treatment of propulsive stage—Relaxation of the perineum—Treatment of lacerations—Expulsion of child—Promotion of uterine contraction—Ligation of the cord—Management of the third stage of labor—[Expulsion of placenta]—Application of the binder—After-treatment	290
--	-----

CONTENTS.

xiii

CHAPTER IV.

ANESTHESIA IN LABOR.

	PAGE
Agents employed—Chloral: its object and mode of administration—Ether—Chloroform; its use, objections to, and mode of administration—[Ether safer than chloroform]	308

CHAPTER V.

PELVIC PRESENTATIONS.

Frequency—Causes—Prognosis to mother and child—Diagnosis by abdominal palpation and by vaginal examination—[Bimanual version in breech cases]—Differential diagnosis of breech, knee, and foot—Mechanism—Treatment—Management of impacted breech presentations—[Breech forceps]	312
---	-----

CHAPTER VI.

PRESENTATIONS OF THE FACE.

Erroneous views formerly held on the subject—Frequency—Mode of production—Diagnosis—Mechanism—Four positions of the face—Description of delivery in first face position—Mento-posterior position in which rotation does not take place—Prognosis—Treatment—Brow presentation	323
--	-----

CHAPTER VII.

DIFFICULT OCCIPITO-POSTERIOR POSITIONS.

Causes of face-to-pubes delivery—Mode of treatment—Upward pressure on forehead—Downward traction on occiput—Use of forceps—Peculiarities of forceps delivery—[Version by the vertex]—[Use of the hand in occipito-posterior positions]	333
--	-----

CHAPTER VIII.

PRESENTATIONS OF SHOULDER, ARM, OR TRUNK—COMPLEX PRESENTATIONS
—PROLAPSE OF THE FUNIS.

Position of the fetus—Division into dorso-anterior and dorso posterior positions—Causes—Prognosis and frequency—Diagnosis—Mode of distinguishing position of child—Differential diagnosis of shoulder, elbow, and hand—Mechanism—The two possible modes of delivery by the natural powers—Spontaneous version—Spontaneous evolution—Treatment—[Cesarean operation for fetal impaction]—Complex presentation: foot or hand with head; hand and feet together—Dorsal displacement of the arm—Prolapse of the umbilical cord—Frequency—Prognosis—Causes—Diagnosis—Postural treatment—Artificial reposition—Treatment when reposition fails	336
---	-----

CHAPTER IX.

PROLONGED AND PRECIPITATE LABORS.

Evil effects of prolonged labor—Influence of the stage of labor in protraction—Delay in the first stage rarely serious—Temporary cessation of pains—Symptoms of protraction in the second stage—State of the uterus in protracted labor—Cases of protraction due to morbid condition of the expulsive powers—Causes of protraction—Treatment—Oxytocic remedies—Ergot of rye, etc.—Manual pressure—Instrumental delivery (case of Princess Charlotte of Wales)—Precipitate labor—Its causes and treatment—[Rapid delivery]	351
---	-----

CHAPTER X.

LABOR OBSTRUCTED BY FAULTY CONDITION OF THE SOFT PARTS.

Rigidity of the cervix: its causes, effects, and treatment—[Cesarean section in cancer of the cervix]—Ante-partum hour-glass contraction—Bands and cicatrices in the vagina—Extreme rigidity of the perineum—Labor complicated with tumor—[Cesarean results in tumor cases]—Vaginal cystocele—Calculus—Hernial protrusions—[Impaction of bowels from eating clay]—Edema of vulva—Haematic effusions, etc.—[Polypus obstructing delivery]	366
--	-----

CHAPTER XI.

DIFFICULT LABOR DEPENDING ON SOME UNUSUAL CONDITION OF THE FETUS.

Plural births, treatment of—Locked twins—Conjoined twins—Intra-uterine hydrocephalus: its dangers, diagnosis, and treatment—Other dropical effusions—Foetal tumors—Excessive development of fetus	379
---	-----

CHAPTER XII.

DEFORMITIES OF THE PELVIS.

Classification—Causes of pelvic deformity—[Rickets and osteomalacia]—The equally enlarged pelvis—The equally contracted pelvis—The undeveloped pelvis—[External characteristics of a large and tall woman]—Masculine or funnel-shaped pelvis—Contraction of conjugate diameter of brim—Scolio-rachitic pelvis—Figure-of-eight deformity—Spondylolisthesis—[True character of spondylolisthetic deformity]—Spondylolizema—Narrowing of the oblique diameters—Obliquely contracted pelvis—[Coxalgic deformity of pelvis]—Kyphotic pelvis—Robert's pelvis—Deformity from old-standing hip-joint disease—Deformity from tumors, fractures, etc.—Effects of contracted pelvis on labor—Risks to the mother and child—[Pelvic exostoses obstructing delivery]—Mechanism of delivery in head presentation; <i>a</i> , in contracted brim; <i>b</i> , in generally contracted pelvis—Diagnosis—External measurements—Internal measurements—Mode of estimating the conjugate diameter of the brim—Mode of diagnosing the oblique pelvis—Treatment—The forceps—Turning—Craniotomy—[Sympyseotomy]—The induction of premature labor—Induction of abortion—[Dangers of Cesarean section overestimated]	391
---	-----

CHAPTER XIII.

HEMORRHAGE BEFORE DELIVERY—PLACENTA PREVIA.

Definition—Causes—Symptoms—Sources and causes of hemorrhage—Prognosis—Treatment—[Braxton Hicks's bimanual method of turning in placenta previa]	418
---	-----

CHAPTER XIV.

HEMORRHAGE FROM SEPARATION OF A NORMALLY SITUATED PLACENTA.

Causes and pathology—Symptoms and diagnosis—Prognosis—Treatment	430
---	-----

CHAPTER XV.

HEMORRHAGE AFTER DELIVERY.

Its frequency—Generally a preventable accident—Causes—Nature's method of controlling hemorrhage—Uterine contraction—Thrombosis—Secondary causes of hemorrhage—Irregular uterine contraction—Placental adhesions—Constitutional predisposition to flooding—Symptoms—Preventive treatment—Curative treatment—Secondary treatment—[Head lowered and body elevated in fainting from hemorrhage]—Secondary post-partum hemorrhage—Its causes and treatment	433
---	-----

CHAPTER XVI.

RUPTURE OF THE UTERUS, ETC.

Its fatality—Seat of rupture—Causes, predisposing and exciting—Symptoms—Prognosis—Treatment: when the fetus remains <i>in utero</i> ; when the fetus has escaped from the uterus—[Supra-vaginal hysterectomy no right or title to name of Porro]—Lacerations of the cervix—Recapitulation—Lacerations of the vagina—Vesico- and recto-vaginal fistulae—Their mode of formation—Treatment—[Rational treatment of rupture of uterus]	451
--	-----

CHAPTER XVII.

INVERSION OF THE UTERUS.

Division into acute and chronic forms—Description—Symptoms—Diagnosis—Mode of production—Treatment—[Spontaneous reposition of the inverted uterus]	462
---	-----

PART IV.

OBSTETRIC OPERATIONS.

CHAPTER I.

INDUCTION OF PREMATURE LABOR.

- History—Objects—May be performed on account of either the mother or child
—Modes of inducing labor—Puncture of membranes—Administration of oxytocics—Means acting indirectly on the uterus—Dilatation of cervix—Separation of membranes—Vaginal and uterine douches—Introduction of flexible catheter—[Infantile mortality after induction of premature labor]—Rearing of the child 469

CHAPTER II.

TURNING.

- History—Turning by external manipulation—Object and nature of the operation—Cases suitable for the operation—Statistics and dangers—Method of performance—Cephalic version—Method of performance—Podalic version—Position of patient—Administration of anesthetics—Period when the operation should be undertaken—Choice of hand to be used—Turning by bi-polar method—Turning when the hand is introduced into the uterus—Turning in abdomino-anterior positions—Difficult cases of arm presentation 479

CHAPTER III.

THE FORCEPS.

- Frequent use of the forceps in modern practice—Description of the instrument—The short forceps—Its varieties—The long forceps—Suitable to all cases alike—Action of the instrument—Its power as a tractor, lever, and compressor—Preliminary considerations before operation—Use of anesthetics—Description of the operation—Low forceps operation—High forceps operation—Possible dangers of forceps delivery—Possible risks to the child—[The forceps in America] 494

CHAPTER IV.

THE VECTIS—THE FILLET.

- Nature of the vectis—Its use as a lever or tractor—Cases in which it is applicable—Its use as a rectifier of malpositions—The fillet—Nature of the instrument—Objection to its use 519

CHAPTER V.

OPERATIONS INVOLVING DESTRUCTION OF THE FETUS.

- | Their antiquity and history—Division of subject—Nature of instruments employed—Perforator—Crochet—Craniotomy forceps—Cephalotribe—Forceps-saw—Éraser—Basilyst—Cases requiring craniotomy—Method of Perforation—Extraction of the head—Comparative merits of cephalotripsy and craniotomy—Extraction by the craniotomy forceps—Extraction of the body—[Meigs's craniotomy forceps]—Embryotomy—Decapitation and evisceration | PAGE |
|--|------|
| | 521 |

CHAPTER VI.

THE CÆSAREAN SECTION—PORRO'S OPERATION.

- History of the operation—[Horn-rip—Macduff's delivery]—Statistics—[Old Cæsarean records of little practical value now—Cæsarean section in America]—Results to mother and child—Cases requiring operation—[Cæsarean section under relative indications]—Post-mortem Cæsarean section—Causes of death after Cæsarean section—Preliminary preparations—Description of the operation—Subsequent management—Porro's operation—[Cæsarean section of 1893]—Substitutes for the Cæsarean section 537

CHAPTER VII.

CELIOTOMY—SYMPHYSEOTOMY.

- History—Nature of the operation—Advantages over the Cæsarean section—Cases suitable for the operation—Anatomy of the parts concerned in the operation—Method of performance—Subsequent treatment—Symphyseotomy—History—Its recent reintroduction into practice—Method of performance—[Harris's symphyseotomy bistoury—Progress and results of symphyseotomy—Statistics—Operation after induced labor—Unilateral ischio-pubiotomy] 553

CHAPTER VIII.

THE TRANSFUSION OF BLOOD.

- History—Nature and object of the operation—Use of blood taken from the lower animals—Difficulties from coagulation of fibrin—Modes of obviating them—Immediate transfusion—Addition of chemical agents to prevent coagulation—Defibrination of the blood—Statistical results—Possible dangers of the operation—Cases suitable for transfusion—Description of the operation—Schifer's directions for immediate transfusion—Effects of successful transfusion—Secondary effects of transfusion—[Transfusion with defibrinated blood] 564

PART V.

THE PUERPERAL STATE.

CHAPTER I.

THE PUERPERAL STATE AND ITS MANAGEMENT.

Importance of studying the puerperal state—The mortality of childbirth—Alterations in the blood after delivery—Condition after delivery—Nervous shock—Fall of the pulse—The secretions and excretions—Secretion of milk—Changes in the uterus after delivery—The lochia—The after-pains—Management of women after delivery—Treatment of severe after-pains—Diet and regimen	PAGE 575
---	-------------

CHAPTER II.

MANAGEMENT OF THE INFANT, LACTATION, ETC.

Commencement of respiration after the birth of the child—Apparent death of the newborn child—Its treatment—Washing and dressing the child—Application of the child to the breast—The colostrum and its properties—Secretion of milk—Importance of nursing—Selection of a wet-nurse—Management of lactation—Diet and regimen of nursing women—[Diet proper for wet-nurses]—Period of weaning—Disorders of lactation—Means of arresting the secretion of milk—Defective secretion of milk—[Milk diet for nursing mothers]—Depressed nipples—Fissures and excoriations of the nipples—Excessive flow of milk—Mammary abscess—Hand-feeding—Causes of mortality in hand-feeding—Various kinds of milk—Method of hand-feeding	586
---	-----

CHAPTER III.

PUERPERAL ECLAMPSIA.

Its doubtful etiology—Premonitory symptoms—Symptoms of the attack—Condition between the attacks—Relation of the attacks to labor—Results to mother and child—Pathology—Treatment—Obstetric management—[Urine to be examined in eclamptic cases]	603
---	-----

CHAPTER IV.

PUERPERAL INSANITY.

Classification—Proportion of various forms—Insanity of pregnancy—Predisposing causes—Period of pregnancy at which it occurs—Type of insanity—Prognosis—Transient mania during delivery—Puerperal insanity (proper)—Type of insanity—Causes—Theory of its dependence on a morbid state of the blood—Objections to the theory—Prognosis—Post-mortem signs—Duration—Insanity of lactation—Type—Symptoms—Of mania—Of melancholia—Treatment—Question of removal to asylum—Treatment during convalescence	612
---	-----

CHAPTER V.

PUERPERAL SEPTICÆMIA.

Differences of opinion—Confusion from this cause—Modern view of this disease—History—Its mortality in lying-in hospitals—Numerous theories as to its nature—Theory of local origin—Theory of an essential zymotic fever—Theory of its identity with surgical septicæmia—Nature of this view—Channels through which septic matter may be absorbed—Character and origin of septic matter often obscure—Division into autogenetic and heterogenetic cases—Objections to term "autogenetic"—Sources of sapraemia—Sources of heterogenetic infection—Influence of cadaveric poison—Infection from erysipelas—Infection from other zymotic diseases—Infection from sewer-gas—Cases illustrating this mode of infection—Contagion from other puerperal patients—Mode in which the poison may be conveyed to the patient—Conduct of the practitioner in relation to the disease—Nature of the septic poison—Local changes resulting from the absorption of septic material—Channels through which systemic infection is produced—Pathological phenomena observed after general blood-infection—Four principal types of pathological change—Intense cases without marked post-mortem signs—Cases characterized by inflammation of the serous membranes—Cases characterized by the impaction of infected emboli, and secondary inflammation and abscess—Description of the disease—Duration—Varieties of symptoms in different cases—Symptoms of local complications—Treatment	PAGE 623
--	-------------

CHAPTER VI.

PUERPERAL VENOUS THROMBOSIS AND EMBOLISM.

Puerperal thrombosis and its results—Conditions which favor thrombosis—Conditions which favor coagulation in the puerperal state—Distinction between thrombosis and embolism—Is primary thrombosis of the pulmonary arteries possible?—History—Symptoms of pulmonary obstruction—Is recovery possible?—Causes of death—Post-mortem appearances—Treatment—Puerperal pleuro-pneumonia: its causes and treatment	656
---	-----

CHAPTER VII.

PUERPERAL ARTERIAL THROMBOSIS AND EMBOLISM.

Causes—Symptoms—Treatment	668
---------------------------	-----

CHAPTER VIII.

OTHER CAUSES OF SUDDEN DEATH DURING LABOR AND THE PUERPERAL STATE.

Organic and functional causes—Idiopathic asphyxia—Pulmonary apoplexy—Cerebral apoplexy—Syncope—Shock and exhaustion—Entrance of air into the veins	670
--	-----

CHAPTER IX.

PERIPHERAL VENOUS THROMBOSIS (SYN.: CRURAL PHLEBITIS—PHLEGMASIA
DOLENS—ANASARCA SEROSA—ŒDEMA LACTEUM—WHITE LEG, ETC.)

PAGE

- Nature—Symptoms—History and pathology—[Crural phlebitis after Cæsarean
and Porro operations]—Anatomical form of the thrombi in the veins—
Detachment of emboli—Treatment 673



CHAPTER X.


PELVIC CELLULITIS AND PELVIC PERITONITIS.

- Two forms of inflammatory disease met with after labor—Variety of nomenclature—Importance of differential diagnosis—Etiology—Connection with septicemia—Seat of inflammation—Relative frequency of the two forms of disease—Symptomatology—Results of physical examination—Terminations—Prognosis—Treatment 680

INDEX


689

PLATE I.



SECTION OF A FROZEN BODY IN THE LAST MONTH OF PREGNANCY (AFTER BRAUNE), ILLUSTRATING THE RELATIONS OF THE UTERUS TO THE SURROUNDING PARTS, AND THE ATTITUDE OF THE FETUS, WHICH IS LYING IN THE SECOND CRANIAL POSITION.

PLATE II.



SECTION OF A FROZEN BODY AT THE TERMINATION OF THE FIRST STAGE OF LABOR (AFTER BRAUNE).
THE BAG OF MEMBRANES IS STILL UNBROKEN, THE CERVIX IS FULLY DILATED, AND
THE HEAD (IN THE SECOND POSITION) IS IN THE PELVIC CAVITY.