

SECTION III.

FORMULARY.

BATHS.

No. 1.	Sodium bicarbonate,	2 to 10 ounces.
	Potassium carbonate,	2 to 6 ounces.
	Borax,	3 ounces.

The above singly or combined may be used to an ordinary bath containing 20 to 30 gallons of water in hyperemic, pruriginous and erythematous affections.

No. 2.— <i>Emollient.</i>		
	Bran,	2 to 6 pounds.
	Starch,	1 pound.
	Gelatin,	1 to 3 pounds.
	Marshmallow,	4 pounds.

These are in proportion to 30 gallons of water and are used in itching and scaling affections.

No. 3.— <i>Acid Bath.</i>		
	Nitric acid,	1 ounce.
	Hydrochloric acid,	1 ounce.

For lichen and chronic pruritic eruptions.

No. 4.— <i>Sulphur Bath.</i>		
	Potassium sulphid.,	½ pound.
	Water,	30 gallons.

For scabies, chronic eczema, pruritus.

No. 5.— <i>Compound Sulphur Bath.</i>		
	Precipitated sulphur,	2 ounces.
	Sodium hyposulphit.,	1 ounce.
	Acid sulphuric dilut.,	½ ounce.
	Water,	1 pint.

Mix and add to 30 gallons of water.

LOTIONS.

No. 6.—*Zinc-Sulphur Lotion.*

℞	
Zinc. sulphat.	
Potas. sulphid.,	āā gr. x to xx.
Aq. rosæ,	̄ij.
Sulphur. precip.,	̄j.

M. Sig. Shake and use locally for acne, rosacea, lupus erythematosus. This is the so-called lotio alba.

No. 7.—*Kummerfeld's Sulphur Lotion.*

℞	
Spt. camphor.	
Spt. lavandul.,	āā ̄ss.
Aq. cologniensis,	̄j.
Aq. destil.,	̄ij.
M. For acne vulgaris.	

No. 8.—*Sulphur-Naphthol Lotion.*

℞	
Spt. sapon. virid.,	̄vj.
Alcohol.,	̄jss.
Naphthol.,	gr. xv.
Bals. Peru.,	gtt. xxx.
Sulphur loti,	̄ijss.

M. Stimulating lotion for acne, seborrhœa and rosacea.

No. 9.—*Sulphur-Acetic Acid Lotion.*

Sulphur. sublimat.,	̄ijss.
Glycerin.,	̄vj.
Acid. acetic.,	gr. xlxv.

M. For multiple warts.

No. 10.—*Sulphur-Potassium Lotion.*

℞	
Zinc. sulphat.,	
Potas. sulphid.,	āā gr. v. to xxx.
Aq. rosæ,	̄j.
Sulphur. lactis,	̄j.

M. For acne and seborrhœa.

No. 11.—*Sulphur-Camphor Lotion.*

℞	
Sulphur. precip.,	̄ij to ̄iv.
Spt. Camphor.,	̄ij.
Liq. calcis,	̄iv.
M. Stimulating lotion for acne.	

No. 12.—*Vlemingke's Sulphur Lotion.*

Calcis vivæ,	̄ss.
Sulphur. sublimat.,	̄vj.
Aq. destil.,	̄vj.

Boil together with constant stirring down to four ounces, then filter, Dilute as required. For acne and scabies.

No. 13.—*Nascent Sulphur Lotion.*

Lotion No. 1.

℞	
Sodii hyposulphit.,	̄ij.
Eau de cologne,	̄j.
Aq. destillat.,	ad ̄vij.
M.	

No. 14.—*Lotion No. 2.*

℞	
Acid tartaric,	̄jss.
Aq. destil.,	̄vij.
M. Apply Lotion No. 1, then follow with Lotion No. 2. (Crocker.)	

For acne and oily seborrhœa of the face.

No. 15.—*Substitute for Tar.*

℞	
Acid. salicyl.,	gr. x-xxx.
Ol. lavandul.,	̄ijss.
Ol. citronel.,	̄ss.
Ol. pini sylvestris,	̄ij.
Ol. ricini,	̄jss.
M. For eczema capitis.	

No. 16.—*Oil of Cade Lotion.*

℞	
Ol. cadini.	
Saponis virid.	
Alcohol.,	āā ̄j.
Filtra et adde.	
Spt. lavandul.,	̄ij.
M. For chronic eczema.	

No. 17.—*Pyrogallic-Collodion.*

℞

Acid. pyrogallie.,	gr. x.
Acid. salicyl.,	gr. x.
Ether.,	ʒj.
Ol. ricini,	gtt. v.
Collodii,	ad ʒj.

M. For psoriasis, chronic eczema.

No. 18.—*Resorcin Lotion.*

℞

Resorcin.,	gr. xl.
Glycerin.,	min. xv.
Alcohol.,	ʒj.
Aq.,	ad ʒss.

M. For eczema of the hands, to be followed by a bland ointment.

No. 19.—*Bichloride Lotion.*

Hydrarg. bichlorid.,	gr. xx.
Saponis virid.,	ʒij.
Alcohol.,	ʒss.
Ol. lavandul.,	ʒj.

M. Apply night and morning for freckles, tinea versicolor and other pigmentations.

No. 20.—*Subacetate of Lead Lotion.*

℞

Plumbi subacetat.,	gr. xv.
Acid. hydrocyanic dil.,	gtt. xx.
Alcohol.,	ʒss.
Aq.,	ad ʒvj.

M. Apply with sponge for removal of freckles.

No. 21.—*Carbolic Lotion.*

℞

Acid. carbolic.,	ʒss-j.
Glycerin.,	ʒss.
Alcohol.,	ʒij.
Aq.,	ad ʒviiij.

M. For urticaria, pruritus, erythema.

No. 22.—*Thymol Lotion.*

℞

Thymol.,	gr. vijss.
Glycerin.,	ʒij.
Liquor. potassæ,	ʒj.
Aq.,	ad ʒviiij.

M. For urticaria and itching eruptions.

No. 23.—*Calamine-Zinc Lotion.*

℞

Pulv. calamin. prep.,	ʒss-j.
Zinc. oxid.,	ʒj-ij.
Glycerin.,	ʒj-iiij.
Aq. rosæ,	ad ʒiv.

M. Slightly astringent and sedative. For local inflammatory affections.

No. 24.—*Startin's Lotion.*

℞

Pulv. calamin.,	ʒj.
Cretæ prep.,	ʒj-ij.
Acid. hydrocyanic dil.,	ʒss.
Aq. calcis,	ʒiiij.
Aq. sambuci,	ad ʒviiij.

M. For subacute inflammations.

No. 25.—*Borax Lotion.*

℞

Pulv. boracis,	ʒj.
Spt. camphor.,	ʒj-iiij.
Glycerin.,	ʒj-iv.
Aq. aurantii flor.,	ad ʒiv.

M. For erythema, eczema and pruritus.

No. 26.—*Bismuth-Prussic Acid Emulsion.*

℞

Bismuth. subnitrat.,	ʒjss.
Acid. hydrocyanic dil.,	ʒss-j.
Emuls. amygdal.,	ʒiv.

M. Antipruritic for eczema with unbroken skin.

No. 27.—*Lotio Nigra (Black Wash).*

Calomel.,	ʒj.
Aq. calcis,	Oj.

M. For erythema, acute eczema, specific eruptions and ulcerations.

No. 28.—*Salicylic-Boric Acid Lotion.*

℞		
	Acid. salicyl.,	ʒjss.
	Boracis,	ʒj.
	Glycerin.,	ʒj.
	Alcohol.,	ʒj.
	Aq.,	ad ʒviij.

M. For general pruritus.

No. 29.—*Benzoic Acid Lotion.*

℞		
	Acid. benzoic.,	ʒij.
	Glycerin.,	ʒj.
	Aq.,	ad ʒiij.

M. For pruritus.

No. 30.—*Bismuth-Bichloride Lotion.*

℞		
	Bismuth. nitrat.,	gr. vijss.
	Zinc. oxid.,	ʒss.
	Glycerin.,	gtt. xv.
	Hydrarg. bichlorid.,	gr. ¼.
	Aq. rosæ,	ʒj.

M. For rosacea and hyperemic conditions.

No. 31.—*Compound Resorcin Lotion.*

℞		
	Resorcin.,	gr. xl.
	Acid. boric.,	gr. xl.
	Glycerin.,	ʒj.
	Alcohol.,	ʒss.
	Aq.,	ad ʒiv.

M. For impetigo contagiosa, ecthyma, pustular eezema.

No. 32.—*Oil of Birch Lotion.*

℞		
	Ol. rusci.	
	Tinct. saponis virid.	
	Glycerin.,	āā ʒj.
	Ol. rosmarin,	ʒjss.
	Alcohol.,	ad ʒviij.

M. Apply with brush in eezema, psoriasis and lichen planus.

No. 33.—*Carron Oil.*

℞	
	Aq. calcis.
	Ol. olivar. vel ol. lini āā part. æqual.
	M. For dermatitis, burns.

No. 34.—*Boric Acid Lotion.*

℞		
	Acid. boric.,	ʒij.
	Glycerin.,	ʒj.
	Tinct. lavandul. co.,	ʒiij.
	Aq. destil.,	ad ʒiij.

M. For squamous eezema of the face.

No. 35.—*Salicylic-Resorcin Lotion.*

℞		
	Acid. salicyl.	
	Resorcin.,	āā ʒss.
	Glycerin.	
	Alcohol.,	āā ʒss.
	Aq. destil.,	ad ʒvj.
	M. For eezema of the scalp, seborrhœic alopecia.	

No. 36.—*Lotion for the Hair.*

℞		
	Liquor. potassæ,	ʒj.
	Thymol.,	ʒj.
	Glycerin.,	ʒss.
	Elderflower water,	ʒviij.
	M. Stimulant for the hair.	

No. 37.—*Pyrogallic Lotion.*

℞		
	Acid. pyrogal.,	ʒj.
	Spt. vini rectific.,	ʒij.
	Aq. destil.,	ad ʒiv.
	M. For sycosis, genito-crural ringworm.	

No. 38.—*Compound Chalk Lotion.*

℞		
	Liquor calcis.	
	Ol. sesami,	āā ʒiij.
	Cretæ prep.,	
	Zinc. oxid.,	āā ʒiv.
	Acid. salicyl.,	ʒj.
	M. Apply with brush in irritative conditions.	

No. 39.—*Carbolic-Alcohol Lotion.*

Acid. carbol.,	ʒj.
Glycerin.,	ʒjss.
Spt. vini rectific.,	ʒiv.
Aq.,	ad ʒviiij.
M. For widely distributed eczema.	

No. 40.—*Tannin Lotion.*

℞	
Acid. tannic.,	gr. xl.
French vinegar,	ʒss.
Aq.,	ʒviijss.
M. Astringent for seborrhœa.	

No. 41.—*Grindelia Lotion.*

℞	
Fluidextract grindeliæ robustæ,	ʒj.
Aq.,	ʒiv.
M. For ivy poisoning, vesicular eczema.	

OINTMENTS AND PASTES.

No. 42.—*Ointment of Resorcin and White Precipitate.*

℞	
Resorcin.,	gr. xv.
Hydrarg. ammon.,	gr. xx.
Acid. carbol.,	gtt. x.
Ung. aq. rosæ,	ad ʒj.
M. Ft. Ung. For ringworm of the body, impetigo contagiosa and other pustular eruptions.	

No. 43.—*Ointment of Trikresol and Salicylic Acid.*

℞	
Trikresol.,	gr. xv.
Acid. salicylic.,	gr. xx.
Hydrarg. ammon.,	gr. xx.
Adipis,	ad ʒj.
M. Ft. Ung. For ringworm of the scalp, alopecia areata.	

No. 44.—*Paste of Camphor and Zinc Oxid.*

Camphor.,	gr. xl.
Zinc. oxid.,	ʒss.
Glycerin.,	ʒij.
Cochinil.,	gr. ij.
Ol. ros.,	gt. iiij.
M. Smear on a thin layer in eczema.	

No. 45.—*Starch and Zinc Paste.*

℞	
Pulv. amyli.	
Pulv. zinc. oxid.,	āā ʒij.
Petrolat.,	ʒss.
M. Ft. past. For eczema of the hands.	

No. 46.—*Wilkinson's Sulphur Ointment.*

℞	
Sulphur. sublimat.	
Ol. cadini,	āā ʒij.
Cretæ prep.,	ʒij.
Sapon. virid.	
Adipis,	āā ʒj.
M. Ft. ung. For scabies.	

No. 47.—*Oil of Birch and Red Oxide Ointment.*

℞	
Ol. rusci,	ʒss-j.
Hydrarg. oxid. rub.,	ʒj-iiij.
Ung. aq. rosæ,	ad ʒj.
M. Ft. ung. For eczema and ringworm.	

No. 48.—*Tar Paste.*

℞	
Picis liquid.,	ʒss.
Pulv. amyli,	ʒj.
Pulv. zinc. oxid.,	ʒiv.
Glycerin.,	ʒij.
Ol. caryophyl.,	gt. iv.
M. For psoriasis, chronic thickened eczema.	

No. 49.—*Lead Ointment.*

Emplast. diachyli.	
Vaselin.,	āā ʒj.
M. For subacute eczema.	

No. 50.—*Hebra's Diachylon Ointment.*

℞	
Ol. olivar, opt.,	ʒxv.
Plumbi oxid.,	ʒiiij ʒiiij.
Ol. lavandul.,	ʒij.
M. Add the oil to 2 pounds of water and heat with constant stirring; the litharge is then to be slowly sifted in while being stirred, fresh water being added as required. The ointment is to be stirred until cool and the lavender then added. Astringent and soothing ointment.	

No. 51.—*Sulphur-Creosote Ointment.*

℞		
	Sulphur. precip.,	5j.
	Creosot.,	gtt. xv.
	Ol. olivar.,	5ij.
	Lanolin.,	5vj.
	M. Ft. ung. For sycosis.	

No. 52.—*Sulphur and Red Oxide Ointment.*

℞		
	Hydrarg. oxid. rub.,	gr. xv.
	Sulph. sublimat.,	5iij.
	Ol. bergamot.,	gtt. vj.
	Adipis,	5j.
	M. Ft. ung. For scabies.	

No. 53.—*Zinc and Lead Oil.*

	Oxide of zinc,	40 pints.
	Chalk.	
	Lead water.	
	Linseed oil, of each,	20 pints.
	M. For eezema of the hands.	

No. 54.—*Glycerol of Lead Ointment.*

℞		
	Glycerol. plumbi subacetat.	
	Ung. aq. rosæ,	āā 5ss.
	M. Ft. Ung. For eezema of the nose.	

No. 55.—*Mercury and Salicylic Ointment.*

℞		
	Acid. salicyl.,	gr. x.
	Ung. hydrarg. oxid. rub.,	5j.
	Ung. aq. rosæ,	5vj.
	M. Ft. ung. For eezema of the lids.	

No. 56.—*Jackson's Ointment.*

℞		
	Ceræ alb.,	5vijss.
	Ol. petrolat.,	5ijss.
	Aq. rosæ,	5jss.
	Sod. biborat.,	gr. xviiij.
	Sulphur.,	5iijss.
	M. Ft. ung. For eezema seborrhœicum.	

No. 57.—*Bassorin Paste.*

℞		
	Bassorin.,	48 parts.
	Dextrin.,	25 parts.
	Glycerin.,	10 parts.
	Aq.,	ad 100 parts.
	M. This forms the vehicle for many local remedies.	

No. 58.—*Chrysarobin Ointment.*

℞		
	Chrysarobin.,	5ss.
	Acid. salicyl.,	gr. xv.
	Acid. carbol.,	gr. xv.
	Lanolin.,	5iij.
	Vaselin.,	ad 5j.
	M. Ft. ung. For psoriasis.	

No. 59.—*Menthol and Balsam Peru Ointment.*

℞		
	Menthol.,	5ss.
	Bals. peruv.,	5jss.
	Zinc. oxid.,	5jss.
	Adipis benzoinat.,	ad 5ij.
	M. Ft. ung. For pruritus and itching following scabies.	

No. 60.—*Bismuth "Cream."*

℞		
	Bismuth. oxid.	
	Acid. oleic.,	āā 5j.
	Ceræ alb.,	5iij.
	Vaselin.,	5ix.
	Mix first two and allow to stand for 24 hours; then add wax and vaselin. Mix in water bath and stir until cool. For acute eezema of children.	

No. 61.—*Stimulating Ointment.*

℞		
	Ung. zinc. oxid.	
	Ung. plumbi acetat.	
	Ung. hydrarg.,	āā 5ij.
	M. Stimulating ointment for eezema of the hands.	

No. 62.—*Tar and Zinc Ointment.*

℞		
Liquor. carbonis deterg.		
Zinc. oxid.,	āā	ʒj.
Cerat.,	ad	ʒj.
M. Ft. ung. For chronic infiltrated eczema.		

No. 63.—*Sedative Ointment.*

℞		
Zinc. carbonat.,		ʒj.
Acid. Salicyl.,	gr.	x.
Vaselin.,		ʒj.
Cerat.,	ad	ʒj.
M. Ft. ung. Soothing ointment in eczema.		

No. 64.—*Cooling Ointment.*

℞		
Magnes. carbonat.,		ʒj.
Tinct. benzoin.,	gtt.	xx.
Hydrogen. peroxid.,		ʒj.
Vaselin.,		ʒiij.
Lanolin.,	ad	ʒj.
M. Ft. ung. For erythema, dermatitis, erythematous eczema.		

No. 65.—*Red Iodide Ointment.*

℞		
Hydrarg. iodid. rubri,	gr.	v.
Adipis,		ʒj.
M. Ft. ung. For acne indurata.		

No. 66.—*Cade and Diachylon Ointment.*

℞		
Ol. cadini,		ʒss.
Glycerin.,		ʒj.
Ung. diachyli,		ʒiijss.
M. Ft. ung. For eczema with thickening.		

No. 67.—*Sulphur-Salicylic Ointment.*

℞		
Acid. salicyl.,	gr.	xxx.
Sulphur. loti,		ʒiijss.
Lanolin.,	ad	ʒj.
M. Ft. ung. Apply with friction for chromophytosis.		

No. 68.—*Salicylic and Zinc Paste.*

℞		
Acid. salicyl.,	gr.	xxx.
Zinc. oxid.		
Amyli,	āā	ʒss.
Petrolat.,		ʒj.
M. Ft. past. For impetigo contagiosa and other pyoderms.		

No. 69.—*Iodine Ointment.*

℞		
Iodi,	gr.	xx.
Potas. iodid.,	gr.	iv.
Aq. destil.,	min.	vj.
Adipis,	ad	ʒj.
M. Ft. ung. Stimulating application for chilblains.		

No. 70.—*Resorcin Ointment.*

Resorein.,	gr.	xv.
Lanolin.		
Petrolat.,	āā	ʒss.
M. Ft. ung. For impetigo, ringworm.		

No. 71.—*Bichloride and Resorcin Ointment.*

℞		
Farinae pisi.		
Glycerin.		
Aq. lauro-cerasi,	āā	ʒiijss.
Hydrarg. bichlorid.,	gr.	j.
Resorein.,	gr.	x.
Lanolin.,		ʒj.
M. Ft. ung. For acne.		

No. 72.—*Balsam Peru and Styraz Ointment.*

Styracis,		ʒij.
Bals. peruv.,		ʒss.
Ung. simplicis,		ʒj.
M. Ft. ung. For scabies, especially in children.		

No. 73.—*Camphor-Chloral Ointment.*

℞		
Camphor.		
Chloral hydrat.,	āā	ʒj-ʒij.
Triturat.		
Et adde.		
Unguent. aq. rosæ,		ʒj.
M. Antipruritic in local pruritus.		

No. 74.—*Antipruritic Ointment.*

℞		
	Ung. picis liquid.,	ʒvj.
	Ung. belladon.,	ʒiv.
	Tinct. aconit.,	ʒj.
	Zinc. oxid.,	ʒij.
	Ung. aq. rosæ,	ʒvj.
	M. Ft. ung.	

Powerful antipruritic in local pruritus, especially of the genital organs.

No. 75.—*Compound Sulphur Ointment.*

℞		
	Ung. hydrarg. oxid. rub.,	ʒiiij.
	Ung. sulphuris,	ʒvj.
	Ung. zinc oxid.,	ad ʒij.
	M. Ft. ung. For ringworm of the scalp and beard.	

No. 76.—*Kaposi's Ointment for Scabies.*

℞		
	Naphthol.,	ʒiv.
	Cret. prep.,	ʒijss.
	Saponis mollis,	ʒjss.
	Adipis,	ʒiiij.
	M. Ft. ung. For scabies.	

No. 77.—*Icdine Ointment.*

℞		
	Iodin.,	ʒj.
	Goose grease,	ʒj.
	M. For ringworm (Jackson).	

POWDERS.

No. 78.

℞		
	Magnes. carbonat.,	ʒv.
	Pulv. tale.,	ʒijss.
	Acid. salicyl.,	gr. xij.
	Bals. Peru.,	gr. x.
	M. For erythema, hyperidrosis.	

No. 79.—*Antipruritic Powder.*

℞		
	Bismuth. subnit.,	ʒj.
	Acid. borie.,	ʒss.
	Acid. carbolie.,	gr. x.
	Pulv. amyli,	ʒiiij.

No. 80.—*Stimulating and Antipruritic Powder.*

℞		
	Zinc. oxid.	
	Bismuth. subnit.,	āā ʒij.
	Pulv. camphor,	ʒss.

No. 81.—*Dusting Powder.*

℞		
	Pulv. calamin. prep.	
	Pulv. oryzae sativæ,	āā ʒj.
	M. For erythematous and vesicular affections (Bulkley).	

MISCELLANEOUS LOCAL APPLICATIONS.

No. 82.—*Camphor-Chloral.*

℞		
	Chloral. hydrat.	
	Pulv. camphor,	āā ʒss.
	M. Apply with camel's hair brush for pruritus.	

No. 83.—*Depilatory.*

℞		
	Quicklime,	ʒss.
	Yellow sulphide of mercury,	gr. xx.
	Starch,	gr. clxxx.
	M. Apply as paste.	

No. 84.—*Epilating Sticks.*

℞		
	Cerae flav.,	ʒiiij.
	Lacæ in tabulis,	ʒiv.
	Picis burgundicæ,	ʒx.
	Gummi damar.,	ʒjss.
	M. Make into sticks $\frac{1}{2}$ to 1 inch in diameter and 2 inches long. Warm and apply for extraction of hairs in ringworm and favus.	

No. 85.—*Cosme's Paste.*

℞		
	Pulv. acid arsenios.,	gr. xx.
	Pulv. hydrarg. sulphid. rub.,	ʒj.
	Ung. aq. rosæ,	ʒj.
	M. Caustic in lupus, epithelioma.	

No. 86.—*Canquoin's Paste.*

℞	Zinc. chlorid.	āā ʒj.
	Ammon. chlorid.,	ʒjss.
	Pulv. amyli,	q. s.
	Aq.,	

M. Deep caustic for epithelioma, lupus.

No. 87.—*Marsden's Paste.*

℞	Acid. arsenios.	āā ʒj.
	Pulv. acaciae,	gr. xvij.
	Cocain. hydrochlor.,	

M. Make paste with water and use as caustic in epithelioma.

No. 88.—*Sodium Ethylate Caustic.*

℞	Sodii ethylat.,	ʒss.
	Alcohol. absolut.,	ʒvj.

M. Superficial caustic for moles, warts and the like.

No. 89.—*Bichromate Solution.*

℞	Saturated watery solution of potassium bichromate,	ʒj.
---	--	-----

For multiple warts.

No. 90.—*For Boil.*

℞	Tinct. arnicae,	ʒj.
	Acid. tannic.,	ʒss.
	Pulv. acaciae,	ʒss.

M. Paint on boil before rupture.

MIXTURES.

No. 91.—*Corrective Capsule.*

℞	Naphthalin.,	gr. j.
	Ipecac.,	gr. ss.
	Carbo. lig.,	gr. jss.
	Calomel.	
	Strychnin. sulph.	
	Pilocarpin.,	āā gr. 1-100.

M. One tablet or capsule. For chronic eczema, lichen, psoriasis.

No. 92.—*Aperient and Antacid.*

℞	Sodii sulphat. granulat.,	ʒij.
	Sodii chlorid.,	ʒijss.
	Sod. bicarb.,	ʒvss.

M. One to two drams in half-glass of water. Keep tightly corked. For urticaria (Stelwagon).

No. 93.—*Alterative Mixture.*

℞	Liq. potas. arsenit.,	ʒij.
	Liq. potas.,	ʒvj.
	Aq. menth. pip.,	ʒiij.

M. One dram in wine glass of water. For psoriasis.

No. 94.—*Salicylate Mixture.*

℞	Sodii salicylat.,	ʒiij.
	Syr. limonis,	ʒj.
	Aq. menth. pip.,	ad ʒiij.

M. Teaspoonful three times a day. For general pruritis in rheumatic and gouty individuals.

No. 95.—*Startin's Mixture.*

℞	Magnes. sulphat.,	ʒj.
	Ferri sulphat.,	ʒj.
	Acid sulphuric dil.,	ʒij.
	Syr. prun. virgin.,	ʒj.
	Aq.,	ad ʒiv.

M. Sig. Teaspoonful through a tube, three times a day after meals. For erythematous eruptions, acute eczema.

No. 96.—*Rhubarb and Soda Mixture.*

℞	Sod. bicarb.,	ʒss.
	Pulv. rhei,	ʒj-ij.
	Pulv. ipecac.,	gr. j-ij.
	Tinct. nucis vomicae,	ʒij.
	Spt. menth. pip.,	ʒij.
	Aq.,	q. s. ad ʒiij.

M. Sig. Teaspoonful in water after meals. For eczema and cutaneous inflammations.

No. 97.—*Acetate of Potash and Nux Vomica Mixture.*

℞

Potas. acetat.,	ʒss-j.
Tinct. nuc. vom.,	ʒij.
Ext. rumicis radie.,	ʒiv.
M. Teaspoonful largely diluted. For indurated acne, rosacea.	

No. 98.—*Potash and Cinchona Mixture.*

℞

Potas. acetat.,	ʒiv-ʒjss.
Tinct. nuc. vom.,	ʒij.
Tinct. cinchon., comp.,	ad ʒiv.
M. Sig. One teaspoonful in water after meals. For erythema and acute eczema.	

No. 99.—*Iron and Arsenic Mixture.*

℞

Ferri et ammon. acetat.,	ʒj.
Liq. potas. arsenit.,	ʒss-j.
Liq. potas.,	ʒj-ij.
Syr. zingib.,	ʒj.
Vini ferri dulcis,	ad ʒiv.
M. Sig. One dram after meals. For squamous eczema in children.	

No. 100.—*Mixture for Gouty Eczema.*

℞

Sod. sulphat.,	ʒij.
Potas. iodid.,	gr. x.
Vin antimonial.,	ʒss.
Sod. bicarb.,	ʒij.
Inf. cascaril.,	ad ʒvj.
M. Sig. One dram in water twice daily.	

LIST OF ILLUSTRATIONS.

Fig.	Page.
1—Anatomy of the Skin	10
2—Section of Skin	11
3—Blood Supply of the Skin	12
4—Transverse Section of Nail	13
5—Normal Hair of Beard	14
6—Normal Sweat Gland	15
7—Acne Lancet and Comedo Extractor	24
8—Acne Vulgaris	25
9—Dermal Curette	26
10a—Actinomyces	29
10b—Mass of Actinomyces	30
11—Ainhum	31
12—Albinismus in Negress	32
13—Alopecia Areata	36
14—Striae Atrophicæ	38
15—Atrophia Unguium	40
16—Carcinoma Tuberosum	43
17—Carbuncle	44
18—Chloasma with Varix	45
19—Chromophytosis	49
20—Microsporon Furfur	50
21—Cutaneous Horns	53
22—Dermatitis Ambustionis	56
23—Dermatitis from Poison Ivy	58
24—Dermatitis Venenata	59
25—Dermatitis Congelationis	60
26—Dermatitis Blastomycetica	62
27—Dermatitis Blastomycetica	63
28—Dermatitis Herpetiformis	64
29—Dermatitis Papillaris Capillitii	66
30—Dermatitis Papillaris Capillitii	67
31—Eczema of the Digits	71
32—Papulo-squamous Eczema	73
33—Eczema Verrucosum	74
34—Seborrhœic Eczema	82
35—Eczema of Face and Scalp	83
36—Section of Skin from Chronic Eczema	85
37—Chronic Eczema with Thickening	88
38—Chronic Eczema of Leg	89
39—Seborrhœic Eczema of Face and Head	90
40—Crusted Eczema	91
41—Elephantiasis	93
42—Epithelioma developing from Cicatrix	95
43—Ulcerating Epithelioma	96
44—Epithelioma (Rodent Ulcer)	97
45—Erythema Papulatum	103
46—Annular Multiform Erythema	104
47—Fibroma	109
48—Fibrolipoma	110
49—Neurofibroma	111
50—Section Neurofibroma	112
51—Section Neurofibroma	113
52—Herpes Zoster	117
53—Galvanic Battery	122
54—Needle Holder	123