

## INDEX.

- A**CHROMATOPSIA, hysterical, 192, 205, 229, 233
- Acme, epileptic, 253  
 hysterio-epileptic, 228, 255
- Amblyopia, hysterical, 244  
 in disseminated sclerosis, 157
- Amyotrophy, protopathic (see Atrophy, muscular)  
 symptomatic: in hysterical contracture, 245  
 of cerebral blood-clot (note), 43  
 of hemilateral lesion of the cord, 71  
 of disseminated sclerosis, 43, 164  
 of lateral sclerosis, 42  
 of posterior sclerosis, 42
- Anæsthesia, its rôle in bed-sore of spinal origin, 66
- Analgesia, 204, 208, 239
- Angioneuroses, 92  
 of hysterical patients, 94
- Apoplexy, spinal, 44
- Arthritis, deformans, 81
- Arthropathies of ataxic patients, 3  
 symptoms, 78  
 seat, 79  
 lesions of the joints, 80  
 alterations of cells of anterior cornua, 82  
 in progressive muscular atrophy, 83  
 of cerebral and spinal origin, 75  
 in traumatic hemiparaplegia, 69  
 of hemiplegic patients: historical sketch, 77
- Arthropathies of hemeplegic patients—  
 mode of invasion, 78  
 lesions, 79  
 clinical characters, 79
- Articulations, trophic affections of, 17  
 (see Arthropathies)
- Ataxia, locomotor, cutaneous affections in, 51  
 relation between these affections and fulgurant pains, 52  
 differences dividing ataxia from the tremor of disseminated sclerosis, 155  
 in disseminated sclerosis, 163
- Atrophy, muscular, 3  
 consecutive on section of the ischiatic nerve, 7  
 arthropathies in, 83  
 progressive, 83  
 irritative lesions of nerve-cells in, 47  
 tendency to become generalized, 48
- Attack, apoplectiform, in disseminated sclerosis, 168  
 its frequency, 167, 170  
 in general paralysis, 168  
 pathogenesis, 169  
 in cases of apoplectic foci of old standing, 169  
 varieties, 168  
 symptoms, 169  
 pulse and temperature, 170
- Attaques-acces, 251 (see Seizure-fits)
- Attraction (theory of), 99



Aura, hysterical, 192, 219  
 characters of, 219  
 first node, or ovarian pain, 219  
 second node, or globus hysterical, 219  
 third node, or cephalic phenomena, 220  
 influence of compression of the ovary on, 220, 223, 224, 227, 229, 230, 233, 252  
 Avant-mur (see *Claustrum*), 211

**B**ED-SORE, 56, 94 (see *Decubitus*)  
 Bromide of camphor, 127  
 Bulbus rachidicus, muscular lesions consecutive on affections of, 48  
 lesions of, in paralysis agitans, 123  
 in disseminated sclerosis, 131, 169

**C**ALABAR BEAN in paralysis agitans, 127  
 in disseminated sclerosis, 183  
 Capsule, internal, 211  
 Capsules, supra-renal, hemorrhage of, in spinal lesions, 86  
 Cells, nerve-, motor nerve-cells in anterior cornua of the gray substance of the cord, 41  
 lesions of these cells: acute form (infantile paralysis), 46  
 chronic form, progressive muscular atrophy, 47  
 rôle of motor nerve-cells in the production of trophic troubles, 49  
 yellow degeneration of, 143  
 lesions of, in disseminated sclerosis, 164, 165  
 in hysterical contracture, 245  
 Cerebrum, anatomical views concerning, 210  
 Chorda tympani, a dilator nerve, 95  
 Chorea, disorderly movements of, compared to tremor of disseminated sclerosis, 155 (see *Hemichorea*)  
 Cicatrices, vicious, 16

Cirrhosis of muscles, 37  
 Claustrum, 211  
 Coeliacgia, hysterical, 192, 218  
 Compression of the ovary, 224  
 its influence on hysterical seizure, 223  
 modus operandi, 224  
 historical sketch, 225  
 Congestion, apoplectiform and epileptiform, 255  
 Contractility, electrical, after pathological and after experimental nerve-lesions, 25  
 in hysterical contracture, 246  
 in fractures and luxations of the vertebral column, 44  
 in hæmatomyelia, 44  
 in acute central myelitis, 44  
 in disseminated sclerosis, 147 (see *Myopathies*)  
 Contracture, permanent hysterical, 192, 229, 230, 234  
 action of chloroform on, 235  
 convulsive tremulation in, 236  
 hemiplegic form, 234, 237  
 characters differentiating it from organic hemiplegia, 237  
 hemiparaplegic form, 234, 239, 242  
 prognosis, 245  
 sudden recovery in some cases, 242  
 reputedly miraculous cures, 242  
 incurable contractures, 243  
 lesions in, 244  
 pathological physiology of, 245  
 permanent, in sclerose en plaques (disseminated sclerosis), 164  
 tardy, in hemiplegia of cerebral origin, 78  
 of the ureters, 200  
 Convulsionnaires, 205, 226  
 demoniacs, 230  
 Convulsions (arrest of), in hysterical cases, by compression of the ovary, 224  
 in spinal epilepsy, 227

Corpora opto-striata, lesions of, their effects, 207  
 French theory, 209  
 British theory, 208  
 Currents, electrical, differences between continued and interrupted, 26 (see *Faradization*)  
 Crises, gastric, 175  
 Cutaneous diseases, 14, 15, 20, 63

**D**ECUBITUS ACUTUS (acute bed-sore), 56  
 mode of evolution, 57  
 consecutive affections, 60  
 in apoplexy symptomatic of cerebral lesions in foci, 62  
 seat, 63  
 pathogeny, 64, 93  
 of spinal origin, 58, 64  
 seat, 64  
 in traumatic myelitis, 66  
 influence of position of spinal lesion, 67  
 in traumatic hemiparaplegia, 68  
 in spontaneous myelitis, 72  
 epoch of manifestation, 72  
 rôle of gray substance on its production, 73  
 influence of nerve-lesions on, 75  
 Degeneration, waxy, of the muscles, 38  
 Delire des grands, ambitious delirium in disseminated sclerosis, 160  
 Diplopia in disseminated sclerosis, 157, 174  
 Dynamometer in paralysis agitans, 110, 118

**E**CCHYMOSES, visceral, in circumscribed cerebral lesions (endocardium, stomach, pleura, bladder), 85  
 of the epicranial aponeurosis, 85  
 in spinal lesions, 86  
 Electro-diagnosis, 23  
 Emboli, gangrenous, consecutive on acute bed-sore, 60  
 Encephalitis, 62

Endocarditis, ulcerous, with multiple emboli and typhoid state, 55  
 Epidemics, hysterical, 225  
 of St. Medard, 205, 226  
 of St. Louis, 242  
 Epilepsy, its relations with hysteria, 247, 249  
 description of a fit, 248  
 spinal, in hysterical contracture, 236, 245  
 in disseminated sclerosis, 166  
 its forms, 166  
 arrest of, 227, 252 (see *Aeme*)  
 Eruptions, eczematous, 16  
 lichenoid and pustular, 51  
 pemphigoid, 16, 21, 75  
 Erythema pernio, 16  
 Eschar of nates, 3  
 of rapid formation, 56  
 its position in apoplexy, 62  
 in apoplectiform attacks, 169  
 sacral, 3  
 in locomotor ataxy, 53  
 in epileptic acme, 256 (see *Decubitus*)  
 Etat de mal, epileptic, 256  
 hystero-epileptique, 228, 252 (see *Aeme* and *Temperature*)  
 Excitability, electrical (histological alterations corresponding to diminution of), 37  
 Experiments of Erb, Ziemssen, and O. Weiss, 36

**F**ASCICULI, internal radicular, 54  
 irritation of, in posterior sclerosis, 54  
 Faradization and galvanization, difference of action, 26, 32, 37, 39  
 in disseminated sclerosis, 182  
 Foot (deformity of), in paralysis agitans, 116 (see *Trepidation*).  
 club, hysterical, 243, 246  
 Fulgurant pains, 53

**G**AIT, in paralysis agitans, 118  
 Ganglion, superior cervical (effects of its extirpation), 91



- Glossy skin, 16  
Griffe in a case of disseminated sclerosis, with lesion of the nerve-cells, 43  
in paralysis agitans, 115
- H**ANDS, deformities of, in paralysis agitans, 115  
in rheumatism, 142
- Hæmatomyelia, 44  
pathogeny, 44  
diminution or abolition of electrical contractility, 44  
alteration of urine, 88
- Hemianæsthesia, hysterical, 192, 202, 222  
historical sketch, 204  
lesions of special senses, 204  
relations between hemianæsthesia, ovarian hyperæsthesia, paralysis, and contracture, 205, 222  
characters which separate it from hemianæsthesia of cerebral origin, 207  
of encephalic origin, historical sketch, 208  
its characters, 208, 210  
cases reported by Türk, 208, 212
- Hemichorea, 214  
Hemiopia, 192  
Hemiparaplegia, traumatic, 68  
arthropathies in, 68  
muscular atrophy in, 70  
alteration of urine in, 87  
Hemiplegia in apoplectic attacks, 168  
hysterical, 234  
Herpes zoster (see Zona).  
Histology, normal, of the nervous system, 133  
Hyperæmia, neuro-paralytic, 85, 90  
Hyperæsthesia, ovarian, 192, 202, 205  
its frequency, 217  
historical sketch, 217  
clinical characters, 218  
anatomical lesions of the ovary, 222
- Hyperæsthesia, ovarian—  
conclusion, 228  
clinical cases, 229, 232, 251
- Hysteria (see Contracture, Epidemics, Hemianæsthesia, Ovarian hyperæsthesia, Ischuria, Secours), epileptiform, 249  
ovarian, 203  
severe, 228  
local, 217
- Hystero-epilepsy, 223, 247  
meaning of the term, 248  
with distinct crises, 249  
varieties of, 250  
nature of, 252  
temperature in, 253  
epileptic acme, 257  
severe cases of, 257
- I**MMOBILIZATION of members (effects of), 6, 10  
Inco-ordination, motor, 155  
Infection, purulent, sequela of bed-sore, 60  
Intoxication, putrid, sequela of bed-sore, 60  
Irritability, muscular, 25  
Irritation (rôle of) of nerves in the production of trophic derangements, 14  
Ischæmia, hysterical, 205  
Ischuria, hysterical, 185  
transient, 187  
permanent, 187  
historical sketch, 188  
simulation, 189  
differs from ischuria caused by calculus, 191  
clinical case, 191  
diagrams indicating amount of vomited matter and of urine, 194  
chemical analyses, 195  
remissions, 196  
reality of, 197  
comparative benignity of, 199  
gravity of calcular ischuria, 198  
mechanism of, 199

- K**IDNEYS (lesions of) consecutive on nerve-sections, 86  
experimental contradictions, 13
- L**EPRA, anæsthetic, 21  
Lesions, irritative, 8, 12  
ocular, consecutive on irritation of the Gasserian ganglion, 10, 12  
on section of the trifacial nerve, 10  
owing to spontaneous lesions of fifth nerve, 12  
Lingual muscles, contracted, 232
- M**ENINGITIS ascendans, simple purulent, or ichorous, consecutive on bed-sore, 61  
chronic cervical, 20  
of St. Medard, 205, 216  
Medulla spinalis, effects of transverse section, 6, 13  
Miracles of St. Louis, 242  
Muscles, trophic or nutritive affections of, 22  
in infantile paralysis, 49 (see Amyotrophy, Atrophy, Myopathy, Sclerosis, disseminated)  
Myelitis, acute central, 44  
diminution of electrical contractility in, 44  
lesions of supra-renal capsules, 86  
alterations of urine, 88  
gastric crises, 175  
partial amyotrophy, 43  
spontaneous, 72  
traumatic, 65  
Myodynia, hysterical, 218  
Myopathies consecutive on lesions of the spinal cord, 40
- N**EPHRO-CYSTITIS consecutive on spinal lesions, 86, 87  
Nephrotomy, 187  
gravity of, 198,
- Nerves, contusion and ligature of, 39  
excision of, 39  
patches of sclerosis on, 131  
Nerves, dilator, 95 (see Chorda tympani)  
facial (paralysis of), 25  
glandular (irritation of), 100  
ischiatric (result of section of), 6  
secretor (researches of Ludwig on), 97  
trifacial (result of section of), 7, 19  
Samuel's experiments, 10, 102  
spontaneous lesions, 11  
trophic, 15, 101  
origin of these nerves, 101  
vaso-motor, 103  
(rôle of) in reference to nutrition, 9, 14  
irritation of, 94
- Neuritis, 17, 18  
trophic disorders connected with, 19  
Neuroglia, 134  
Nutrition (influence of the nervous system on), 3, 4, and passim  
Nystagmus in disseminated sclerosis, 158
- O**BLITERATION of ureters by calculi, 190  
duration, 191  
gravity, 197  
Oliguria, hysterical, 187  
Osseous system (trophic affections of), 17  
Ovarialgia, hysterical, 192, 205, 222  
Ovary (position of), 220 (see Compression, Hyperæsthesia)
- P**ARALYSIS agitans, 129  
historical sketch, 108  
nature, 109  
general characteristics of, 109  
modes of invasion, 111  
symptoms, stationary period, 112  
tremor, 112  
attitude of body, 114  
its value in diagnosis, 116  
sine tremore, 117



- Paralysis agitans—  
 painful sensations, 120  
 terminal stage, 122  
 terminations, 122, 123  
 pathological anatomy, 123  
 physiological anatomy, 124  
 causes, 124, 126  
 treatment, 126 (see Propulsion, Retropulsion, Utterance)
- Paralysis, bulbar, symptomatic of disseminated sclerosis, 177  
 consecutive on nerve-lesions, 32  
 general progressive, characters which assimilate it to disseminated sclerosis, 150, 159 (see Apoplectiform attacks)  
 general spinal (adult), 48  
 its analogies and differences with infantile paralysis, 48  
 hysterical, 193, 240, and passim  
 infantile, 46  
 anatomical lesions, 46  
 labio-glosso-laryngeal, lesions of the motor cells, 48, 159  
 pseudo-hypertrophic, 32  
 rheumatic (state of the muscular contractility in), 27
- Paraplegia, traumatic (alteration of urine in), 87 (see Hemiparaplegia)
- Paresis of the lower extremities in disseminated sclerosis, 161  
 remissions, 162
- Petit mal, epileptic, 252
- Pharynx (paralysis of the), 232
- Phlegmon (pseudo-), 16, 58
- Preliminary remarks, 1
- Propulsion in paralysis agitans, 110, 116, 119, 262
- Pulse in apoplectiform attacks, 171
- Putamen, 211
- REMISSIONS**, 112, 162  
 Retention of urine in hysterical cases, 187, 238, 232
- Retropulsion in paralysis agitans, 110, 119, 262
- Rigidity of the limbs and neck in paralysis agitans, 114 (see Contracture)
- SALIVATION** in paralysis agitans, 114  
 Scleroderma, 17
- Sclerosis, fasciculated, 41  
 descending, 168  
 disseminated (en plaques), lesions of motor cells in, 41, 43  
 lesions of the bulbus in, 48, 131  
 and paralysis agitans, 123
- historical sketch, 108  
 lateral, in hysteria, 243  
 posterior, complicating disseminated sclerosis, 163 (see Ataxia, locomotor)
- macroscopic anatomy, 130  
 distribution of sclerosed patches in brain, 131  
 in spinal cord, 130  
 on the nerves, 131
- aspect of sclerosed patches, 132  
 histology, 139  
 alteration of vessels in, 143  
 nature of the lesion, 144, 148  
 spinal form, 132, 178  
 cephalic or bulbar form, 132, 178  
 cerebro-spinal form, 151, 179  
 causes of error in diagnosis, 151  
 diplopia, 157  
 amblyopia, 157  
 cephalic symptoms, 157  
 nystagmus, 158  
 vertigo, 159  
 facies, 160  
 psychic symptoms, 160  
 state of lower extremities, 161  
 unusual symptoms, 162  
 ataxia, 163  
 muscular atrophy, 164  
 contracture of limbs, 165  
 spinal epilepsy, 165, 236  
 apoplectiform attacks, 168  
 periods, 172  
 remissions, 174  
 gastric crises, 175  
 intercurrent diseases, 176  
 bulbar paralysis, 177  
 duration, 179  
 pathological physiology, 179  
 cause, 181  
 influence of acute diseases, 181


- Sclerosis—  
 prognosis, 182  
 treatment, 182
- "Secours" (les) in relation to the convulsionnaires, 226
- Sections of nerves, complete or incomplete, 15, 17, 24, 36, 144
- Simulation in hysteria, 189
- Spasm (see Contracture)
- Speech (see Utterance)
- TARANTISM**, 230  
 Temperature (significance of decrease of, in cerebral apoplexy), 64  
 diminution of, accompanying irritant nerve-lesions, 93  
 dependent on irritation of the great sympathetic (cervical), 94  
 in paralysis agitans, 121  
 in apoplectiform attacks, 171  
 in hystero-epileptiform attacks, 253  
 in epileptiform acme, 254  
 in hystero-epileptiform acme, 258
- Tongue (contracture of), 232
- Thermo-anæsthesia, 204
- Tremor, in general, 105  
 difference as regards repose and movement, 106  
 varieties, 107  
 historical sketch, 108  
 in paralysis agitans, 112, 154  
 in disseminated sclerosis, 156  
 influence of movements, 154  
 characters distinguishing it from chorea, 155  
 motor inco-ordination, 156
- Trepidation provoked, of the foot in hysteria, 239  
 in sclerosis of the lateral columns, 240  
 in disseminated sclerosis, 239  
 in descending sclerosis, 239 (note)
- Trismus, 193
- Trophic derangements, 3  
 differences distinguishing them from passive lesions, 6  
 consecutive on lesions of the peripheral nerves, 4  
 traumatic causes, 17  
 spontaneous lesions, 19  
 theoretical views, 89  
 vaso-motor theory, 90  
 attraction theory, 99  
 trophic-nerve theory, 101  
 Samuel's theory, 102  
 criticisms, 102  
 conclusions, 103  
 in disseminated sclerosis, 176
- Tubercle of spinal cord, 76
- Tympanites, 193, 238, 239
- UREA** in hysterical vomited matter; in alvine evacuations after nephrotomy; influence of pressure on its production, 187, 195, 197, 202
- Ureters (spasmodic contracture of), (see Obliteration)
- Urticaria in locomotor ataxy, 51
- Utterance (modifications of) in paralysis agitans, 113  
 in disseminated sclerosis, 158
- VERTIGO**, in disseminated sclerosis, 159, 174  
 epileptic, 253
- Vomiting, hysterical, 196, 198  
 uramic, 187  
 of blood, 238
- ZONA**, 16, 19, 21  
 in locomotor ataxy, 52  
 dependent on partial lesions of encephalon, 54  
 with modifications of the derm, 75  
 local elevation of temperature, 93
- Zoster, herpes (see Zona)

000659



BIBLIOTECA





1030000643



