

STATISTICAL TABLES OF FORTY-FIVE CASES OF URETHRAL STRICTURE TREATED BY INTERNAL URETHROTOMY.

Number of Case.	Page.	Cause and Date of.	Number of Strictures.	Locality of Stricture.	Size of Stricture.	Norm. Calibre of Urethra.	Condition at Date of Operation.	Complication.	Number of Operations.	Accidents after Operation.	Results.	Re-examination.
24	38	Gonorrhoea 10 years previous, again 1 year before present examination.	6	1 Meat. 2 1 1/2 in. 3 1 1/2 in. 4 2 1/2 in. 5 2 1/2 in. 0 3 in.	22 28 26 27 28 32	34	Since last attack of gonorrhoea there has been a constant gleet. At that time examined him by old method and thought that I discovered a Stricture at bulbo-membranous portion, and another in the spongy. Was treated then with sound, and greatly relieved, but now returns, suffering from a renewal of the gleet.	Gleet	1	Was cured, but has had gonorrhoea since, with either the formation of a new Stricture or recontraction of old one at 2 1/2 in.
25	33	Gonorrhoea 3 years ago. Again 1 year later.	4	1 1/2 in. 2 1 1/2 in. 3 2 in. 4 3 in.	19 22 22 28	36	Has had more or less gleet discharge since last gonorrhoeal attack.	Gleet.....	1	Cure	8 months after. Cure complete.

26	53	Had gonorrhoea 20 yrs. ago.	4	1 Meat. 2 1 1/2 in. 3 2 1/2 in. 4 3 1/2 in.	20 21 25 28	34	Urethra very sensitive. Sense of constriction over hypogastric region. Frequent desire to micturate.	Diabetes ..	2	Hemorrhage, patient being of a very hemorrhagic diathesis.	Cure of Stricture. Relief of diabetes; how much is due to Stricture I cannot say.	Since died of cirrhosis of the liver.
27	31	Gonorrhoea 11 yrs. previous. also 9 yrs. since, and again 1 month before operation.	3	1 1/2 in. 2 2 in. 3 3 in.	25 27 30	35	Gleety discharge.....	Gleet.....	1	Cure	One year and a quarter years after. No return.
28	19	Gonorrhoea one year before.	3	1 1/2 in. 2 2 1/2 in. 3 3 in.	25 25 25	32	Gleet.....	Gleet.....	1	Cure
29	25	Had gonorrhoea 8 years previous.	4	1 Meat. 2 2 1/2 in. 3 2 1/2 in. 4 3 1/2 in.	25 30 26 30	34	Has had an induration in left groin extending from lower part of the femoral ring to ant. sup. spinous process of ilium. Also has had a constant gleet since last attack of gonorrhoea.	Eczema ..	1	Cure
30	39	Gonorrhoea 16 years ago, several times since.	3	1 1/2 in. 2 2 1/2 in. 3 5 in.	19 25 20	35	Persistent gleet. Frequently passing into mucopurulent discharge, resisting all medication and injections. Meatus contracted by syphilitic ulcer.	Syphilis ..	1	All anterior to 5 inches. cured. This one re-contracted. Will operate soon. Gleet cured.

STATISTICAL TABLES OF FORTY-FIVE CASES OF URETHRAL STRICTURE TREATED BY INTERNAL URETHROTOMY.

Number of Case.	Age.	Cause and Date of.	Number of Strictures.	Locality of Stricture.	Size of Stricture.	Norm. Calibre of Urethra.	Condition at Date of Operation.	Complication.	Number of Operations.	Accidents after Operation.	Results.	Re-examination.
31	40	Gonorrhoea 13 years before, again 1 year later, and finally, just prior to operation.	4	1 3/4 in. 2 2/4 in. 3 3/4 in. 4 5/8 in.	29 30 30 25	32	There has been a constant gleet discharge since first attack of gonorrhoea. Pain in calves of legs and back of thighs, and during union in back part of forearm.	Gleet	2	1. First operation followed by severe urethral fever & urethritis. Treated with rubber coil. 2d operation followed by no bad symptoms.	Recovery complete.	One year after. No return of symptoms or recontraction.

32	47	Congenital narrowing of meatus.	1	Meatus.	18	33	Feeling of titillation along urethra, believes it to be due to retention of a few drops of urine after micturition.	1	Complete relief from every symptom.	Six mos. after. Recurrence of no bad symptoms.
33	22	Gonorrhoea 3 years previous.	2	1 Meatus. 2 2 1/2 in.	15 24	32	A recurring gleet discharge. There is a membranous bridge across the meatus, which in micturating produces a double stream.	Syphilis	1	Cure	One year after. No return of any contraction or symptom.
34	27	Has had gonorrhoea three times: 7, 5 and 3 years respectively before examination.	4	1 Meatus. 2 1/4 in. 3 2 1/2 in. 4 4 in.	19 19 22 26	32	Constantly recurring gleet discharge.	Syphilis	1	Cure	Four months after. No change.
35	33	Gonorrhoea several times.	2	1 Meatus. 2 1 1/4 in.	16 30	33	Gleet discharge	Gleet	2	Cure	One year after. Cure permanent.
36	24	Gonorrhoea six years before.	3	1 1/4 in. 2 1 1/2 in. 3 2 1/2 in.	20 30 30	32	Burning sensation in passing water; stream contracted; gleet discharge.	Gleet	2	Cure	Three months after. Reveals complete cure.
37	23	Gonorrhoea mild attack 3 years ago.	4	1 Meatus. 2 1 1/4 in. 3 2 1/2 in. 4 3 1/4 in.	18 25 29 31	33	Great difficulty in urinating and also some smarting. Gleet.	Gleet	2	Cure
38	35	Thirteen mos. since had gonorrhoea.	4	1 Meatus. 2 1/4 in. 3 2 1/2 in. 4 3 1/2 in.	22 25 28 30	36	Gleet discharge. Had not subsided since attack gonorrhoea.	Gleet	1	Still under treatment.
39	26	Gonorrhoea several times.	1	1 in.	24	34	Persistent gleet discharge.	Gleet	1	Gleet ceased.

STATISTICAL TABLES OF FORTY-FIVE CASES OF URETHRAL STRICTURE TREATED BY INTERNAL URETHROTOMY.

Number of Case.	Age.	Cause and Date of.	Number of Strictures.	Locality of Stricture.	Size of Stricture.	Norm. Calibre of Urethra.	Condition at Date of Operation.	Complication.	Number of Operations.	Accidents after Operation.	Results.	Re-examination.
40	23	Never had gonorrhoea. Probably of traumatic origin.	3	1 2 1/2 in. 2 2 1/2 in. 3 3 1/2 in.	34 34 35		Could not expel all of urine from urethra; what remained scalded him. Any indulgence in ale or stimulating food induced smarting. Meatus had been cut before seeing me.		1		Cured	
41	48	Never had specific urethritis	2	1 Meat. 2 2 1/2 in.	15 29	34	For ten or fifteen yrs. has suffered with constant desire to urinate. Find a membranous band extending over upper part of meatus, contracting its orifice by one-half.		1		Patient not ready for cutting posterior Stricture. Greatly relieved by first operation.	

42	60	Thirty years ago had gonorrhoea.	4	1 1 1/2 in. 2 2 in. 3 3 1/2 in. 4 4 1/2 in.	34 35 34 35		Ten months before operation, had an attack of urethritis. Frequent desire to micturate. Albumen and casts in urine. Urethral hemorrhage; resulting in perforation of urethra and formation of fistula at 4 1/2 inches.	Nephritis. Urethritis. Cystitis	1		Operation to close fistulous opening made May 29, 1877, entirely successful. At present no albumen or casts in urine. Apparently a cure.	All present indications point to a perfect cure.
43	25	Gonorrhoea four times. Last attack in 1876.	4	1 1/2 in. 2 1/2 in. 3 2 1/2 in. 4 3 1/2 in.	24 25 25 30	33	Incontinence of urine. Gleet. When first examined, contraction so close as to require dilatation several days prior to operation.	Gleet	1		Still under treatment.	
44	43	Has had gonorrhoea several times within last 23 years.	3	1 1 in. 2 3/4 in. 3 4 1/2 in.	29 32 35	38	Nine years before had an attack of paraplegia. Since this attack, has had paralysis of neck of bladder requiring the daily use of the catheter.		1		Begins to pass urine slightly without catheter. Considerably improved.	
45	49	Gonorrhoea. Last attack two years since.	3	1 1/2 in. 2 1/2 in. 3 3 in.	32 35 36	40	Scalding sensation on passing urine. At times retention; must arise three times nightly.		1		Cure	