

	PAGE
8. Congenital Dislocations of the Shoulder (Upper End of the Humerus)	979
9. Congenital Dislocations of the Radius and Ulna Backwards	983
10. Congenital Dislocations of the Head of the Radius	983
11. Congenital Dislocations of the Wrist	984
12. Congenital Dislocations of the Fingers	985
13. Congenital Dislocations of the Hip	985
14. Congenital Dislocations of the Patella	991
15. Congenital Dislocations of the Knee	993
16. Congenital Dislocations of the Tarsal Bones	996
17. Congenital Dislocations of the Toes	996

## LIST OF ILLUSTRATIONS.

## FRACTURES.

FIG.	PAGE
1. Transverse, serrated (denticulated), and oblique fracture. From author's collection	38
2. Perforating and longitudinal fracture	36
3. Impacted extracapsular fracture of neck of femur—vertical section	36
4. Fracture of the humerus of a turkey; united with fragments widely separated. From a specimen in the author's cabinet	41
5. Fracture of the shaft of the femur; united with an oblique callus. From a specimen in the author's cabinet	41
6. Application of the "roller," by circular and reversed turns	63
7. Many-tailed bandage	63
8. Application of the many-tailed bandage	64
9. Bandage of Scultetus	64
10. Wood and leather splint	69
11. Starch bandage applied for a broken thigh	72
12. Seutin's pliers	72
13. Opening of the apparatus with Seutin's pliers	74
14. "Apparatus immobile," applied over a compound fracture	75
15. Von Brun's plaster-cutter	78
16. Clavicle, united by ligamentous bands	86
17. Tiemann & Co.'s apparatus for ununited fracture of the femur	90
18. Physick's first case, after 28 years	90
19. Dieffenbach's drill for ununited fracture	91
20. Brainard's perforator, reduced one-half	92
21. Gaillard's instrument for ununited fractures	94
22. Fergusson's case of permanent bending	99
23. Partial fracture without restoration of the bone to its natural form	104
24. Partial fracture of the clavicle without spontaneous restoration. From nature; taken three weeks after the accident	104
25. Partial fracture, after union is consummated	105
26. Mason's dressing	115
27. Goffres's modification of Graefe's apparatus	125
28. Fracture of the lower jaw	134
29. Bean's maxillary articulator	150
30. Bean's apparatus for broken jaw, applied	151
31. Houzelot's apparatus	153
32. Plaster model of jaws	154
33. Kingsley's apparatus, applied to model	155
34. Same applied to patient	155

FIG.		PAGE
35.	Gibson's bandage for a fractured jaw . . . . .	155
36.	Barton's bandage for a fractured jaw . . . . .	156
37.	Four-tailed bandage or sling for the lower jaw . . . . .	156
38.	The author's apparatus for a broken jaw . . . . .	158
39.	Fracture of the spinous process . . . . .	171
40.	Fracture of the vertebral arch . . . . .	174
41.	Oblique fracture of the body of a vertebra . . . . .	181
42.	Key's case of fracture in the first lumbar vertebra . . . . .	183
43.	Wire-bed . . . . .	189
44.	Bonnet's vertebral gutter . . . . .	189
45.	Parker's case of fracture of the odontoid process of the axis . . . . .	192
46.	Development of sternum . . . . .	195
47.	Fracture of the ribs, with lateral union . . . . .	205
48.	Complete oblique fracture of the clavicle . . . . .	211
49.	Fracture of the clavicle outside of the trapezoid ligament . . . . .	214
50.	Complete oblique fracture of the clavicle at the outer end of the inner two-thirds . . . . .	216
51.	Comminuted fracture of the clavicle; united . . . . .	217
52.	Figure-of-8 bandage, for a fractured clavicle . . . . .	226
53.	Moore's apparatus for fractured clavicle. Back view . . . . .	228
54.	Moore's apparatus for fractured clavicle. Front view . . . . .	228
55.	Sayre's apparatus for fractured clavicle . . . . .	229
56.	Sayre's apparatus for fractured clavicle . . . . .	230
57.	Sayre's apparatus for fractured clavicle . . . . .	230
58.	Fox's apparatus for fractured clavicle . . . . .	232
59.	The author's apparatus for fractured clavicle . . . . .	235
60.	Fracture of angle of scapula . . . . .	238
61.	Comminuted fracture of the glenoid cavity . . . . .	242
62.	Fracture of the neck of the scapula . . . . .	242
63.	Scapula with epiphyses . . . . .	245
64.	Fracture of the coracoid process . . . . .	248
65.	Fracture at the anatomical neck of the humerus . . . . .	252
66.	Pope's specimen of supposed fracture at the anatomical neck of the humerus, and reversion of the head . . . . .	255
67.	Same . . . . .	255
68.	Humerus, with epiphyses . . . . .	260
69.	Upper epiphysis of humerus . . . . .	263
70.	Upper epiphysis separated . . . . .	263
71.	Fracture of surgical neck of humerus . . . . .	264
72.	Plan of author's long leather arm splint . . . . .	275
73.	Long leather splint closed at top, and in shape . . . . .	275
74.	Short splint . . . . .	275
75.	Lonsdale's apparatus for extension, in fractures of the humerus . . . . .	281
76.	Clark's extension in fractures of the humerus . . . . .	282
77.	Fractures of the humerus at the base of the condyles . . . . .	289
78.	Separation of lower epiphysis . . . . .	290
79.	Reeve's case of separation of the lower epiphysis of the humerus . . . . .	290
80.	Lange's case of separation of lower epiphysis, and detachment of epicondyles . . . . .	290
81.	Rose's arm and forearm splint . . . . .	296
82.	Welch's arm and forearm splint . . . . .	296

FIG.		PAGE
83.	Bond's elbow splint . . . . .	296
84.	The author's elbow splint . . . . .	297
85.	Fracture at the base of the condyles of the humerus, and between the condyles . . . . .	298
86.	Separation of epiphyseal portion of internal epicondyle of the humerus . . . . .	306
87.	Fracture of the external epicondyle . . . . .	310
88.	Fracture of the internal condyle of the humerus . . . . .	311
89.	Fracture of external condyle . . . . .	314
90.	Fracture of the head of radius . . . . .	319
91.	Mütter's specimen of fracture of the neck of the radius . . . . .	321
92.	Scott's apparatus for fractures of the forearm . . . . .	324
93.	Fracture of the shaft of the radius . . . . .	325
94.	Colles's fracture—radius near its lower end . . . . .	327
95.	Impacted fracture. Author's collection . . . . .	330
96.	Comminuted fracture. Author's collection . . . . .	330
97.	Rigelow's case of comminuted fracture of the lower end of the radius . . . . .	330
98.	Transverse fracture of lower end of radius; caused by forced palmar flexion . . . . .	334
99.	Transverse fracture of lower end of radius; caused by forced dorsal flexion . . . . .	334
100.	Fracture at base of styloid process of radius, and laceration of annular ligament . . . . .	336
101.	Nélaton's splint for fracture of the radius near its lower end . . . . .	341
102.	Bond's splint for fracture of the lower end of the radius . . . . .	342
103.	Hay's splint for fracture of the lower end of the radius . . . . .	342
104.	E. P. Smith's splint for fracture of the lower end of the radius—front view . . . . .	342
105.	Same as above—back view . . . . .	343
106.	Hewitt's splint . . . . .	343
107.	Levis's metallic splint . . . . .	348
108.	Author's palmar splint; right arm . . . . .	348
109.	Author's dorsal splint . . . . .	348
110.	The author's dressing for a fracture of the radius near its lower end—complete . . . . .	349
111.	Radius, with epiphyses . . . . .	355
112.	Fracture of the olecranon process at its base . . . . .	357
113.	Olecranon process united by ligament . . . . .	359
114.	Sir Astley Cooper's method of dressing a fracture of the olecranon process . . . . .	362
115.	The author's splint for a fracture of the olecranon process, applied . . . . .	362
116.	Fracture of the coronoid process of the ulna . . . . .	366
117.	Ulna, with epiphyses . . . . .	368
118.	Fracture of the shaft of the ulna . . . . .	376
119.	Fracture of the radius and ulna in the middle third . . . . .	380
120.	Fracture of the radius and ulna in the lower third . . . . .	381
121.	Radius and ulna united with displacement . . . . .	381
122.	Palmar splint . . . . .	390
123.	Gutta-percha splint for finger . . . . .	398
124.	Development of os innominatum . . . . .	400
125.	Clark's case of comminuted fracture of the pelvis . . . . .	401
126.	Walker's case of fracture of the acetabulum . . . . .	414

FIG.		PAGE
127.	Development of femur . . . . .	418
128.	Fracture of the neck of the femur, within the capsule . . . . .	422
129.	Intracapsular fracture, caused by a fall upon the trochanter . . . . .	422
130.	Impacted fracture of the neck of the femur, within the capsule . . . . .	423
131.	Horizontal section of the neck of the femur . . . . .	428
132.	Extracapsular fracture, with inversion . . . . .	428
133.	Vertical section of Mrs. Wakelee's femur, acetabulum, and capsule . . . . .	434
134.	Impacted fracture within the capsule . . . . .	434
135.	Section of the head and neck of the sound femur of an adult . . . . .	436
136.	Chronic rheumatic arthritis, in hip-joint . . . . .	437
137.	Crosby's specimen of fracture of neck of femur within the capsule—united . . . . .	440
138.	Mayo's specimen of fracture of the neck of the femur within the capsule—united by ligament . . . . .	440
139.	Author's apparatus for fractures of the neck of the femur . . . . .	441
140.	Gibson's modification of Hagedorn's thigh splints . . . . .	442
141.	Gibson's modified splint applied . . . . .	442
142.	Impacted extracapsular fracture . . . . .	447
143.	Same . . . . .	447
144.	Same . . . . .	447
145.	Fracture of the neck of the femur . . . . .	449
146.	Extracapsular fracture of the neck of the femur—united . . . . .	451
147.	Extracapsular fracture of the neck of the femur—with excess of callus . . . . .	451
148.	Extracapsular fracture of the neck of the femur—united with irregular callus . . . . .	452
149.	Miller's splint for extracapsular fractures . . . . .	453
150.	Sir Astley Cooper's imaginary fracture . . . . .	454
151.	Mr. Aston Key's case . . . . .	456
152.	Physick's thigh splint . . . . .	465
153.	Liston's dressing of fractured femur with a straight splint . . . . .	467
154.	Double-inclined plane formerly employed in Middlesex Hospital, London . . . . .	470
155.	Amesbury's double-inclined plane . . . . .	471
156.	Amesbury's splint applied . . . . .	471
157.	Boyer's thigh splint applied . . . . .	472
158.	Nathan R. Smith's suspending apparatus, or double-inclined plane . . . . .	473
159.	Nott's double-inclined plane . . . . .	473
160.	N. R. Smith's anterior splint . . . . .	473
161.	N. R. Smith's anterior splint, applied . . . . .	474
162.	Palmer's modification of the anterior splint . . . . .	475
163.	Hodgen's suspension apparatus . . . . .	476
164.	Neill's straight thigh-splint, for extension and counter-extension . . . . .	476
165.	Flagg's thigh apparatus—employed in the Massachusetts General Hospital. Pelvic belt and perineal strape . . . . .	477
166.	Same—foot-piece and screw . . . . .	477
167.	Same—lateral view of the apparatus, without the belt . . . . .	477
168.	Same—front view, with folded sheets laid across . . . . .	477
169.	Same—apparatus applied, front view . . . . .	477
170.	Same—apparatus applied, side view . . . . .	478
171.	Same—mode of applying adhesive plasters to leg . . . . .	478
172.	Same—mode of making extension by adhesive plasters . . . . .	478
173.	Same—Perineal band secured with a padlock . . . . .	478

FIG.		PAGE
174.	Gurdon Buck's fracture apparatus . . . . .	479
175.	Horner's thigh-splint . . . . .	480
176.	Joseph Hartshorne's thigh-splint . . . . .	480
177.	Gilbert's extension in fracture of the thigh . . . . .	481
178.	Gilbert's extension applied to both thighs . . . . .	481
179.	H. L. Hodge's counter-extension in fracture of the femur . . . . .	482
180.	Lente's thigh-splint . . . . .	482
181.	Burge's apparatus for fracture of the femur . . . . .	483
182.	Burge's apparatus applied . . . . .	483
183.	T. W. Simmon's suspension-extension apparatus . . . . .	484
184.	Dr. Gibbes's case, posterior view . . . . .	493
185.	Dr. Gibbes's case, anterior view . . . . .	493
186.	Extension during application of plaster of Paris . . . . .	495
187.	Extension continued until the plaster is hard . . . . .	495
188.	Badly united fracture of femur, treated without permanent extension . . . . .	497
189.	Fracture of femur just below trochanter minor . . . . .	497
190.	E. Daniel's invalid-bed . . . . .	503
191.	Crosby's invalid-bed, closed . . . . .	504
192.	Crosby's invalid-bed, open . . . . .	504
193.	Standard for extension . . . . .	505
194.	Iron upright and weight . . . . .	506
195.	Foot-piece . . . . .	506
196.	Extension-band and foot-piece . . . . .	507
197.	Extension-band and foot-piece folded . . . . .	507
198.	Mode of applying adhesive plaster for extension . . . . .	508
199.	Author's dressing for fracture of shaft of femur, complete . . . . .	509
200.	Author's splint for fracture of femur in a child . . . . .	511
201.	Author's dressing for fracture of femur in a child—complete . . . . .	511
202.	Fracture of the shaft of the femur at the base of the condyles . . . . .	516
203.	Crosby's specimen of fracture of the external condyle of the femur . . . . .	524
204.	Sir Astley Cooper's case of fracture of the external condyle of the femur . . . . .	524
205.	Fracture of the internal condyle . . . . .	526
206.	Transverse fracture of the patella . . . . .	538
207.	Comminuted fracture of the patella . . . . .	538
208.	Transverse fracture of the patella—exhibiting the relations of the muscles to the fracture . . . . .	539
209.	Fragments of a broken patella separated by flexion of the knee . . . . .	540
210.	Upper fragment of a broken patella drawn up very much by the action of the quadriceps femoris . . . . .	540
211.	Dr. Kendig's case of fracture of the patella, front view . . . . .	548
212.	Same—side view . . . . .	548
213.	Bony union after fracture of the patella . . . . .	549
214.	Malgaigne's hooks for fractured patella . . . . .	550
215.	Dorsey's patella splint . . . . .	556
216.	Sir Astley Cooper's method for broken patella by circular and parallel tapes . . . . .	556
217.	Sir Astley Cooper's method by a leather band and counter-strap . . . . .	557
218.	Lonsdale's apparatus for fractured patella . . . . .	557
219.	Lau-dale's apparatus for fractured patella . . . . .	557
220.	Beach's apparatus . . . . .	557
221.	Beach's apparatus applied . . . . .	558
222.	Turner's apparatus . . . . .	558

FIG.	PAGE
223. The author's mode of dressing a fractured patella . . . . .	561
224. The author's wooden inclined-plane for fractures of patella . . . . .	563
225. Wood's apparatus . . . . .	564
226. Development of tibia . . . . .	567
227. Development of fibula . . . . .	572
228. Fracture of the fibula near its lower end . . . . .	574
229. Vertical and transverse section of the tibio-tarsal articulation, right foot . . . . .	575
230. Dupuytren's splint incorrectly applied . . . . .	578
231. Dupuytren's splint, as originally made and applied by himself . . . . .	579
232. Compound and comminuted fracture of the leg . . . . .	581
233. Plaster-of-Paris dressing for fracture of leg, and suspension . . . . .	590
234. Van Wagenen's suspension apparatus . . . . .	591
235. G. Wackerhagen's method . . . . .	592
236. Hutchinson's splint for extension in fractures of the leg . . . . .	593
237. Neill's apparatus for fractures of the leg requiring extension and counter-extension . . . . .	594
238. Neill's apparatus for compound fractures of the leg . . . . .	594
239. Gilbert's fracture-box . . . . .	595
240. Crandall's apparatus for fracture of the leg requiring extension and counter-extension—side view . . . . .	595
241. Same—posterior view of the entire apparatus . . . . .	596
242. Same—posterior view of the lower section . . . . .	596
243. Liston's double-inclined plane, applied to the leg in a case of compound fracture . . . . .	597
244. Bauer's wire splints for the leg . . . . .	597
245. Swing box for fractures of the leg . . . . .	598
246. Salter's cradle for fractures of the leg . . . . .	598
247. John W. Trader's suspension apparatus for compound fractures . . . . .	599
248. Fracture-box for the leg, with movable sides . . . . .	599
249. Wire-rack for fracture of the leg . . . . .	600
250. Malgaigne's apparatus for certain oblique fractures of the leg . . . . .	600
251. Malgaigne's apparatus applied . . . . .	601
252. Apparatus for fracture of the tuberosity of the calcaneum . . . . .	609
253. Author's movable canvas for gunshot fractures of thigh . . . . .	616
254. Author's movable canvas for gunshot fractures of thigh, with extension on "horses" . . . . .	617
255. Hodgen's apparatus for gunshot fractures of the thigh . . . . .	618
256. Same . . . . .	618
257. Gunshot wound of spine . . . . .	623
258. Same . . . . .	623
259. Gunshot fracture of thigh—side view . . . . .	626
260. Same—front view . . . . .	626

## DISLOCATIONS.

FIG.	PAGE
261. Clove-hitch . . . . .	636
262. Compound pulleys and ring . . . . .	637
263. Double dislocation of the inferior maxilla . . . . .	640
264. Same . . . . .	641
265. Ayres's case of bilateral dislocation of the fifth cervical vertebra . . . . .	659
266. Dislocation of the sternal end of the clavicle forwards . . . . .	668
267. Sir Astley Cooper's apparatus for dislocated clavicle . . . . .	670
268. Dislocation of sternal end of clavicle upwards . . . . .	673
269. Dislocation of the acromial end of the clavicle upwards . . . . .	677
270. Dislocation of acromial end of clavicle upwards and outwards . . . . .	677
271. Mayor's apparatus for dislocated clavicle . . . . .	680
272. Dislocation of the shoulder downwards into the axilla . . . . .	688
273. Dislocation downwards, showing the untorn portion of the capsular ligament . . . . .	688
274. Dislocation of the shoulder downwards into the axilla . . . . .	689
275. New socket in an ancient dislocation of the shoulder downwards . . . . .	695
276. N. R. Smith's method of reducing a dislocation of the shoulder . . . . .	700
277. La Mothe's method of reducing a dislocation of the shoulder—modified . . . . .	701
278. Sir Astley Cooper's method, with the heel in the axilla . . . . .	702
279. Sir Astley Cooper's method, with the knee in the axilla . . . . .	703
280. Iron knob employed by Skey instead of the heel . . . . .	703
281. Skey's method in dislocations of the shoulder . . . . .	704
282. Sir Astley Cooper's method by means of pulleys . . . . .	704
283. Indian puzzle, employed to make extension in dislocations of the shoulder . . . . .	706
284. Subcoracoid dislocation of the humerus . . . . .	721
285. Subclavicular dislocation of the humerus . . . . .	721
286. Subcoracoid dislocation of the humerus, showing untorn posterior half of capsule . . . . .	722
287. Subcoracoid dislocation of the humerus . . . . .	723
288. Subspinous dislocation of the humerus . . . . .	731
289. Dorsal dislocation of the humerus, showing untorn anterior half of capsule . . . . .	733
290. Albert's case—double upward dislocation of humerus—front view . . . . .	736
291. Same—side view . . . . .	736
292. Displacement of the long head of the biceps . . . . .	740
293. Dislocation of the head of the radius forwards—anatomical relations . . . . .	745
294. Dislocation of the head of the radius forwards—external appearance of limb . . . . .	745
295. Dislocation of the head of the radius backwards . . . . .	751
296. Dislocation of the upper end of the ulna backwards . . . . .	753
297. Dislocation of the radius and ulna backwards . . . . .	755
298. Sir Astley Cooper's method in dislocation of the radius and ulna backwards . . . . .	759
299. Wylie's case of complete outward dislocation of forearm . . . . .	766
300. Same—arm nearly extended . . . . .	767
301. Most frequent form of incomplete outward dislocation of the forearm . . . . .	768

FIG.	PAGE
302. Most frequent form of incomplete inward dislocation of the forearm . . . . .	773
303. Canton's case—dislocation of the radius and ulna forwards . . . . .	775
304. Dislocation of the carpal bones backwards . . . . .	783
305. Same . . . . .	784
306. Dislocation of the carpal bones forwards—skeleton . . . . .	785
307. Dislocation of the carpal bones forwards . . . . .	785
308. Dislocation of lower end of ulna forwards . . . . .	788
309. Partial backward luxation of metacarpal bone of thumb . . . . .	792
310. Dislocation of the first phalanx of the thumb backwards . . . . .	796
311. Clove-hitch . . . . .	798
312. Sir Astley Cooper's method of reducing dislocations of the thumb by the pulleys . . . . .	798
313. Levis's instrument for reduction of the phalanges . . . . .	801
314. Same . . . . .	802
315. Indian puzzle, employed in the reduction of dislocations of small joints . . . . .	802
316. Backward dislocation of the first phalanx of the index finger—reduction by extension . . . . .	804
317. Dislocation of the second phalanx backwards . . . . .	806
318. Dislocation of the second phalanx forwards . . . . .	806
319. Dislocation of the femur upon the dorsum ilii . . . . .	812
320. Ilio-femoral ligament . . . . .	813
321. Dislocation of the femur upon the dorsum ilii, showing relations of ilio-femoral ligament . . . . .	814
322. Dislocation upon the dorsum ilii—anterior view . . . . .	815
323. Same—posterior view . . . . .	815
324. Dislocation of the femur upon the dorsum ilii . . . . .	816
325. Everted dorsal dislocation . . . . .	818
326. Nathan Smith's method of reduction of a dislocation of the head of the femur upon the dorsum ilii, by manipulation . . . . .	823
327. Relaxation of the ilio-femoral ligament by flexion . . . . .	825
328. Hippocrates's mode of reducing dislocations of the hip by extension . . . . .	826
329. Reduction of a dislocation upon the dorsum ilii by pulleys . . . . .	827
330. Reduction of a dislocation upon the dorsum ilii by the Spanish windlass . . . . .	828
331. Jarvis's adjuster—applied in dislocation of the hip . . . . .	828
332. Bloxham's dislocation tourniquet—applied for reduction of a dislocation of the femur upon pubes . . . . .	829
333. The author's method of manipulation in dislocations upon the dorsum ilii—first position . . . . .	835
334. Same—second position . . . . .	836
335. Same—third position . . . . .	837
336. Bigelow's tripod for vertical extension . . . . .	840
337. Dislocation of the femur upwards and backwards into the great ischiatic notch . . . . .	841
338. Same . . . . .	841
339. Internal obturator in its natural position . . . . .	842
340. Condition of anterior half of capsular ligament in "backward" dislocation . . . . .	843
341. Internal obturator in its new position . . . . .	844
342. Dislocation upwards and backwards into the great ischiatic notch—"below the tendon," when the patient is recumbent . . . . .	844
343. Reduction of a dislocation into the great ischiatic notch, by pulleys . . . . .	848
344. Relations of the ilio-femoral ligament to thyroid dislocations . . . . .	850

FIG.	PAGE
345. Dislocation of the femur downwards and forwards into the foramen thyroideum . . . . .	850
346. Tense, untorn, upward and backward portion of capsular ligament in thyroid dislocation . . . . .	851
347. Degree of flexion in thyroid dislocation if the ilio-femoral portion of capsule remains untorn . . . . .	851
348. Reduction of thyroid dislocation by manipulation . . . . .	854
349. Sir Astley Cooper's mode of reducing recent dislocations of the femur into the foramen thyroideum . . . . .	855
350. Effect of flexion upon the ilio-femoral ligament in the thyroid dislocation . . . . .	856
351. Specimen of dislocation upon the pubes, in St. Thomas's Hospital . . . . .	857
352. Dislocation upon the pubes below the anterior inferior spine of the ilium . . . . .	858
353. External view of pubic dislocation . . . . .	859
354. Anterior view of pubic dislocation . . . . .	859
355. Dislocation upwards and forwards upon the pubes . . . . .	860
356. Reduction of dislocation upon the pubes by extension . . . . .	862
357. Subspinous dislocation . . . . .	864
358. Supraspinous dislocation . . . . .	866
359. Anterior oblique dislocation . . . . .	867
360. Mechanism of anterior oblique dislocation . . . . .	868
361. Voluntary sublaxation upon the dorsum ilii . . . . .	886
362. Same . . . . .	886
363. Dislocation of the patella outwards . . . . .	893
364. Dislocation of the patella inwards . . . . .	897
365. Complete dislocation of the head of the tibia backwards . . . . .	904
366. Subluxation of the head of the tibia forwards . . . . .	906
367. Subluxation of the head of the tibia outwards . . . . .	909
368. Subluxation of the head of the tibia inwards . . . . .	910
369. Dislocation of the lower end of the tibia inwards . . . . .	916
370. Same . . . . .	918
371. Reduction of a dislocation of the ankle by pulleys . . . . .	919
372. Dislocation of lower end of the tibia outwards . . . . .	921
373. Partial dislocation of the tibia forwards, with fractures of malleolus internus and fibula—skeleton . . . . .	923
374. Partial dislocation of the tibia forwards, with fracture of the malleolus internus and fibula . . . . .	923
375. Dislocation of the lower end of the tibia backwards . . . . .	926
376. Same . . . . .	926
377. Dislocation of the astragalus outwards—anatomical relations . . . . .	931
378. Simple dislocation of the astragalus outwards . . . . .	933
379. Compound dislocation of the astragalus inwards . . . . .	933