

Epilepsy, 948; and syphilis, 949, 954; diagnosis of, 953; etiology of, 948; heredity in, 949; in chronic ergotism, 1015; in general paresis, 916; in lead-poisoning, 1010; in *Raynaud's* disease, 988; in sunstroke, 1018; *Jacksonian*, 895, 953; masked, 953; phenomena of, 812; post-epileptic symptoms of, 952; procreative, 951; reflex, 950; rotatory, 951; spinal, 833; surgical treatment of, 956; treatment of, 955.
 Epileptic fits, stages of, 951.
 Epistaxis, 478; in haemophilia, 321; in scurvy, 314; in typhoid fever, 23; "renal," 723; vicarious, 479.
 Epithelioid cells in tubercle, 195.
 Ergotism, 1015; convulsive, 1015; gangrenous, 1015.
 Erichsen's disease (railway spine), 981.
 Erosion of teeth, 327.
 Erroneous projection from strabismus, 794.
 Eruptiones, 353.
 Eruptions (see RASHES).
 Erysipelas, 110; abscess in, 113; after vaccination, 61; complications of, 113; diagnosis of, 113; facial, 112; *Fehleisen's*, streptococcus of, 111; in typhoid fever, 27; migrans, 113; puerperal, 111.
 Erythema, exudativum, 317; in pellagra, 1016; in typhoid fever, 15.
 Erythrodextrin, test for, in gastric juice, 347.
 Erythromelalgia, 962.
 Eschar, sloughing, in hemiplegia, 874.
 Eustrengulus gigas, 1036.
 Exaltation of ideas in general paresis, 916.
 Exanthematic typhus, 39.
 Exfoliative dermatitis, 73.
 Exophthalmic goitre, 712; acute form, 712; diminution of electrical resistance in, 714; pigmentation in, 713; tremor in, 713; urticaria in, 714.
 Experts, medical, function of, in railway cases, 984.
 Eye, motor nerves of, paralysis of, 793.
 Eye-strain in migraine, 957.
 Eyes, conjugate deviation of, in brain tumor, 921; in hemiplegia, 874; in meningitis, 204.
 Facial, asymmetry, 810, 990; diplegia, 798; hemiatrophy, 990; nerve, paralysis of, 797; paralysis from cold, 798; paralysis from lesion of trunk of nerve, 798; paralysis from lesion of cortex, 797; paralysis, symptoms of, 798.
 Facial spasm, 800.
 Facies, *Hippocratic*, 464; leontina, in leprosy, 258; in mouth-breathers, 337; *Parkinsonian*, 928; syphilitic, 171.
 Faecal accumulation, 416, 421; concretions, 406, 421; vomiting, 419.

Faeces, bacteria in, 391; in jaundice, 424.
 Falkenstein Sanitarium, 252.
 Fallopian tubes, tuberculosis of, 245.
 Famine fever (see RELAPSING FEVER), 43.
 Farcy, acute, 260; chronic, 260.
 Farcy-buds, 260.
 Farre's tubercles, 452.
 Fat embolism in diabetes, 201.
 Fat necrosis, 459; of pancreas, in diabetes, 298.
 Fatty degeneration, in anaemia, 691; of heart, 642; of kidneys, 747; of liver, 455.
 Fatty stools, 461.
 Febricula, 264.
 Febris, carnis, 39; complicata, 267; recurrens, 43.
 Fehling's test for sugar, 299.
 Fermentation, fever, 114; test for sugar, 299.
 Fever, in cholera, 121; gastric, 248; hysterical, 975; pernicious malarial, 158; in pneumonia, 517; in acute pneumonic phthisis, 210, 211; in acute military tuberculosis, 199; in primary multiple neuritis, 777; in meningitic tuberculosis, 202; in pulmonary tuberculosis, 222; in pyæmia, 117; in pylephlebitis, suppurative, 450; in intermittent fever, 150; in relapsing fever, 45; in remittent fever, 151; in scarlet fever, 70; in septæmia, 114; in small-pox, 50; in sun-stroke, 1018; in appendicitis, 410; in secondary syphilis, 167; in typhoid fever, 13; in yellow fever, 127; lung, 511; Malta, 266; Mediterranean, 266; Neapolitan, 266; ship, 39; spleen, 156; spotted, 39; typho-malarial, 152; yellow, 127.
 Fever, intermittent, in abscess of liver, 448; in ague, 150; in chronic obstruction of bile-passages, 435; in gastric cancer, 381; in *Hodgkin's* disease, 707; in pyæmia, 117; in pyelitis, 760; in secondary syphilis, 167; in tuberculosis, 219, 223.
 Fibrillation, 859.
 Fibrous, bronchitis, 501; pneumonia, 511.
 Fibro-eaceous change in tubercles, 196.
 Fibroid disease of heart, 641.
 Fièvre, inflammatoire, 1019; typhoïde à forme rénale, 26.
 Fifth nerve, paralysis of, 795; gustatory branch, 796; symptoms of, 796; trophic changes in paralysis of, 796.
 Filaria, *Bancrofti*, 1032; *medinensis*, 1034; *sanguinis hominis*, 1032.
 Filaria loa; *F. lenti*; *F. labialis*; *F. hominis oris*; *F. bronchialis*; *F. imitans*, 1035.
 Filariasis, 1032.
 First sound of heart, obliteration of, in typhoid fever, 17.
 Fish, poisoning by, 1014.
 Fisher's brain murmur, 310.
 Fistula in ano in phthisis, 233, 241.
 Flagellated organisms in blood in malaria, 143

Flatulence, in hysteria, 973; in nervous dyspepsia, 368; treatment of, 358.
Flint's murmur in heart-disease, 605, 616.
 Floating kidney, 717.
 Florida fever, 1019.
 Fluke, bronchial, 1025.
 Flukes, diseases caused by, 1024.
 Foetal heart-rhythm, 651.
 Foetus, endocarditis in, 660; syphilis in, 169; tuberculosis in, 187, 188.
 Folie Brightique, 738.
 Follicular colitis, 394.
 Food (see DIET).
 Foot-drop, 777, 778.
 Foreign bodies in intestines, 416.
 Fourth nerve, 792; paralysis of, 798.
 Fractures in rickets, 311.
 Fremitus, vocal, 225, 520; hydatid, 1043.
 Fresh-air treatment in tuberculosis, 250.
 Friction, pericardial, 583; peritoneal, 468; pleural, 227, 562; pleuro-pericardial, 227.
 Friedreich's ataxia, 848.
 Friedreich's sign in adherent pericardium, 590.
 Frontal convulsions, lesions of, 920.
 Frontal sinuses, pentastomes in, 1047.
 Fungi in pulmonary cavities, 222.
 Gait, ataxic, 843; in pseudo-hypertrophic muscular paralysis, 996; in spastic paraplegia, 827; pseudo-tabetic, 845; steppage, in peripheral neuritis, 779.
 Gall-bladder, atrophy of, 434; calcification of, 434; dilatation of, 433; empyema of, 434; forming abdominal tumor, 433; phlegmonous inflammation of, 434.
 Gall-stones, 431.
 Gallop-rhythm, 651.
 Galloping consumption, 209.
 Galvano-puncture in aneurism, 679.
 Game-birds, poisoning by, 1014.
 Ganglia, basal, tumors of, 920.
 Gangrene, in diabetes, 300; in ergotism, 1015; in pneumonia, 527; in typhoid fever, 19; in typhus, 42; local or symmetrical, 988; of lung, 550; of mouth, 326.
 Garrod's thread test for uric acid, 289.
 Gastralgia, 359.
 Gastrectasis, 364.
 Gastric, crises, 844; fever, 348.
 Gastric juice, chemical examination of, 345; hyperacidity of, 361, 370; subacidity of, 361.
 Gastric ulcer, 368; clinical forms of, 372.
 Gastritis, acute, 348; acute suppurative, 350; chronic, 351; diphtheritic, 351; membranous, 351; mycotic, 351; parasitic, 351; phlegmonous, 350; polyposa, 352; sclerotic, 352; simple, 348; simple chronic, 352; toxic, 350.
 Gastrodynia, 359.
 Gastrorrhagia, 385.
 Gastrotomy, 343.
 Gastroxynsis, 361.
 General paralysis of the insane (general paresis), 914; diagnosis of, from syphilis, 173, 917; influence of syphilis in, 173.
 Genito-urinary system, tuberculosis of, 243.
 Gerlier's disease, 804.
 German measles, 81.
 Giant cells, 195.
 Gigantoblasts, 693.
 Gilbert's syrup, 182.
 Gilles de la Tourette's disease, 943.
 Gin-drinker's liver (see CIRRHOSIS OF LIVER), 440.
 Girdle-feeling in transverse myelitis, 830.
 Glanders, 259; acute, 260; chronic, 260; diagnosis from small-pox, 58.
 Glioma of brain, 918.
 Gliosis, 849.
 Globulin in urine, 728.
 Globus hystericus, 968.
 Glomerulo-nephritis, 742.
 Glosso-labio-laryngeal paralysis, 860.
 Glosso-pharyngeal nerve, 805.
 Glossy skin in arthritis deformans, 285.
 Glottis, edema of, 481; in Bright's disease, 481, 743; in small-pox, 55; in typhoid fever, 9.
 Gluteal nerve, 817.
 Glycogen, formation of, 296.
 Glycogenic function of liver, 296.
 Glycosuria, 296, 737; gouty, 293.
 Gmelin's test, 424.
 Goitre, 711; exophthalmic, 712; sudden death in, 711; symptoms of, 711.
 Gonorrhœal rheumatism, 279; anatomical changes in, 279; endocarditis in, 280.
 Gout, 287; acute, 290; chronic, 291; *Ebstein's* theory of, 288; etiology of, 287; hereditary influence in, 287; influence of alcohol in, 287; influence of food in, 287; influence of lead in, 288; irregular, 291; morbid anatomy of, 288; nervous theory of, 288; retrocedent or suppressed, 290; symptoms of, 290; treatment of, 293.
 Graefe's sign, 713.
 Grain, poisoning by, 1015.
 Grandeur, delusions of, 916.
 Grand mal, 948.
 Granular kidney, 749.
 Gravel, renal, 765.
 Graves's disease, 712.
 Green-sickness (see CHLOROSIS), 686.
 Green-stick fracture in rickets, 311.
 Gregarinidae, 1022.
 Grinder's rot, 553.
 Grippe, la, 87.
 Guaiacum test for blood, 723.
 Guinea-worm disease, 1034.

Gummata, in acquired syphilis, 169; in congenital syphilis, 172; of brain and spinal cord, 172; of heart, 178; of kidneys, 179; of liver, 176; of lungs, 175; of rectum, 178; of testis, 179; structure of, 167.
 Gummato-periarteritis, 179.
 Gums, black line on, in miners, 1009; blue line on, in lead poisoning, 1008; in scurvy, 314; in stomatitis, 324; red line on, in pulmonary tuberculosis, 228.
 Gustatory paralysis, 796.

Habit spasm, 942; in mouth-breathers, 337.
 Habitus, apoplectic, 870; phthisicus, 192.
 Haematemesis, 385; causes of, 385; diagnosis from haemoptysis, 387; in enlarged spleen, 154; in scurvy, 314.
 Haemato-chyluria, non-parasitic, 730; parasitic, 1033.
 Haematogenous jaundice, 428.
 Haematoma of dura, of brain, 862; of cord, 821.
 Haematomyelia, 826.
 Haematorrhachis, 824.
 Haematozoa of malaria, 140, 142.
 Haematuria, 722; as a sign of scurvy in children, 315; endemic, of Egypt, 1024; in acute nephritis, 742; in chronic phthisis, 230; in psorospermiasis, 1023; in renal calculus, 768; in renal cancer, 770; in tuberculosis of kidney, 244; malarial, 153.
 Haemoglobin, reduction of, in chlorosis, 687.
 Haemoglobinuria, 723; epidemic, in infants, 171, 724; in Raynaud's disease, 988; paroxysmal, 724; toxic, 724.
 Haemolysis, in pernicious anaemia, 690; in toxic haemoglobinuria, 725.
 Haemo-pericardium, 591.
 Haemothorax, 566.
 Haemophilia, 320.
 Haemoptysis, causes of, 506; hysterical, 972; at onset of phthisis, 219; in acute bronchopneumonic phthisis, 213; in acute tuberculosis, 200; in aneurism, 507; in aortic insufficiency, 607; in arthritic subjects, 507; in bronchiectasis, 497; in cirrhosis of lung, 535; in emphysema, 549; in miliary tuberculosis, 200; in mitral insufficiency, 612; in mitral stenosis, 618; in pneumonia, 519; in pulmonary gangrene, 551; in scurvy, 314; symptoms of, 507; treatment of, 509; in typhoid fever, 24; relation to tuberculosis, 507; parasitic, 1025; periodic, 507; vicarious, 507.
 Haemorrhage, cerebral, 870; in acute yellow atrophy, 427; in anaemia, 693; in cirrhosis of the liver, 443; in contracted kidney, 753; in haemophilia, 321; in hysteria, 972, 974; in intussusception, 419; in leukæmia, 698;

in malaria, 153, 154; in nephrolithiasis, 768; in purpura haemorrhagica, 316; in scarlet fever, 71; in scurvy, 314; in small-pox, 52; in splenic enlargement, 154, 385, 702; into spinal cord 826; in tuberculous pyelitis, 244; into ventricles of brain, 872; in typhoid fever, 21; in yellow fever, 127; pulmonary, 222.
 Haemorrhagic diathesis, 320.
 Hair tumors in stomach, 384.
 Hair, the, in typhoid fever, 16.
 Hallucinations in hysteria, 975.
 Handwriting in general paresis, 916.
 Harrison's groove in rickets, 310.
 Harvest-bug, 1048.
 Hay-asthma (hay-fever), 477.
 Headache, from cerebral tumor, 919; in cerebral syphilis, 173; in mouth-breathers, 337; in typhoid fever, 10, 11, 24; in uremia, 739; sick, 957.
 Head-cheese, poisoning by, 1013.
 Head-tetanus of Rose, 164.
 Heart, diseases of, 602; diseases of, Oertel's treatment of, 646; amyloid degeneration of, 643; aneurism of, 646; athlete's, 602; brown atrophy of, 643; calcareous degeneration of, 643; congenital affections of, 659; dilatation of, 635; displacement in pleuritic effusion, 560; displacement in pneumothorax, 575; fatty disease of, 642; fragmentation of fibres of, 642; hydatids of, 648; hypertrophy of, 628; hypertrophy of, in Bright's disease, 753; in exophthalmic goitre, 713; irritable, 639, 649; palpitation of, 649; parenchymatous degeneration of, 642; rupture of, 647; sclerosis of, 641; valvular diseases of, 602.
 Heart-failure, in diphtheria, 107; treatment of, in typhoid fever, 38.
 Heart-muscle in fevers, 642.
 Heart-valves, anomalies and lesions of, 660; rupture of, 603.
 Heat, exhaustion, 1017; stroke, 1017.
 Heberden's nodosities, 284.
 Hebrews, prevalence of diabetes among, 295.
 Hectic fever, 224.
 Heel, painful, 961.
 Heller's test, 727.
 Helminthiasis (see ANIMAL PARASITES), 1022.
 Hemeralopia, 785; in scurvy, 315.
 Hemiachromatopia, 787.
 Hemialbumose, 728.
 Hemianæsthesia, in cerebral haemorrhage, 875; in hysteria, 971; in lesions of internal capsule, 897; in unilateral cord lesions, 854.
 Hemianopia, heteronymous, 787; homonymous, 787; in migraine, 957; lateral, 787; nasal, 788; significance of, 790; temporal, 787.
 Hemianesthesia, 957.
 Hemiplegia, 874; crossed, 875.

Hemiplegia, infantile, 906; aphasia in, 908; epilepsy in, 908; in hysteria, 969; mental defects in, 908; post-hemiplegic movements in, 908; spastic cerebral, 908.
 Hemiplégia flasque, 876.
 Hepatic, abscess, 446; artery, enlargement of, 429; colic, 432; intermittent fever, 435; vein, 429; affections of, 429.
 Hepatitis, diffuse syphilitic, 176; interstitial (see CIRRHOSIS), 440; suppurative, 446.
 Hepatization, of lung, 514; white, of fetus, 175.
 Hepatogenous jaundice, 423.
 Heredity, in Bright's disease, 749; in diabetes insipidus, 305; in haemophilia, 320; in idiopathic muscular atrophy, 996; in tuberculosis, 187; in tuberculosis, chart of, 188.
 Herpes, in trifacial neuralgia, 960; in cerebro-spinal meningitis, 95; in febricula, 265; in malaria, 150; in pneumonia, 521; zoster, 961.
 Hiccough, hysterical, 972.
 High-tension pulse, characters of, 753.
 Hill diarrhoea, 395.
 Hippocratic facies, 464; fingers, 230; succussion, 576.
 Hippus, 958.
 Hodgkin's disease, 704; intermittent fever in, 707; morbid anatomy of, 704; symptoms of, 705.
 Horn-pox, 54.
 Hot Springs, of Virginia, 279; of Arkansas, 279; of Banff, 279.
 Huntington's chorea, 944.
 Husband and wife, tuberculosis in, 191.
 Hutchinson's teeth, 171.
 Hyaline casts in urine, 742, 748, 753.
 Hybrid measles, 81.
 Hydatid disease (see ECHINOCOCCUS), 1041; prevalence of, in America, 1043.
 Hydatid thrill or fremitus, 1043.
 Hydrarthrosis, chronic, 280.
 "Hydrocephaloïd condition," 393, 869.
 Hydrocephalus, acquired, 923; acute, 201; chronic, 922; chronic, after cerebro-spinal meningitis, 97; congenital, 922; spurious, 393.
 Hydrochloric acid, tests for, in gastric juice, 346.
 Hydromyelus, 849.
 Hydronephrosis, 762; congenital, 762; intermittent, 763.
 Hydropericardium, 591.
 Hydroperitoneum, 469.
 Hydrophobia, 159.
 Hydrorops vesice felleæ, 433.
 Hydrothorax, 574.
 Hyperacusis, 802.
 Hyperesthesia, in ataxia, 843; in hysteria, 971; in rickets, 309; in unilateral cord lesions, 854.
 Hyperosmia, 788.

Hyperpyrexia, hysterical, 976; in rheumatic fever, 273; in scarlet fever, 71; in sun-stroke, 1018; in tetanus, 164.
 Hypnotism in hysteria, 978.
 Hypochondriasis and neurasthenia, 978.
 Hypodermic syringe in diagnosis of pleural effusion, 568.
 Hypoglossal nerve, diseases of, 812; paralysis of, 812; spasm of, 813.
 Hypophysis, tumor of, 992.
 Hypoplasia of aorta, 687.
 Hypostatic congestion, in typhoid fever, 24; of lungs, 505.
 Hysteria, 967; contractures and spasms in, 969; convulsive forms of, 968; cries in, 972; diagnosis of, 976; disorders of sensation in, 971; etiology of, 967; forms of fever in, 975; haemoptysis in, 972; insanity in, 975; joint affections in, 974; mental symptoms of, 974; metabolism in, 975; metalotherapy in, 971; non-convulsive forms of, 969; paralysis in, 969; special senses in, 972; stigma in, 317, 974; traumatic, 981; treatment of, 976; visceral manifestations of, 972.
 Hysterical angina pectoris, 657.
 Hysterical epilepsy, 953, 968.
 Hystero-epilepsy, 953, 968.
 Hystero-epilepsy, 953, 968.

Ice-cream, poisoning by, 1014.
 Ice, typhoid bacillus in, 4.
 Ichthysmus, 1014; paralyticus, 1015.
 Icterus (see JAUNDICE), 423; acute febrile, 265; gravis, 426; neonatorum, 425.
 Idiopathic anaemia of Addison, 689.
 Idiocy in infantile hemiplegia, 908.
 Ileo-caecal region, in typhoid fever, 22; in appendicitis, 410; in primary tuberculosis of bowel, 241.
 Ileus (see STRANGULATION OF BOWEL), 413.
 Imbecility in infantile hemiplegia, 908.
 Imitation in chorea, 932.
 Impotence, in diabetes, 302; in locomotor ataxia, 844.
 Incarceration of bowel, 413.
 Incoördination, of arms, 843; of legs, 843.
 Indians, American, chorea in, 930; consumption in, 185; small-pox among, 47.
 Indicanuria, 735.
 Infantile, convulsions, 945; paralysis, 831.
 Infantilism, 171.
 Infarcts, haemorrhagic, in typhoid fever, 19; pyæmic, 116.
 Inflation of bowel for intussusception, 420.
 Influenza, 87; diagnosis of, 89; etiology of, 88; symptoms of, 88; treatment of, 89; complications of, 88.
 Inhalation-pneumonia (see ASPIRATION PNEUMONIA), 537.
 Inhibition centre of Kronecker, 649.

Injection, intravenous, of milk, 124; intravenous, of salines in diabetes, 305; subcutaneous, of salines in cholera, 124.
 Inoculation, against small-pox, 46, 54; protective, in cholera, 123; protective, in hydrophobia, 161; protective, in pneumonia, 513; protective, in yellow fever, 129; tuberculosis transmitted by, 188.
 Insanity, post-febrile, 25; in small-pox, 55.
 Insanity, relation of drink to, 1002; relations of chronic phthisis to, 229; relation of heart-disease to, 607.
 Insects, parasitic, 1048.
 Insolation, 1017.
 Insular sclerosis, 913.
 Intention tremor (see VOLITIONAL TREMOR).
 Intermittent fever, 147; forms of (see FEVER).
 Intermittent hepatic fever, 435.
 Internal capsule, lesions of, 897.
 Internal carotid artery, blocking of, 881.
 Intestinal casts, 396.
 Intestinal coils, tumor formed by, 238.
 Intestines, diseases of, 388; actinomycosis of, 262; dilatation of, 403.
 Intestines, haemorrhage from, in typhoid fever, 8, 21; in dysentery, 131, 135; in tuberculosis of bowel, 240; in intussusception, 419; in ulceration of, 397.
 Intestines, infarction of, 404; intussusception of, 414, 419; invagination of, 414; miscellaneous affections of, 403; new growths in, 415.
 Intestines, obstruction of, 413, 465; acute, 416; by enteroliths, 416; by foreign bodies, 416; by gall-stones, 416.
 Intestines, perforation of, in typhoid fever, 7.
 Intestines, primary tuberculosis of, 240; strangu-
lation of, 413, 418; strictures and tumors of, 415; twists and knots in, 415; ulcers of, 397.
 Intoxications, 1001.
 Intussusception, 414, 419.
 Invagination, 414; post-mortem, 414.
 Inverse type of temperature, in tuberculous meningitis, 199; in typhoid fever, 18.
 Iodide eruptions, 183.
 Iridoplegia, 792; accommodative, 792; reflex, 792.
 Iritis, syphilitic, 168, 171.
 Itch, 1047.
 Itch insects, 1047.
 Itching, of feet in gout, 292; of eyeballs in gout, 292; of skin in Bright's disease, 754.
 Ixodes ricinus; *I. americanus*, 1048.
 Jacksonian epilepsy, 895, 953.
 Japan, Beri-beri in, 780; endemic fluke disease in, 1024.
 Jaundice, black, 424; catarrhal, 430; choluria in, 424; from cirrhosis of liver, 443, 444; epidemic form of, 430; febrile, 265; from acute

yellow atrophy, 426; from cancer of liver, 454; from gall-stones, 433, 435; haemogenous, 423; hepatogenous, 423; in pneumonia, 524; in *Weil's* disease, 265; malignant, 426; of the new-born, 425; xanthelasma in, 424; in yellow fever, 127.
 Johns Hopkins Hospital, statistics of tuberculosis at, 185, 188.
 Joints (see ARTHRITIS).
 Jumpers, 943.
 "June cold," 477.
 Keloid of *Addison*, 993.
 Keratitis, in small-pox, 56; interstitial, of inherited syphilis, 171.
 Keratosis follicularis, 1023.
 Kidney, diseases of, 717; amyloid or lardaceous disease of, 757; anomalies in form and position of, 717; cancer of, 770; cardiac, 722; circulatory disturbance in, 721; cirrhosis of, 749; congenital cystic, 772; conges-tion of, 721; contracted, 749; cyanotic induration of, 722; cystic disease of, 772; echinococcus of, 1045; fused, 717; gouty, 749; granular, 749; horseshoe, 717; large white, 746, 747; movable, 717.
 Kidney, removal of, for cancer, 771; for movable kidney, 720.
 Kidney, rhabdo-myoma of, 770; sarcoma of, 770; scrofulous, 244; small white kidney, 747; surgical kidney, 759; syphilis of, 179; tuberculosis of, 243; tumors of, 770; unsymmetrical, 717.
 Knee-jerk, loss of, in ataxia, 842; in diphtheria, 108.
 Koch treatment of tuberculosis, 252.
 Lactic acid, test for, in gastric juice, 346.
Landry's paralysis, 835.
 Lardaceous degeneration (see AMYLOID).
 Larva of flies, diseases caused by (myiasis), 1050.
 Laryngeal crises, 844.
 Laryngismus stridulus, 486.
 Laryngitis, acute catarrhal, 480; chronic, 481; membranous, 482; oedematous, 481; spasmodic, 486; syphilitic, 489; tuberculous, 487.
 Larynx, diseases of, 480, 806; adductor paralysis of, 807; anaesthesia of, 808; hyperesthesia of, 808; paralysis of abductors of, 807; spasm of the muscles of, 808; unilateral abductor paralysis of, 807.
 Lata, 943.
 Lateral sclerosis—primary, 837; amyotrophic, 857.
 Lateritious deposit, 732.
 Lathyrism, 1016.
 Lavage, 357; in dilatation of stomach, 387; in gastric ulcer, 375.

Lead, colic, 1009; in the urine, 1008.
 Lead-palsy, 1009; localized forms of, 1009.
 Lead-pipe contraction, 838.
 Lead-poisoning, 1007; acute, 1008; arteriosclerosis in, 1010; cerebral symptoms in, 1010; chronic, 1008; gouty deposits in, 1010; treatment of, 1010.
 Lead-workers, prevalence of gout in, 288.
 Leichen-tubercle, 189.
 Lepra alba, 258.
 Lepra mutilans, 258.
 Leprosy, 256; anaesthetic, 258; bacillus lepro-
in, 258; contagiousness of, 257; diagnosis
of, 259; etiology of, 256; macular form of,
258; morbid anatomy of, 258; treatment of,
259; tubercular, 258.
 Leptomeningitis, acute, 863; chronic, 867; in
Bright's disease, 864; infantum, 864, 865; in
pneumonia, 864.
 Leptothrix in mouth, 263.
 Leptus autumnalis, 1048.
 Leucin, 427.
 Leucocytes, varieties of, 699.
 Leucoderma, 713.
 Leucomaines, 1012.
 Leucomata, 168.
 Leukæmia, 696; acute lymphatic, 700; blood
in, 699; congenital, 697; definition of, 696;
diagnosis of, 702; etiology of, 696; heredi-
tary in, 697; in animals, 697; in pregnancy,
697; morbid anatomy of, 697; myelogenous,
698; prognosis of, 703; symptoms of, 698;
treatment of, 703.
 Leyden's crystals, 500, 503.
 Lichtheim's schema, 899.
 Lienteric diarrhoea, 390.
 Life assurance, and albuminuria, 729; and
syphilis, 183.
 Lightning pains in ataxia, 842.
 Lipaciduria, 736.
 Lipæmia, 297, 301.
 Lipuria, 736.
 Lips, tuberculosis of, 239.
 Lissauer's tract, 842.
 Lithæmia, 730, 733.
 Lithæmic state, 291.
 Lithiasis, 733.
 Lithic-acid diathesis, 730.
 Lithuria, 730.
 Liver, abscess of, 446; actinomycosis of, 262;
acute yellow atrophy of, 426; amyloid, 456;
anaemia of, 427; angioma of, 453; cardiac, 428.
 Liver, cirrhosis of, 440; ascites in, 443; atro-
phic, 441; fatty, 441; *Glissonian*, 441; haem-
orrhage from stomach in, 443; hypertrophic,
441, 444; in acute tuberculosis, 242; in chil-
dren, 440; jaundice in, 443; toxic symp-
toms in, 443; with cancer, 452.
 Liver, cysts of, 453; fatty, 455; gummata of,
176; hepatophlebotomy in congestion of, 429;
hydatids of, 1043; hyperæmia of, 427; infarc-
tion of, 429; melano-sarcoma of, 453; new
growths in, 451; nutmeg, 428; passive con-
gestion of, 428; periodical enlargement of,
428; primary cancer of, 452; psorospermiasis
of, 1022; pulsation of, 428; sarcoma of, 453;
secondary cancer of, 452; syphilis of, 176;
tuberculosis of, 242.
 Liver dullness, obliteration of in perforative
peritonitis, 23.
 Living skeletons, 859.
 Lobar pneumonia, 511.
 Lobstein's cancer, 771.
 Localization, cerebral, 889; spinal, 887.
 Lock-jaw, 162.
 Lock-spasm, 964.
 Locomotor ataxia, 840; diagnosis of, 845; eti-
ology of, 841; hemiplegia in, 845; morbid
anatomy of, 841; paresis in, 845; prognosis
of, 846; relation of syphilis to, 841; reputed
cures of, 846; symptoms of, 842; treatment
of, 846.
 Long thoracic nerve, affections of, 815.
 Lordosis, 859.
 Loreta's operation, 307.
 Louis' law, 193.
 Ludwig's angina, 332.
 Lues venerea, 165.
 Lumbago, 281.
 Lung, abscess of, 552; causes of, 552; embolic,
552; etiology of, 552; symptoms of, 552.
 Lung, actinomycosis of, 262; albinism of, 546;
brown induration of, 504; cancer of, acute,
557; carnification of, 538; cirrhosis of, 532.
 Lung, diseases of, 503; stones, 216.
 Lung fever, 511.
 Lungs, congestion of, 503; active, 503; acute
haemorrhagic, 504; hypostatic, 505; mechani-
cal, 504; passive, 504.
 Lungs, echinococcus of, 1045.
 Lungs, gangrene of, 550; abscess of brain in,
551; causes of, 550; etiology of, 550; mor-
bid anatomy of, 550; symptoms and course
of, 551; treatment of, 551; haemorrhagic in-
farction of, 508.
 Lungs, new growths in, 556; in cobalt-miners,
556; physical signs of, 557; diagnosis of, 557.
 Lungs, oedema of, 505; splenization of, 505,
538; syphilis of, 174; tuberculosis of, 208.
 Lupinoisis, 1016.
 Lymphadenitis, general tuberculous, 206; local
tuberculous, 206; simple, 577; suppurative,
577.
 Lymphadenoma, general, 704.
 Lymph-serotum, 1034.
 Lymph, vaccine, 63.
 Lymph vessels, dilatation of, 1034.
 Lyssa, 159.

Macular syphilitides, 168.
Main en griffe, 859.
Maize, poisoning by (pellagra), 1016.
Malarial fever, 140; accidental and late lesions of, 146; algid form of, 153; comatose form of, 153; continued and remittent form of, 151; description of the paroxysm in, 147; diagnosis of, 154; etiology of, 140; geographical distribution of, 140; haemorrhagic form of, 153; intermittent, 147; malarial cachexia, 145, 153; meteorological conditions influencing, 142; morbid anatomy of, 144; pernicious, 144, 152; quartan, 151; quotidian, 150; season in, 141; specific germ of, 142; telluric conditions influencing, 141; tertian, 150; treatment of, 155.
Malignant oedema, 157; pustule, 157.
Malta fever, 266.
Mammary glands, hypertrophy in tuberculosis, 230; in hysteria, 970.
Mammitis, chronic interstitial, in tuberculosis, 230.
Mania à pôtu, 1003.
Mania, Bell's, 924.
Marantic thrombi, 885.
Marine Hospital Service, statistics of malaria in, 140.
Marriage, question of, in haemophilia, 322; in syphilis, 183; in tabes dorsalis, 847; in tuberculosis, 247.
Marrow of bones, in small-pox, 49; in leukaemia, 698; in pernicious anaemia, 691.
Masque des femmes enceinte, 710.
Massachusetts General Hospital, regulations regarding disinfection in typhoid fever at, 32; statistics of typhoid cases at, 29; typhus fever at, 2.
Mastication, spasm of the muscles of, 796.
McBurney's tender point, 411.
Measles, 77; complications and sequelæ of, 79; contagiousness of, 77; desquamation in, 78; diagnosis of, 80; eruption in, 78; etiology of, 77; German, 81; morbid anatomy of, 77; period of incubation in, 77; prognosis of, 80; symptoms of, 77; treatment of, 80.
Measly meat, examination of, 1038.
Meat, poisoning by, 1013; tuberculous infection by, 191; inspection of, for trichinæ, 1028.
Meckel's diverticulum, 413.
Median nerve, affections of, 816.
Mediastinum, affections of, 577; abscess of, 579; tumors of, 578; cancer of, 578; diagnosis of, 579; pleural effusion in, 579; sarcoma of, 578; symptoms of, 578.
Mediterranean fever, 266.
Medulla oblongata, tumors of, 921.
Megalocytes, 692.
Megastriæ, 364.

Melæna, in duodenal ulcer, 874; in typhoid fever, 21; neonatorum, 386.
Melano-sarcoma of liver, 453.
Melanuria, 736.
Melasma suprarenale, 710.
Menière's disease, 803.
Meningeal haemorrhage, 871; in birth palsies, 909.
Meninges, affections of, 820.
Meningitis, acute spinal, 822; in erysipelas, 111; in gout, 292; posterior, 924; tuberculous, 201 (see also LEPTOMENINGITIS, 863).
Meningo-encephalitis, chronic diffuse, 914; tuberculous, 202.
Mercurial tremor, 929.
Merycismus, 362.
Mesenteric artery, embolism of, 404.
Mesenteric glands, tuberculosis of, 208; tuberculous tumors of, 239; in typhoid fever, 8.
Mesentery, hemorrhage into, 457.
Mesocolon, hemorrhage into, 457.
Metallic, echo, 576; tinkling, 227, 576.
Metalotherapy, 971.
Metastasis in mumps, 83.
Metastatic abscesses, 116.
Meteorism in typhoid fever, treatment of, 37.
Micrococci, in chorea, 934; in dengue, 90; in Malta fever, 267; in rheumatic fever, 271; in vaccine virus, 60; in varicella, 65.
Microcytes, 692.
Middle cerebral artery, embolism and thrombosis of, 881.
Migraine, 957; treatment of, 958.
Miliary abscesses in typhoid fever, 8.
Miliary aneurism, 871.
Miliary fever, 268; epidemics of, 268.
Miliary tubercle, 195; tuberculosis, acute, 197; tuberculosis, chronic, 215.
Milk, and scarlet fever, 67; and typhoid fever, 5; products, poisoning by, 1014; sickness, 266; tuberculous infection by, 191.
Mind-blindness, 900.
Mind-deafness, 900.
Miner's, anaemia or cachexia, 1082; lung, 553; nystagmus, 792; sarcoma of lung, 556.
Miryachit, 943.
Mitchell, Weir, treatment in hysteria, 977.
Mitral incompetency, 610; diagnosis of, 614; etiology of, 610; morbid anatomy of, 610; physical signs of, 613; symptoms of, 612.
Mitral stenosis, 614; chorea and, 614; etiology of, 614; morbid anatomy of, 615; physical signs of, 616; presystolic murmur in, 616; rheumatism and, 614; symptoms of, 616.
Moist sounds, 226.
Molluscum contagiosum, psorosperms in, 1023.
Monoplegia, 895, 896; facial, 797; in hysteria, 969; in traumatic neuroses, 983.
Montaigne on renal colic, 767.

Montreal General Hospital, autopsies in diphtheria, 102; in typhoid fever, 5; death-rate from typhoid fever at, 31. Statistics of apex lesions in 1,000 autopsies, 249; of dysentery, 130; of haemorrhagic small-pox, 52; of pneumonia, 527; of rheumatic fever, 270; of typhoid fever, 2, 3.
Montreal small-pox epidemic 1885-'86, 56, 65.
Morbilli hemorrhagici, 79.
Morbus cœruleus, 662.
Morbus coxae senilis, 284, 286; errorum, 1048; maculosus, 318.
Morphia habit, 1005; treatment of, 1006.
Morphinism, 1005.
Morphomania, 1005.
Morphea, 993.
Mortality, in cerebro-spinal meningitis, 98; in pneumonia, 527; in typhoid fever, 31; in whooping-cough, 86; in yellow fever, 128.
Morvan's disease, 850.
Mosquitoes, relation of, to filaria disease, 1033.
Motor centres, 889.
Motor, nuclei, chronic degeneration of, 857; system, lesions of, 892.
Mountain, anaemia, 1032; fever, 268.
Mouth-breathing, 335.
Mouth, diseases of, 323; putrid sore, 324.
Movable kidney, 717; dilatation of stomach in, 719; symptoms of, 719; treatment of, 720.
Mucous colitis, 396.
Mucous patches, 168.
Muguet, 325.
"Mulberry" calculi, 765.
Mumps, 82.
Munich Pathological Institute, statistics of autopsies in typhoid fever at, 5; of tuberculosis in children at, 234.
Munich, reduction of typhoid mortality in, 32.
Murmur, in aneurism, 674; brain, 310; cardio-respiratory, 227; in congenital heart-disease, 662; Flint's, 605; haemis, 689; in endocarditis, 594; in lung cavity, 227; in subclavian artery in phthisis, 227; in valvular disease, 605, 609, 613, 616, 619.
Musca domestica, 1050; M. vomitoria, 1050.
Muscle callus in sterno-mastoid in infants, 810.
Muscles, diseases of, 995; degeneration of, in typhoid fever, 10.
Muscular atrophy, idiopathic, 996; facio-humeral type, 997; from lesions of motor nuclei, 996; from neuritis, 996; hereditary form of Leyden, 997; heredity in, 996; juvenile type of Erb, 997; peroneal form, 997; primary atrophic form, 997; in hemiplegia, 876.
Muscular atrophy, progressive spinal, 857; etiology of, 858; hereditary influence in, 858; morbid anatomy of, 858; symptoms of, 859.
Muscular contractures, in hemiplegia, 975; in hysteria, 970.
Muscular rheumatism, 281.
Musculo-spiral paralysis, 815.
Musical faculty, loss of, in aphasia, 901.
Musical murmurs, 609, 662.
Mussel poisoning, 1014.
Myalgia, 281.
Mycosis intestinalis, 158.
Myelin degeneration of alveolar cells, 491.
Myelitis, acute central, 829; acute diffuse, 828; acute transverse, 830; compression, 851; in measles, 80; of anterior horns, 831; reflexes in, 830; transverse, of cervical region, 831.
Myelocytes, 700.
Myelogenous leukæmia, 698.
Myiasis, 1050; of nostrils and of ears, 1050; vulnerum, 1050.
Myocarditis, 641; acute interstitial, 641; fibrous, 641; in rheumatism, 274; prognosis of, 645; symptoms of, 643; syphilis in, 178; treatment of, 645.
Myocardium, diseases of, 640; lesions of, due to disease of coronary arteries, 640.
Myopathies, the primary, 996; diagnosis of, 998.
Myositis, 995; ossificans progressiva, 995.
Myotonia congenita, 998.
Myotonic reaction of Erb, 999.
Mytilotoxine, 1015.
Myxedema, 714; acute, 715; congenital form, 714; operative, 715.
Nails, in typhoid fever, 16; in phthisis, 230.
Nasal diphtheria, 104.
Naso-pharyngeal obstruction, 335.
Neapolitan fever, 266.
Necrosis, acute, of bone, 275; in tubercle, 195; in typhoid fever, 27.
Nematodes, diseases caused by, 1025.
Nematoid worms in the common duct, 437.
Nephralgia, 962.
Nephritis, 741; acute, 741; after diphtheria, 106; chronic, 746; chronic haemorrhagic, 748.
Nephritis, chronic interstitial, 749; diagnosis of, 754; etiology of, 749; hemorrhages in, 754; increased tension in, 755; morbid anatomy of, 750; prognosis of, 755; relation of heart hypertrophy to, 751; symptoms of, 752; treatment of, 755; urine in, 752; vomiting in, 754.
Nephritis, chronic parenchymatous, 747; consecutive, 758; in erysipelas, 113; in chronic suppuration, 747; in malaria, 147, 747; in scarlet fever, 71.
Nephritis, lymphomatous, 27; suppurative, 759.
Nephrolithiasis, 765; symptoms of, 766.
Nephro-phthisis (see KIDNEY, TUBERCULOSIS OF).
Nephrophtosis, 717.
Nephorrhaphy, 720.