

Anemone pratensis, vi. 796
pulsatilla, vi. 796
Anesin, i. 321
Aneson, or chloretoe, as a local anaesthetic, i. 288; 321
as a hypnotic, i. 321
Anethol, i. 358
Anethum graveolens, iii. 479
Aneurism, i. 321
abdominal, i. 336; iii. 197
active clot in, i. 333
amputation in, i. 236
and branchial cyst, differential diagnosis of, ii. 459
arteriovenous, i. 334
treatment of, i. 335
by anastomosis, i. 335; vi. 403
cardiac, iv. 580
dissecting, iv. 581
cirrhotic, i. 335; 470
classification, i. 321
consecutive, i. 322
cure of, by blood-clot, i. 333
diffused, i. 322
dissecting, i. 336
electro-therapeutics in the treatment of, iii. 767
encysted, i. 322
causes, i. 324
composition of wall of, i. 322
(Fig.)
diagnosis, i. 326
direction of growth of, i. 323
prognosis of, i. 326
symptoms and progress, i. 324
treatment, i. 326
external, i. 321
false, i. 321
fusiform, i. 321
internal, i. 321
medical, i. 321
kyphosis due to, v. 378
of aorta, i. 35; 343, 409; ii. 825
of arteries of brain, ii. 227, 450
of coronary arteries, iv. 580
of heart walls, iv. 581
of innominate artery, i. 344
of the arch of the aorta, i. 343
of the ascending aorta, i. 343
of the descending aorta, i. 344
of the heart, iv. 580
of the root of aorta, i. 343
of the transverse arch of the aorta, i. 343
of the vertebral artery, vi. 196
of valves of the heart, iv. 582
orbital, vi. 402
pulse in, vi. 805
racemose, i. 235
renal, v. 361
retinal, vi. 955
spontaneous, i. 322
surgical, i. 321
thoracic, i. 339
traumatic, i. 333
treatment of, i. 327
by Anel's method, i. 328
by coagulating injections, i. 332
by compression of the artery, i. 330
by distal ligature, i. 332
by elastic pressure, i. 331
by flexion of limb, i. 331
by galvano-puncture, i. 334
by introduction of solid bodies, i. 333

Aneurism, treatment of, by manipulation or malaxation, i. 332
by metallic suture, i. 210
by Moore's method, i. 333
by needling, i. 333
by the Hunterian method, i. 328
by the method of Antyllus, i. 207
true, i. 321
valvular, of the heart, iv. 582
varicose, i. 334
Aneurism, abdominal, i. 336
differential diagnosis, i. 338
etiology, i. 336
exciting causes, i. 336
morbid anatomy, i. 336
physical signs, i. 337
predisposing causes, i. 336
prognosis, i. 338
symptoms, i. 337
treatment, i. 339
Aneurism, thoracic, i. 339
alterations of voice in, i. 340
diagnosis, i. 344
difference in size of pupils in, i. 341
dysphagia in, i. 340
dyspnea in, i. 339
emaciation, i. 341
engorgement of vena cava, i. 340
etiology, i. 339
galvano-puncture in, i. 347
pain in, i. 339
pathology, i. 339
physical signs of, i. 341
prognosis, i. 345
rupture of, i. 341
stridor in, i. 340
symptoms, i. 339
treatment, i. 346
Aneurismal bruit, i. 324
diagnosis, i. 324
dilatation, i. 321
varix, i. 321, 334
Angeititis, ii. 96
exudative, ii. 98
productive, ii. 98
suppurative, ii. 97
Angeioma. See *Angioma*.
Angelie acid, i. 348
Angelica, i. 347
Angina, croupous, benign, vi. 591
infectious submaxillary, vi. 593
Ludwig's, vi. 593; 614; viii. 489
pectoris, vi. 248; iv. 600
Angioblasts, erythrocytes formed from, ii. 18
Angiokeratoma, i. 348
Angioma, i. 350
and branchial cyst, differential diagnosis of, ii. 460
infective, i. 333
of auditory canal, external, iii. 668
of auricle, iii. 608, 666
of eyelids, iv. 106
of hands and fingers, iv. 501
of intestine, v. 189
of kidney, v. 233
of larynx, v. 433
of middle ear, iii. 668
of nose, vi. 188
of orbit, iv. 114; vi. 405
of periosteum, vi. 569
of pharynx, vi. 604

Angioma of tonsil, vii. 823
of urethra, i. 770
serpiginosum, i. 353
Angioneurotic oedema, i. 354; viii. 62
Angiosarcoma of peritoneum, vi. 570
Angiosclerosis, ii. 100
Angiostomidae, vi. 208
Angle, metre, i. 583
Anglesey leg, v. 513
Anguillula aceti, vi. 207, 502
intestinalis, vi. 208
leptodera, vi. 207
stercoralis, vi. 208
Anguillulidae, vi. 207
Angular kyphosis, ii. 809
Angustura, i. 357
Angusturin, i. 357
Anhalonidine, v. 761
Anhalonine, v. 761
Anhalonium, v. 761
Anhydremia, vi. 355
Anhydrotics, i. 388
Anidrosis, i. 357
Aniline, i. 357
dyes, viii. 395
water, preparation of, viii. 396
Antipyrene, i. 357
Animal calorimetry, ii. 557
coloring matters, iii. 223
food supply, viii. 224
heat, ii. 558
holder, Latapie's, viii. 393
Voge's, viii. 393
irritants, iii. 425
matter, regulations for keeping, vi. 331
organisms, food of, i. 173
parasites in lymph nodes, v. 660
Animals and plants, points of agreement between, i. 758
anthrax in, viii. 231
autopsy of infected, viii. 394
bubonic plague in, ii. 507
coloring matters in, iii. 223
diseased, cause of unwholesome milk, v. 835
diseases of, influence of, on human pathology, viii. 226
effects of castration on male, ii. 710
gllanders in, viii. 232
influence of climate on, iii. 147
inoculation of, viii. 392
live, keeping of, regulations for, vi. 331
observation of infected, viii. 394
protection of, from infectious diseases, viii. 225
of mankind from communicable diseases and parasites of, viii. 225
rabies of, viii. 229
slaughter of, laws and regulations relating to, v. 724
tapeworms of, in relation to public health, viii. 233
tuberculosis of, viii. 226
used as food, diseases of, v. 726
Animation, suspended, i. 559
Animi, iii. 278
Animism, ii. 299; iv. 645
Anions, viii. 414
Aniridia, v. 217
Anise, i. 357
oil of, i. 358
star, i. 358

Animation, suspended, i. 559
Animi, iii. 278
Animism, ii. 299; iv. 645
Anions, viii. 414
Aniridia, v. 217
Anise, i. 357
oil of, i. 358
star, i. 358

Anisometropia, i. 58
Ankle, amputation at, i. 258
bursa of, ii. 526
drainage of, v. 294
resection of, vi. 931
sprain of, iii. 274; v. 291
Ankle clonus, vi. 874
Ankle-joint, i. 358
dislocations of, iii. 529
functional affections of, v. 275
synovitis of, v. 275, 288
tuberculosis of, v. 275
Ankyloblepharon, vii. 699
Ankylosis, i. 359, 465
following sprains, v. 292
of hand, iv. 516
of jaw, v. 258
of patella, vi. 518
of sacro-coccygeal joint, vi. 528
of wrist, iv. 518
Anatto, i. 361
in milk, detection of, v. 840
Annidalin, i. 449
Annulus ovalis, iv. 568
tendinous, iii. 583
tympanicus, i. 625
Anodyne, chloroform, i. 361; iii. 7 Hoffman's, i. 361; iv. 13
Anodynes, i. 361
Anona, i. 362
Anonaceæ, i. 362
Anomalies, congenital, of the choroid, iii. 63
of the vitreous, viii. 265
inheritance of, iv. 660
of adrenals, vii. 566
of arteries, i. 525
of iris, v. 216
of kidney, v. 310, 319
of muscles, vi. 42
of thoracic duct, vii. 745
of veins, viii. 208
Anonychia, iv. 510; vi. 93
Anopheles, vi. 168, 866
maculipennis, vi. 163, 867, 871
punctipennis, vi. 867
Anophthalmus, vi. 699
Anorchism, vii. 179
Anorexia, vii. 493
in pulmonary tuberculosis, v. 605
nervosa, vii. 504
Anosmia intracranialis, vi. 181
nasalis, vi. 181
Antacids, i. 186
Anteflexion of uterus, viii. 80
Ante-mortem blood clot, iv. 614
Anterior crural neuralgia, vi. 247
Anterior jugular veins, anomalies of, viii. 203
Anthelmintics, i. 362
Anthemis cotula, ii. 795
nobilis, ii. 795
pyrethrum, vi. 522
Anthemol, ii. 795
Anthoxanthum odoratum, iii. 338
Anthracæmia, i. 363, 366
Anthracin, ptomain, vi. 791
Anthracosis, v. 594; vi. 635
Anthraquinones, ii. 515
Anthrarobin, i. 363
Anthrax, ii. 363
among cattle, detection of, v. 726
bacteriology of, i. 365, 712; viii. 399
in animals, viii. 231
a cause of unwholesome milk, v. 836

VOL. VIII.—39

Antipyrine, relation of, to phenacetin, vi. 606
solubility of, i. 379
toxic symptoms of, i. 380
Antipyrin benzoate, i. 379
Antirheumaticum, i. 382
Antiscorbutics, ii. 620; v. 803
Antisepsin, i. 382; v. 853
Antiseptis, intravascular, vii. 130
Antiseptic, pyotokin as an, vi. 817; solution, vii. 765
Antiseptics, i. 382
comparative value of various, i. 383
use of, in dysentery, iii. 574
in infantile diarrhoea, iii. 448
in obstetrics, v. 379, 384
Antiseptol, i. 386; v. 210
Antispasmin, i. 386
Antispasmodics, i. 387
Antisudorifics, i. 388
Antithermin, i. 388; vi. 609
Antitoxic sera, i. 388
Antitoxin, diphtheria, i. 389; iii. 489
administration of, in croup, iii. 333
paralysis following use of, vi. 489
testing strength of, viii. 402
Antitoxin treatment of dysentery, iii. 575
Antitoxin, rabies, vi. 831
Antitoxin, tetanus, i. 390, 699
Antitoxins, nature of, i. 388
persistence of, in the blood, i. 389
Antitragus, variations in, i. 640
Antitussin, i. 391
Anti-vaccination, viii. 149
Antivenene, vi. 715
Antrum, mastoid, vii. 236
Antrum of Highmore, vi. 104, 144; vii. 233; viii. 240
cystic disease of, v. 248
effect of disease of, upon orbit, vi. 408
empyema of, vi. 144
hydronephrosis of, v. 248
measurements of, viii. 240
operations for disease of, vi. 144
polypus of, v. 249
suppuration in, v. 248; vi. 144
tubes for reaching, from nasal cavity, vi. 146
Ants, v. 167
Antyllus, method of, for treating aneurism, i. 327
Anuria, viii. 28
Anus, abscess of, i. 394
artificial, iii. 205; and see *Colostomy*
atresia of, i. 604; vii. 704
cancer of, i. 398
chancres, i. 397
chancroid, i. 396
condyloma of, i. 404
eczema of, iii. 725
excision of, i. 399
fissure of, i. 395
fistula of, i. 394
hemorrhoids of, i. 391
imperforate, vii. 704
lymphatics of, v. 635, 637
malformations of, i. 604
neuralgia of, i. 405; vi. 248
non-malignant growths of, i. 403
phlegmon around, vi. 616
polypus of, i. 403

Anus, prolapse of, i. 392
pruritus of, i. 405
spasm of sphincter of, i. 405
stricture of, i. 397
surgery of, i. 391
syphilitic ulceration, i. 396
ulceration of, i. 395
vulvo-vaginal, viii. 161
vulvitis, viii. 161
vulvar, viii. 161
Anus, i. 405
Anvil, iii. 585. See also *Incus*
Anxiety a cause of insanity, v. 32
Anytin, i. 405
Anytols, i. 406
Aorta, i. 406
aneurism of, iii. 580
anomalies of, i. 407, 525; ii. 93
arch of, i. 406, 525; ii. 94
ascending, i. 406
stenosis, vii. 707
varieties of, i. 406
cancer of, i. 399
compression of, i. 536
descending, i. 408
varieties, i. 408
diseases of, i. 409
double, ii. 94
narrowing of, ii. 94
obliteration of, ii. 94
stricture of, i. 397
structure of, i. 408
syphilis of, ii. 107
Aorta, abdominal, i. 408
aneurism of, i. 35, 336
Aorta, thoracic, i. 408; vii. 750
aneurism of, ii. 825
Aortic isthmus, i. 407
plexus, vii. 578
regurgitation, vi. 804
stenosis, ii. 824; iv. 604; vi. 805
valves, iv. 571
insufficiency of, ii. 824; iv. 603
Aortitis, i. 409; ii. 96
Apathy's fluid, iv. 709
Ape hand, iv. 531
Aperients, v. 468. See also *Laxatives*
Apex beat of heart, iii. 106
Aphakia, i. 58; iv. 803
Aphasia, i. 409
and cerebral localization, ii. 310
articulatory kinesthetic, i. 412
associative, i. 410
ataxic, i. 410
auditory, i. 410, 414
classification of, i. 410
cortical motor, i. 412
epileptic, iii. 845
in hemiplegia, iv. 631
motor, i. 410, 412
of writing, i. 410
sensory, i. 410, 413, 415
subcortical motor, i. 412
visual, i. 410, 414
Aphemia, i. 410
Aphidæ, parthenogenesis among, vi. 514
Aphidæ, poisonous, v. 168
Aphrodisia, i. 300
Aphrodisiacs, i. 420
Aphthæ, viii. 488
Bednar's, viii. 488
epizootic, iv. 733
of the palate, viii. 488
of the vulva, viii. 161
vesicular, iv. 733

Aphthongia, iv. 823
Aphthous fever, iv. 734
Apiol, viii. 1
Apis mellifica, iv. 733; v. 168
Apium graveolens, ii. 760; viii. 1
petroselinum, viii. 1
Aplasia, i. 140, 606
pilorum propria, i. 605
Apneumatosis, i. 597
Apnœa, artificial respiration in, i. 599
Arachnid, i. 428
in nasal cavities, vi. 142
poisonous, v. 158
Arachnoid, the, ii. 214
cisternas of, ii. 216
Aragalus, poisonous, vi. 708
Aragon, Baths of, i. 437
Aralia quinquefolium, iv. 352
Araliaceæ, i. 438
Aran-Duchenne disease, vi. 64
Araneidae, v. 159
Araroba, iii. 75
Arbor vitae, i. 438
of cerebellum, ii. 160
Arborization of nerve processes, vi. 234
Arbutin, i. 738
Arc keratoscopique of De Wecker and Masselon, vi. 395
Apoplexy, ii. 241
placental, iii. 53, 388; vi. 650
spinal, vii. 349
Aporetin, vi. 974
Apostoli's treatment of uterine diseases, iii. 764
Apparatus for compressing air, i. 131
orthopaedic, iv. 221, 223, 227
prosthetic, v. 513
Appearance, general, in life insurance, v. 510
Appendicitis, i. 421
application of cold in, iii. 195
diet in, iii. 459
left-sided, i. 423
leucocytosis in, v. 492
Appendix vermiciformis, abscess of, i. 39
anatomy of, i. 14, 182, 421
bacteriology of, i. 422
foreign bodies in, i. 422
hernia of, iv. 682
histology of, v. 185
measurements of, viii. 239
topographical anatomy of, i. 184
Appetite, altered, vii. 494
diminished, vii. 493
excessive, vii. 494
in diseases of the stomach, vii. 493
Apple, essence of, i. 267
oil of, i. 267
Apple, May. See *Podophyllum*
Apraxia, i. 415
Apus, vii. 714
Apyonim, i. 428
Aqua, v. 740. See also *Water*
ammoniae, i. 215
as an expectorant, iv. 50
fortior, i. 215
anethi, iii. 479
chlori, iii. 5
chloroformi, iii. 9
creosoti, iii. 328
feniculi, iv. 145
fortis, vi. 289
hydrogeni dioxidi, iv. 786
menthae piperite, vi. 554

Arginin a source of urea, v. 772
Argol, vi. 744
Argonin, vii. 216
Argyria, Argyrism, Argyrosis, Argyriasis, i. 446; vi. 635
Argyria conjunctivæ, iii. 251
Argyrol, vii. 216
used in gonorrhoeal cystitis, viii. 167
Arhinencephalus, vii. 699
Arrhythmia, iv. 599; vi. 801
Aricine, iii. 92
Arisœma triphyllum, vii. 913
Aristol, i. 449
Aristolochia Argentina, vii. 255
clematitis, vii. 255
reticulatum, vii. 254
serpentaria, vii. 254
Aristolochiaceæ, i. 449
Aristolochin, vii. 255
Arithmetie and metrology, viii. 295
Arizona, i. 449
requirements for medical practice in, iv. 48
Arkansas, requirements for medical practice in, iv. 48
history of yellow fever in, viii. 588, 589
Arm, the, i. 451
amputation of, i. 252
blood and nerve supply of, i. 451, 452
diseases and injuries of, i. 454
lymphatics of, v. 631
muscles of, i. 451
phlegmon of, vi. 615
Armamentarium, obstetric, v. 883
Armillaria, iv. 284
Armoracia, iv. 737
Arm-pit. See *Arilla*
Army, the, branch of service in, as affecting health, i. 500
comparison of statistics of, i. 510
death rates in, compared with civil life, i. 497
diseases. See *Camp Diseases*
health of, i. 495
hospital ships of, iv. 737
hygiene of. See *Military hygiene*
loss of time from sickness in, i. 497
losses of, from sickness and from wounds, i. 496
mortality of, during the Civil War, i. 499
war as affecting health of, i. 499, 507
Army field hospital organization, i. 473
Army hospital corps, i. 482
instruction in, i. 488
pay of, i. 485
uniform of, i. 485
Army medical department, i. 492
medical officer, i. 473
medical statistics, i. 495
nurse corps, i. 513
transport service, i. 517
Arnica, i. 520
Arnicin, i. 520
Arnold's steam sterilizer, viii. 381
test for diacetic acid, viii. 49
Aroideæ, i. 428
Aromatic sulphuric acid, vii. 563
syrup of rhubarb, vi. 974
tincture of rhubarb, vi. 974

Arteries, anomalies of, cerebral, i. 527
circumflex iliac, i. 534
common carotid, i. 526
iliac, i. 533
coronary, ii. 95
cremasteric, iv. 326
deep cervical, i. 529
femoral, i. 535
deferential, iv. 326
dorsal interosseous, i. 531
dorsalis penis, i. 534
epigastric, i. 534
external carotid, i. 526
circumflex, i. 535
iliac, i. 534
plantar, i. 535
facial, i. 527
femoral, i. 534

inferior profunda, i. 453, 531
thyroid, i. 528
innominate, i. 526
internal carotid, i. 527
circumflex, i. 535
iliac, i. 533
mammary, i. 529
maxillary, i. 527
plantar, i. 535
pubic, i. 533; vi. 566
interosseous, i. 531
lingual, i. 527
long thoracic, i. 529
median, i. 530, 532
middle thyroid, i. 526
obturator, i. 533, 539
occipital, i. 527
of the spleen, vii. 414, 419
ophthalmic, i. 527
peroneal, i. 535; v. 482
popliteal, i. 535
posterior auricular, i. 527
cerebral, i. 527
circumflex, i. 529
communicating, i. 527
tibial, i. 535; v. 481
profunda femoris, i. 535
pulmonary, ii. 93
radial, i. 529, 530, 531
recurrent, i. 531
renal, i. 532; v. 312
saphenous, i. 535

Artery or Arteries, aberrant, in the arm, i. 529
abnormities of, ii. 93
acupressure of, healing after, i. 538
anostomotica magna, i. 453
anomalies of, i. 531

Artery or Arteries, anterior ulnar recurrent, iv. 248 arteriosclerosis in different, ii. 104 ascending pharyngeal, anomalies of, i. 527 atheroma of, i. 470 auditiva interna, ii. 251 axillary, vii. 208 anomalies of, i. 529 basilar, ii. 250 brachial, i. 452 anomalies of, i. 529 at the elbow, iii. 735 callosal, ii. 251 carotid, vi. 193 cerebral portion of, ii. 252 surface-marking of, vi. 191 cerebral, ii. 249, 250 aneurism of, ii. 227 anomalies of, i. 527 carotid, ii. 252 chiasmic, ii. 252 choroidal, ii. 254 ciliary, iv. 73 circle of Willis, ii. 251 circumflex iliac, anomalies of, i. 534 coats of, ii. 90 common carotid, anomalies of, i. 526 ligature of, vi. 193 surface-marking of, vi. 191 common iliac, anomalies of, i. 523 compression of, i. 536 coronary, iv. 573 anomalies of, ii. 95 deep femoral, anomalies of, i. 535 dural, ii. 249 elasticity of, vi. 799 epigastric, anomalies of, i. 534 external carotid, vi. 193 anomalies of, i. 526 encraniial branches, ii. 249 ligature of, vi. 193 external circumflex, anomalies of, i. 515 external iliac, anomalies of, i. 534 external plantar, anomalies of, i. 535 facial, anomalies of, i. 527 surface-marking of, vi. 191 femoral, vii. 738 anomalies of, i. 534 branches of, vii. 739 in Scarpa's triangle, vii. 739 fosse Sylvii, viii. 234 geniculate, ii. 254 healing of, after acupressure, i. 538 histology of, ii. 90 hyaloid, persistent, viii. 265 hyperplasia of, ii. 96 inferior laryngeal, v. 409 profunda, i. 453 anomalies of, i. 531 inflammation of, ii. 96 innominate, anomalies of, i. 526 internal carotid, anomalies of, i. 527 circumflex, vii. 739 anomalies of, i. 535 iliac, anomalies of, i. 535 lateral mammary, i. 529 mammary, vii. 750 anomalies of, i. 529

Artery or Arteries, internal maxillary, anomalies of, i. 527 plantar, anomalies of, i. 535 pudic, vi. 566 anomalies of, i. 533 interosseous, iv. 243 lenticular, ii. 253 lenticulo-striate, ii. 253 lenticulo-thalamic, ii. 253 ligature of, vi. 193 for inoperable cancer, ii. 644 healing after, i. 538 lingual, vi. 194 anomalies of, i. 527 ligature of, vi. 194 surface-marking of, vi. 191 mastoid branch of the occipital, ii. 250 median, anomalies of, i. 530, 532 medicebellar, ii. 251 medicebral, ii. 252 medichoroid, ii. 254 medidural, ii. 249 medifrontal, ii. 252 mediooptic, ii. 254 medioparietal, ii. 253 metastatic abscesses in walls of, ii. 98 middle thyroid, i. 526 obturator, i. 9; vii. 740 anomalies of, i. 533, 539 occipital, ii. 254 anomalies of, i. 527 surface-marking of, vi. 191 of the abdominal wall, ii. 251 of the arm, i. 452, 470; iii. 735; iv. 242 of the auricle, i. 638 of the brain, ii. 227, 250, 260 of the bulb, anomalies of, i. 533 of the kidney, v. 312 of the knee-joint, v. 371 of the mamma, ii. 469 of the neck, vi. 191, 193 of the umbilical cord, histology of, viii. 4 ophthalmic, i. 527 ovarian, vii. 153 paridural, ii. 250 pathological anatomy of, ii. 93 perforantes anteriores, ii. 252 peroneal, anomalies of, i. 535 ponticular, ii. 251 popliteal, anomalies of, i. 535 postcerebellar, ii. 250 postcerebral, ii. 253 branches of, ii. 254 postchoroid, ii. 254 postcommunicant, ii. 253 postdural, ii. 250 posterior auricular, anomalies of, i. 527 interosseous, iv. 243 laryngeal, v. 410 tibial, anomalies of, i. 535 ulnar recurrent, iv. 243 postparietal, ii. 253 post-temporal branches of the postcerebral, ii. 254 post-thalamic, ii. 254 precerebral, ii. 251 prechoroid, ii. 252 precommunicant, ii. 251 preducal, ii. 250 prefrontal, ii. 253 preoptic, ii. 254 preparietal, ii. 253

Artery or Arteries, pretemporal branches of the postcerebral, ii. 254 profunda femoris, vii. 739 anomalies of, i. 535 pulmonary, v. 582; vii. 750 radial, anomalies of, i. 531 in the forearm, iv. 242 radial recurrent, iv. 242 anomalies of, i. 531 ramus parietalis, ii. 250 recurrent spinal, ii. 250 renal, v. 312 anomalies of, i. 532 sciatic, vii. 740 anomalies of, i. 534 spermatic, iv. 326 anomalies of, i. 533 subclavian, vi. 194; vii. 750 anomalies of, i. 527 ligature of, vi. 194 subdural, ii. 250 subfrontal, ii. 252 supercerebellar, ii. 251 superficial circumflex iliac, vii. 736 superficial epigastric, vii. 736 superficial external pudic, vii. 736 superficial temporal, anomalies of, i. 527 superficial volar, anomalies of, i. 531 superior intercostal, vii. 750 anomalies of, i. 529 superior laryngeal, v. 409 superior mesenteric, iv. 747 superior profunda, i. 453 anomalies of, i. 531 superior thyroid, v. 409; vi. 194 anomalies of, i. 527 surface-marking of, vi. 191 suprascapular, anomalies of, i. 528 supradural, ii. 250 suture of, healing after, i. 538 termatic, ii. 251 thyroidea ima, anomalies of, i. 526, 528 torsion of, healing after, i. 538 transverse cervical, anomalies of, i. 528 facial, anomalies of, i. 527 tubal, vii. 157 ulnar, anomalies of, i. 531 in the forearm, iv. 242 uterine, vii. 163 vertebral, vi. 195 anomalies of, i. 528 encephal branches, ii. 520 ligature of, vi. 196 vitelline, viii. 335

Arteriometer, Oliver's, vi. 802

Arteriosclerosis, ii. 100

diagnosed from paresis, v. 91

frequency of, in various arteries, ii. 105

in diabetes mellitus, iii. 429

insanity dependent on, v. 94

Arteritis, syphilitic, ii. 106

Artesian wells, viii. 279

Arthralgia, lead, v. 474

Arthrite plastique ankylosante, v. 261

Arthritis, acute suppurative, i. 464

cervical, vii. 388

gonorrhœal, iv. 403; vii. 388

Arthritis, infective, i. 464 of hand, iv. 513, 514 of knee, v. 288 of temporo-maxillary articulation, v. 258 rheumatoid, i. 464, 544; vi. 969 tuberculous, of wrist, iv. 504

Arthritides deformans, i. 544; iv. 514; vi. 969 diagnosed from acromegaly, i. 96 in children, i. 548 of the hand, iv. 514 of the hip-joint, v. 273 of the knee, v. 274 of the phalangeal joints, v. 276 of the shoulder, v. 276 of the wrist, v. 276

Arthrodesis, iv. 238

Arthrodia, v. 553

Arthrodia, i. 550

Arthropathies of neoplastic origin, i. 555

Arthropathy, progressive, i. 556 spinal, i. 555

Arthropods, v. 160

Arthropores, i. 681

Articulation, function of teeth in, vii. 650 physiology of, v. 453 position of vocal organs in, v. 455

Articulations, i. 550. See also *Joints*

ankle, i. 358

elbow, iii. 737; vi. 917

hip, iv. 689; vi. 938

knee, v. 369; vi. 933

lumbo-sacral, vi. 538

malleo-incudal, i. 617

metatarso-phalangeal, v. 275

of pelvis, vi. 538

sacro-coccygeal, vi. 538

sacro-iliac, vi. 538

shoulder, vi. 922

temporo-maxillary, v. 258

wrist, vi. 912; viii. 316

Artificial aids to defective hearing, iii. 630 conception, vii. 457 eyes, i. 556; viii. 446, 447, 448 feeding of infants, iv. 861 gum, iii. 428 larynx, v. 424, 425 limbs, v. 513 respiration, i. 559

Artificial anus, iii. 205. See also *Colostomy*

sacral, truss for, i. 402

Arum, vii. 913 maculatum, vii. 913

Arum family. See *Araceæ*

Arumbaro Springs, i. 561

Arytenoid cartilages, v. 407

muscle, v. 409

Asafetida, i. 561

as an antispasmodic, i. 387

Asagreæ officinalis, viii. 220

Asaprol, i. 562

Asarabacca, vii. 254

Asarol, vii. 254

Asarum canadense, vii. 254

europeum, vii. 254

reflexum, vii. 254

Asboline, i. 563

Ascaridæ, vi. 222

Ascaris alata, vi. 222

apri, vi. 219

caniculae, vi. 223

Ascaris canis, vi. 220, 223 cati, vi. 223 clavata, vi. 502 felis, vi. 223 lumbrocoidea, i. 362; vi. 206, 222, 504 in gall duct and gall bladder, iv. 298 in kidney, v. 345 in nasal cavities, vi. 142 marginata, vi. 223 maritima, vi. 223, 502 martis, vi. 220 megalocophala, vi. 223 mystax, vi. 223 renalis, vi. 220 teres, vi. 223 transfuga, vi. 502 trichiura, vi. 216 tricuspidata, vi. 223 vermicularis, vi. 223 visceralis, vi. 220 Werner, vi. 223

Asch operation for deviated nasal septum, vi. 125

Ascites, chylous, iii. 78; v. 666; vi. 359

Ascidic fluid, i. 563

Asclepiadaceæ, i. 565

Asclepiadin, i. 565; vi. 668

Asclepias, i. 565

incarnata, ii. 647

tuberosa, vi. 668

Ascomyces, iv. 277, 279

Asellin, ptomain, vi. 789

Asemia, i. 410

Asepsin, i. 382; v. 853

Asepsis in obstetrics, v. 379, 384 surgical, i. 565

Astheno-pia, i. 57, 581

causes of, i. 582

curability of, i. 583

ex anopsia, i. 582

ex hyperopia, i. 582

muscular, i. 583

Asthma, i. 584; vi. 183 bronchial, iv. 565 climates suitable for, iv. 565 diet in, iii. 461 dyspnoea in, iii. 580 dyspeptic, due to auto-intoxication, i. 644

health resorts for, iv. 565 idiosyncasy in, iv. 841 nasal, iv. 565 paper, vi. 745 potters', v. 594 sputum in, vii. 432 theories of, i. 587 thymicum, v. 728; vii. 448

Astigmatism, i. 58, 590; iv. 91 compound hypermetropic, i. 592 compound myopic, i. 592 correction of, i. 594 diagnosis of, i. 592 irregular, i. 595 measurements of, i. 592 mixed, i. 592 normal, i. 596 simple hypermetropic, i. 592 simple myopic, i. 592 treatment of, i. 594

Astigmometer of De Wecker and Masselon, vi. 394

Astomia, viii. 490

Astomus, vii. 701

Astragalectomy in talipes, iv. 229

Astragalus, dislocations of, iii. 529 fracture of, iv. 269

Astragalus gummifer, vii. 845

Astragalus (poisonous plant), vi. 708
Astringents, i. 596
Asymbolia, i. 410
Asymmetry of skull in insanity, v. 51
of uvula, viii. 109
Atavism, vi. 962
in insanity, v. 28
Ataxia, i. 282
cerebellar, ii. 239
Friedreich's, iv. 532; vii. 347
hereditary, vii. 347
locomotor, vii. 378
of hand, iv. 528
spinal, vii. 346
subacute spinal, vii. 335
Ataxic paraplegia, Gowers', vii. 337
Atelectasis, i. 597
fetal, i. 673
of chorion, iii. 60
Athelia, ii. 465
Atheroma, ii. 100
diagnosed from paresis, v. 91
insanity dependent on, v. 94
of the arteries, i. 470
of the auricle, iii. 666
Athetosis, i. 599; iv. 533
of upper extremity, i. 468
Athletics, effect of, upon heart, iv. 612
Athyroidism, vi. 409
Atlantic City, N. J., i. 600
Atlo-axoid disease, vii. 401
Atmokausis, use of, in metritis, v. 786
Atmosphere, character of, in relation to consumption, i. 150; iii. 266
Atmospheric ocean, depth and circulation of, i. 147
Atmospheric pressure, an element of climate, iii. 141
at health resorts, iv. 564
differences in, physics of, vi. 670
high, effects of, ii. 547
Atomizers, v. 734
Atopomenorrhœa, v. 740
Atotonilco, i. 602
Atotonilco de San Andres, i. 602
Atresia, i. 603
acquired, i. 603
congenital, i. 603
of the anus, i. 604; vii. 704
of the bladder, i. 604
of the bronchi, i. 603
of the external auditory canal, i. 603
of the intestine, i. 604
of the larynx, i. 603
of the mouth, i. 603; viii. 490
of the nasal passages, i. 603
of the œsophagus, i. 603
of the palpebral opening, i. 603
of the pupil of the eye, i. 603
of the pylorus, i. 603; vii. 519
of the rectum, i. 604; vii. 705
of the stomach, i. 603
of the trachea, i. 603
of the ureter, viii. 11
of the urethra, i. 604
of the uterine canal, i. 604; viii. 68
of the vagina, i. 604; viii. 158
of the vulva, viii. 160
Atrium, vii. 237
of lungs, v. 581
Atropa belladonna, i. 610, 741

Atrophia pilorum propria, i. 604
Atrophy, i. 404, 606
acute yellow, of liver, v. 536
due to disease, i. 607
due to pressure, i. 608
fatty, i. 609
from disuse, i. 607
in blood-vessels, ii. 95
muscular, in arthritis deformans, i. 547
in certain occupations, iv. 527
neuropathic, i. 608
of adrenals, vii. 567
of bladder, i. 768
of blood-vessels, ii. 95
of brain, ii. 228
of cervix uteri, viii. 64
following infection of uterine adnexa, viii. 65
following systemic diseases, viii. 65
of lactation, viii. 65
senile, viii. 64
of decidua, iii. 389
of diaphragm, iii. 437
of hair, i. 604
of lymph nodes, v. 660
of muscles, in hip-joint disease, v. 267, 270
of nails, vi. 93
of neurones, vi. 261
of non-striated muscle, vi. 39
of œsophagus, vi. 339
of omentum, vi. 359
of optic nerve, ii. 11
of ovary, vi. 432
of parathyroid glands, vi. 507
of patella, vi. 518
of pituitary gland, vi. 640
of placenta, iii. 56; vi. 651
of prostate, vi. 769
of retina, vi. 959
of striated muscle, vi. 27
of thymus gland, v. 728
of thyroid, vii. 775
of tongue, vii. 793
of veins, viii. 209
physiological, i. 606
progressive muscular, vi. 62
of arm and forearm, i. 466
of hand, iv. 531
senile, vi. 607
Atropic poisons, i. 610
Atropine, i. 742
action of, on heart, v. 23
and hyoscyamine, relations of, i. 742
as a mydriatic, vi. 70
as an expectorant, iv. 51
effects of, on body temperature, ii. 570
on foetus, vi. 279
hypodermic use of, iv. 820
poisoning of, i. 610
Atropinism, iii. 250
a cause of conjunctivitis, iii. 250
Attar of roses, vi. 1000
Atten, ii. 828
Attention, lack of concentration of, in insanity, v. 55
Attic, vii. 237
Attitude, in hip disease, v. 269
Attraction sphere, ii. 762
Audclare, iii. 633
Audiphone, the Rhodes, iii. 634
Audition, i. 611
localization of sense of, ii. 307

Auditory canal, external, anatomy and physiology of, i. 625
absence of, iii. 621
acute circumscribed inflammation of, iii. 617
angioma of, iii. 668
animate objects in, iii. 647, 648
arteries of, i. 627
atresia of, i. 603
benign new growths of, iii. 667
condylomata of, iii. 676
diffuse inflammation of, iii. 616
diphtheritic inflammation of, iii. 620
eczema of, iii. 618
enchondroma of, iii. 668
exostoses of, iii. 620
false membranes of, iii. 668
follicular inflammation of, iii. 617
foreign bodies in, iii. 646
fungus in, iii. 615
furuncles in, iii. 618
gunshot wounds of, iii. 689
hyperostosis of, iii. 620
hypersecretion of ceruminous glands, iii. 614
impacted cerumen in, iii. 614
laminated epithelial plugs in, iii. 615
lymphatics of, i. 627
malformations of, iii. 613
malignant growths of, iii. 669
measurements of, viii. 240
nerves of, i. 627
osteoma of, iii. 667
parasitic inflammation of, iii. 615
 pityriasis alba of, iii. 616
polypi of, iii. 621
relations of, i. 626
sebaceous cyst of, iii. 667
size of, i. 625, 627
syphilis of, iii. 676
traumatism of, iii. 688
Auditory hairs, i. 621
Auditory nerve and its end organs, i. 621, 627, 631; iii. 823
arrested development of, iii. 597
atrophy of, iii. 600
comparative anatomy, i. 627
degeneration of, iii. 600
diseases of, iii. 600
embryology of, i. 630
phylogeny, i. 627
syphilitic affections of, iii. 684
Auditory ossicles, i. 616
Auditory sensations compared with visual, i. 624
Auerbach, plexus of, v. 187
Augusta, Ga., i. 633
Auræ, epigastric, iii. 845
psychical, iii. 845
Aurantiamarin, iii. 127
Auricle of ear, i. 615, 636, 639; iv. 568, 570
abscess of, iii. 607
acne of, iii. 606
anaesthesia of, iii. 611
anatomy and physiology of, i. 636
aneurism of, iii. 608
angioma of, iii. 608, 666
atheroma of, iii. 666
burns and scalds of, iii. 611
carcinoma of, iii. 610
congenital malformations of, iii. 611
cramp of, iii. 611

Auricle of ear, cutaneous horn of, iii. 608
cysts of, iii. 608, 666
diphtheria of, iii. 608
ecthyma of, iii. 608
eczema of, iii. 606, 619, 723
elephantiasis of, iii. 608
epithelioma of, iii. 668
erysipelas of, iii. 607
fibroma of, iii. 666
frost-bite of, iii. 607
functions of, i. 640
gangrene of, iii. 607
haematomata of, iii. 608
herpes of, iii. 606
hyperesthesia of, iii. 611
hypertrophy of, iv. 591
ichthyosis of, iii. 608
impetigo contagiosa of, iii. 606
ligaments of, i. 637
lipoma of, iii. 666
lupus of, v. 613
muscles of, i. 638
nevus of, iii. 608
nerves of, i. 638
neuralgia of, iii. 611
new growths of, iii. 610
nomo of, iii. 610
ossification of cartilage of, iii. 610
otheamatoma of, iii. 608
papilloma of, iii. 667
pemphigus of, iii. 606
perichondritis of, iii. 609
pruritus of, iii. 607
psoriasis of, iii. 606
sarcoma of, iii. 610, 668
seborrhœa of, iii. 607
syphilis of, iii. 676
tophi of, iii. 610
traumatism of, iii. 611, 687
tuberculosis of, iii. 610
ulceration of, iii. 607
variations in, i. 639
warts of, iii. 608, 667
Auricular appendix (of heart), iv. 568, 570
Auricular nerve, great, vi. 191
point, vii. 229
venous pulse, vi. 806
Auricularis anticus muscle, anomalies of, vi. 43
Aurora Springs, i. 640
Aurum canadense, vii. 254; see also *Snakeroot*
Auscultation, ii. 816
in pregnancy, iv. 342
of the fetal heart, v. 381
Auscultation tube, for examining middle ear, iii. 664
Australia, i. 640
Austria-Hungary, food adulteration in, iv. 166
pharmacopeia in, vi. 581
registration of death in, iii. 375
Autoclave, Chamberland's, viii. 382
Autohypnotic state, iv. 812
Auto-intoxication, i. 641
as a cause of insanity, v. 84
of gastric origin, i. 643
of gastro-intestinal origin, i. 642
of hepatic origin, i. 645
of pregnancy, i. 646
of thyroid origin, i. 646
relation of internal glands to, v. 775
Autolysin, viii. 472
Automatic actions, i. 647

Bacillus botulinus, iv. 185
Breslaviensis, iv. 187
cellulaeformans, iv. 187
coli communis, i. 702, 709
difference between bacillus of typhoid and, i. 703
in new-born, vi. 278
in water, tests for, viii. 291
"comma," of Koch, viii. 363
diphtheriae, i. 694; iii. 480
exudate due to, contrasted with that due to other bacilli, iii. 487
in dissection and operation wounds, iii. 581
non-virulent, iii. 481
virulent, iii. 481
enteritidis, iv. 186
Friedebergensis, iv. 187
influenzae, i. 693
Klebs-Loeffler's, iii. 480
Koch's comma, viii. 363
tubercle, i. 689
lepra, i. 692
mallei, iv. 352
morbificans bovis, iv. 186
Neapolitanus, i. 702
of bubonic plague, i. 717
of glanders, i. 717
of malignant œdema, i. 711
of psittacosis, vi. 779
of rhinoscleroma, vi. 972
of syphilis, vii. 608
of typhoid fever, i. 700; viii. 576
pestis, cause of bubonic plague, ii. 504
bubonica, i. 718
Pfeiffer's, v. 18
proteus vulgaris, i. 711
pseudotuberculosis rodentium, vi. 776
pyocyanus, i. 710
effect of, on body temperature, ii. 571
smegmatis, i. 693
tetani, i. 698
tuberculosis, i. 869
in dissection and operation wounds, iii. 530
methods of staining, viii. 397
Back, massage of, v. 695
Backache, neurasthenic, vi. 250
Bacon's rongeur forceps, v. 703
Bacteria, i. 677
a cause of food poison, iv. 185
action of, in body, iv. 871
aërobic, i. 686
anaërobic, i. 686; viii. 389
cause of milk coagulation, iii. 152
chemical composition of, i. 682
effects of, i. 683
classification of, i. 678
conditions of growth of, i. 682
cultivation of, viii. 389
definition, i. 680
degenerated, i. 682
effect of chemical agents on, i. 687
examination of, viii. 395
facultative, i. 686
general characteristics of, i. 679
groups of, i. 680
hemolysis caused by, viii. 474
in water, viii. 291
counting colonies of, viii. 291
influence of, on other classes of bacteria, i. 685
involvement forms of, i. 681
mesophilic, i. 686