

**Brain**, encephalic flexures, ii. 142  
variations, ii. 153  
endymal continuity, ii. 151  
entocinerea of, ii. 139, 162  
of cerebellum, ii. 163  
epencephal, ii. 156  
epicele, ii. 157  
epiphysis, ii. 166  
peculiar topographical relations, ii. 167  
epilexus, ii. 157  
episylian fissure, ii. 193  
exoccipital fissure, ii. 193, 204  
external calcarine fissure, ii. 186  
capsule, ii. 182  
occipital fissure, ii. 204  
perpendicular fissure, ii. 204  
falcula, ii. 212  
falx, ii. 211  
cerebelli, ii. 212  
fastigatum, ii. 162  
fifth ventricle, ii. 184  
fimbria, ii. 180  
fissural connections, ii. 190  
diagrams, ii. 190  
integer, ii. 198  
variation, ii. 190  
fissure, interhemispherical, ii. 187;  
see *Intercerebral fissure*  
of Rolando, ii. 196  
flexures of, ii. 142  
flocculus, ii. 158  
foramen of Magendie, ii. 154  
forni commissure, ii. 180  
fornix, ii. 179  
fossule, ii. 195  
frenulum, ii. 322  
fresh, transportation of, ii. 382  
fronto-marginal fissure, ii. 193  
gyre, ii. 193  
furcal sulcus, ii. 160  
functions of cortex, ii. 297  
germ, ii. 182  
globulus, ii. 162  
gross or macroscopic anatomy of  
the, ii. 136  
growth of the, ii. 314  
gyres, ii. 187  
habena, ii. 166, 175  
heat centres in, ii. 568  
hemifornix, ii. 180  
hemorrhage in, ii. 241  
hippocamp, ii. 179, 278  
hippocampal fissure, ii. 190  
histology of the, ii. 322, 345  
human, lightest on record, ii. 228  
hyperæmia of, ii. 366  
hypophysis, ii. 165  
hyposylvian fissure, ii. 193  
incaulosal, ii. 184  
inconstant fissures with gyres in  
which they occur, ii. 193  
indusium, ii. 184  
infected fissure, ii. 193  
insula, ii. 187, 202  
insular fissure, ii. 193  
gyre, ii. 193  
intercalatum, locus niger, ii. 163  
intercerebral fissure, ii. 187  
interhemispherical fissure, ii. 187  
intermedial fissure, ii. 193  
internal capsule, ii. 181  
intraparietal fissure, ii. 193  
irregularities of contour, ii. 140  
Island of Reil, ii. 202; see also  
*Insula*  
isthmus, ii. 142

**Brain**, lambdoidal fissure, ii. 186  
lamina cinerea, ii. 167  
terminalis, ii. 167  
lateral recesses of epiplocele, ii.  
157  
ventricles, ii. 168  
lemniscus, ii. 163  
lenticula, ii. 185  
limbic lobe, ii. 208  
lingula, ii. 160  
lobes, ii. 187  
lobus opertus, ii. 187; and see  
*Insula*  
locus niger, ii. 163  
lymphatics of, ii. 263; v. 629  
lyra, ii. 180  
malformations of, vii. 698  
marginal cinerea, ii. 142  
medicinerea, ii. 182  
medicoru, ii. 173  
medifrontal fissure, ii. 193  
gyre, ii. 193  
mediocommissure, ii. 166  
anomalies of, ii. 166  
meninges of, ii. 209  
mesencephal, ii. 162  
mesocole, ii. 163  
metacele, ii. 154  
metaplexus, ii. 151, 155  
metapore, ii. 154  
metatela, ii. 155  
metencephal, ii. 154  
metencephalon, ii. 157  
metepencephal, ii. 322  
methods of removing, preserv-  
ing, dissecting, and drawing,  
ii. 369  
morphological aspect of, ii. 136  
normalization, ii. 143  
nucleus dentatus of the cerebel-  
lum, ii. 162  
obex, ii. 155  
occipital lobe, ii. 187  
of college professors should be  
examined, ii. 206  
of cyclops, ii. 167  
of monkey, less useful than that  
of fetus for elucidating fis-  
sures, ii. 189  
olfactory bulb, ii. 143, 206  
crus, ii. 143  
fissure, ii. 143-193  
tract, ii. 206  
olivia, ii. 155  
operculum, ii. 203  
orbital fissure, ii. 193  
gyre, ii. 193  
orbito-frontal fissure, ii. 193  
Pacchionian bodies, ii. 389  
pala, ii. 174  
paracentral fissure, ii. 193  
gyre, ii. 193  
paracele, ii. 168, 178  
paraflocculus, ii. 158  
paraoccipital fissure, ii. 198  
gyre, ii. 193  
paraplexus, ii. 177  
paratela, ii. 173  
parietal fissure, ii. 193  
gyre, ii. 193  
lobe, ii. 187  
parietes of unequal thickness, ii.  
139, 144  
paroccipital fissure, ii. 198  
partial fissures, ii. 191, 193  
with structural correlations,  
ii. 193  
peduncles of cerebellum, ii. 158

**Brain**, peduncles of cerebrum, ii. 163  
peduncular sulcus, ii. 160  
permanent fissures, ii. 187  
classification of, ii. 192  
pileums of cerebellum, ii. 159  
pineal gland, ii. 166  
pituitary body, ii. 165  
plexuses, ii. 140  
poles of, ii. 187  
poma, ii. 204  
pomatic fissure, ii. 204  
pons, ii. 158  
porta of, ii. 169  
portplexuses, ii. 140  
postbrachium, ii. 163  
postcalcarine fissure, ii. 193  
postcentral fissure, ii. 193  
gyre, ii. 193  
postcommissure, ii. 163  
postcribrum, ii. 143, 164  
posterior perforated space, ii. 164  
postforceps, ii. 182  
postfrontal lobe, ii. 187  
postgeniculum, ii. 164  
posthypophysis, ii. 165  
postinsula, ii. 193  
postoblongata, ii. 154  
postoperculum, ii. 193  
postparoccipital fissure, ii. 193  
postspinal fissure, ii. 209  
prebrachium, ii. 163  
precentral fissure, ii. 193, 277  
gyre, ii. 193  
precommissure, ii. 208  
precuneal fissure, ii. 193  
gyre, ii. 193  
precribrum, ii. 143  
preforceps, ii. 182  
prefrontal lobe, ii. 187  
pregeniculum, ii. 164  
prehypophysis, ii. 165  
preinsula, ii. 193  
preoblongata, ii. 157  
preoperculum, ii. 193  
preparoccipital fissure, ii. 194  
preservation of, ii. 378  
presylvian fissure, ii. 193  
proscelian parietes, modifications  
of, ii. 181  
prosencephal, ii. 167  
prosocele, ii. 167  
prosotherma, ii. 165  
pseudocole, ii. 184  
putamen, ii. 181  
pyramis of the cerebellum, ii.  
155  
rectification, ii. 143  
removal of, in autopsies, i. 656  
removal, preservation, and dis-  
section of, ii. 369  
rhinencephal, ii. 206  
rhinencephalon, ii. 208  
rima, ii. 172  
riparian parts of, ii. 140  
rostrum, ii. 182  
ruga, ii. 210, 211  
sagittal fissure, ii. 187  
sectioning of, ii. 324  
segmental names, ii. 146  
overlapping, ii. 149, 164  
segments of, change in relative  
size, ii. 148  
comparative view of, ii. 145  
number of, ii. 146  
potentially triple, ii. 149  
primitively mesal and sin-  
gle, ii. 149  
provisional grouping, ii. 153

**Brain** segments, relative size of, ii.  
146

segmentation of, ii. 144  
serous cavities in the, ii. 264  
sinuses of the, ii. 260  
softening of the, ii. 395  
specimens, labelling of, ii. 386  
splenium, ii. 182  
staining, ii. 325  
stem, ii. 154  
subcentral fissure, ii. 193  
subfissures, ii. 201  
subfrontal fissure, ii. 193, 203  
gyre, ii. 193, 203  
subgyres, ii. 201  
suboperculum, ii. 193  
subparietal gyre, ii. 193  
substantia nigra, ii. 163  
subsylvian fissure, ii. 193  
subtemporal fissure, ii. 194  
sulci, see *Fissures*  
sulcus choroideus, ii. 175  
supercallosal fissure, ii. 193  
supercentral fissure, ii. 193  
superfissures, ii. 201  
superfrontal fissure, ii. 193  
gyre, ii. 193  
supergyres, ii. 201  
supertemporal fissure, ii. 193  
gyre, ii. 193  
Sylvian fissure, ii. 205, 276  
tenia hippocampi, ii. 180  
temporal gyre, ii. 193  
temporo-occipital fissure, ii. 204  
terma, ii. 152, 167  
third ventricle of, ii. 168  
tonsilla of cerebellum, ii. 155  
topography of the, vii. 239  
Chiene's method of re-  
search, ii. 405; vii. 240  
Hare's method of research,  
ii. 404  
Horsley's method of re-  
search, ii. 400  
in its surgical relations, ii.  
399, 401  
Krönlén's method of re-  
search, ii. 405  
Reid's method of research,  
ii. 403  
Wilson's cyrtometer, ii. 404  
total fissures, ii. 191  
tracts of, ii. 288  
transinsular fissure, ii. 193  
transitory fissures, ii. 158  
transportation of, ii. 382  
transtemporal fissure, ii. 194  
transverse occipital fissure, ii. 198  
tuber, ii. 152, 165  
unequal thickness of celian pari-  
etes, ii. 139  
uvula of cerebellum, ii. 155  
vallecula of cerebellum, ii. 155  
valvula, ii. 163  
variations in, ii. 153  
veins of the, ii. 255, 259  
velum, ii. 180  
vermis of cerebellum, ii. 159  
volume of, to determine, ii. 376  
weight of, ii. 206, 314, 376  
wounds of, iv. 561  
**Brain**, abscess of, ii. 218; iv. 561  
a factor in insanity, v. 96  
clinical history, ii. 220  
complicating inflammation of the  
ear, iii. 655  
diagnosed from tumor of the  
brain, ii. 449

**Brain**, abscess of, diagnosis, ii. 222  
etiology, ii. 218  
extradural, ii. 415  
intracranial, ii. 411  
pathological anatomy, ii. 219  
treatment, ii. 222  
**Brain**, anaemia of, ii. 223  
acute universal, ii. 223  
chronic universal, ii. 224  
circumscribed, ii. 224  
diagnosis, ii. 226  
partial, ii. 224  
prognosis, ii. 226  
symptomatology, ii. 224  
treatment, ii. 226  
**Brain and membranes**, parasites  
of, vi. 500  
**Brain and nerves**, chemistry of,  
ii. 226  
**Brain**, aneurism of arteries of,  
ii. 227  
diagnosis of, ii. 450  
**Brain**, atrophy of, ii. 228  
acquired, ii. 231  
congenital, primary, and gen-  
eral, ii. 228  
primary, and partial, ii. 228  
secondary, ii. 229  
symptoms, ii. 230  
**Brain**, carcinoma of, diagnosis of,  
ii. 450  
**Brain**, cephalocele, ii. 233  
**Brain**, cerebellar disease, ii. 238  
**Brain**, cerebral hemorrhage, ii.  
241  
**Brain**, cholesteatoma of, iii. 36  
**Brain**, compression of, ii. 265, 420  
diagnosed from concussion, ii.  
267  
**Brain**, concussion of the, ii. 266  
post-mortem appearances of, i.  
668  
**Brain**, contusion of, post-mortem  
appearances of, i. 668  
**Brain**, cysticerci of, iii. 345  
**Brain**, development of, ii. 268  
lack of, in insanity, v. 51  
**Brain**, diagnosis of local lesions,  
ii. 282  
at the base of, ii. 287  
of the basal ganglia, ii. 286  
of the cerebellum, ii. 286  
of the cerebral tracts, ii. 284  
of the claustrum, ii. 286  
of the corpora quadrigemina, ii.  
286  
of the cortex cerebri, ii. 282  
of the external capsule, ii. 286  
of the medulla oblongata, ii.  
287  
of the pons Varolii, ii. 287  
of the tegmentum of the crura  
cerebri, ii. 286  
**Brain**, diseases of, abscess of, ii.  
218; iv. 561  
anaemia of, ii. 223  
aneurism of arteries of, ii. 226  
atrophy of, ii. 228  
cephalocele, ii. 233  
cerebellar disease, ii. 238  
cerebral hemorrhage, ii. 241  
changes in the nails in, vi. 97  
compression of, ii. 265, 267  
concussion of, ii. 266  
diagnosis of local lesions, ii. 282  
dropsy of, ii. 431  
electrotherapeutics in, iii. 761  
embolism, ii. 294

**Brain**, diseases of, hemianopsia a  
symptom of, iv. 631  
hernia of, ii. 233; iv. 561  
hydrocephalus, iv. 777  
hyperæmia of, ii. 366  
lesions of the corpora quadri-  
gemina, ii. 369  
of the corpora striata, ii. 369  
meningitis, ii. 390  
softening of the, ii. 395  
syphilis of the, ii. 427  
thrombosis of, ii. 296  
traumatic affection of, see *Skull*,  
etc.  
tuberculous meningitis, ii. 431  
tumors of, ii. 435  
**Brain**, dropsy of the, ii. 431  
**Brain**, embolism and thrombo-  
sis of, ii. 294  
**Brain**, hemorrhages in, ii. 241  
**Brain**, hernia of, ii. 233; iv. 561  
**Brain**, hyperæmia of, ii. 366  
**Brain** in cretinism, iv. 395  
**Brain**, laceration of, post-mortem  
appearances of, i. 668  
**Brain**, lesions of the corpora  
quadrigemina, ii. 369  
**Brain**, lesions of the corpora  
striata, ii. 369  
**Brain**, malformations of, vii. 697,  
698  
**Brain**, parasites of, vi. 500  
**Brain**, removal, preservation,  
and dissection of, ii. 369  
**Brain** sand, iii. 228  
**Brain**, simple meningitis, ii. 390  
**Brain**, softening of, ii. 395  
age of occurrence of, ii. 395  
and tumor of, diagnosis, ii. 450  
diagnosis, ii. 397  
etiology, ii. 396  
pathological anatomy, ii. 395  
prognosis, ii. 397  
symptoms, ii. 396  
treatment, ii. 398  
**Brain**, surgery of the, ii. 398; see  
also *Trepanning*  
after-treatment, ii. 410  
anesthetics in, ii. 406  
antiseptic preparation of the pa-  
tient, ii. 406  
cerebral abscess, ii. 411  
compression of the brain, ii. 420  
contusion, ii. 422  
drainage in, ii. 409  
epilepsy, ii. 419  
fractures of the skull, ii. 421  
at the base, ii. 423  
general technique of operations,  
ii. 406  
gunshot wounds, ii. 421  
hemorrhage, ii. 408  
history, ii. 398  
injuries of the head, ii. 420  
inspection of the brain, after  
opening the skull, ii. 408  
intracranial hemorrhage, ii. 423  
inveterate headache, ii. 425  
landmarks on the skull, ii. 401  
limits of operative interference  
with the brain, ii. 410  
marking the bone, ii. 407  
mental disturbances, ii. 425  
methods of topographical re-  
search, ii. 402  
mode of access to the brain, ii.  
407  
osteoplastic resection, ii. 407

**Brain, surgery of the**, percussion of the skull as a diagnostic measure, ii. 406  
preventive trephining in contusion, ii. 420  
punctured wounds of the brain, ii. 421  
recognition of centre sought for, ii. 409  
replacement of the bone, ii. 409  
secondary operations, ii. 410  
separation of the dura mater from the skull, ii. 408  
shaving the head, ii. 406  
substitute for the dura, ii. 410  
tapping of the lateral ventricles as a definite surgical procedure in meningitis with effusion, and especially in tuberculous meningitis, ii. 426  
topography of the brain, ii. 399  
treatment of the wound, ii. 410  
trephining for arrested development, ii. 426

**Brain, syphilis of**, ii. 427

**Brain, thrombosis of**, ii. 294

**Brain, tuberculous meningitis**, ii. 431

**Brain, tumors of the**, ii. 435  
and abscess, differential diagnosis, ii. 449  
and cerebral hemorrhage, diagnosis of, ii. 449  
and general paralysis, diagnosis of, ii. 449  
and hydrocephalus, diagnosis of, ii. 449  
and locomotor ataxia, diagnosis of, ii. 449  
and multiple cerebro-spinal sclerosis, diagnosis of, ii. 449  
and softening, diagnosis of, ii. 450  
and tuberculous meningo-encephalitis, diagnosis of, ii. 449  
as factor in insanity, v. 96  
choked disc in, ii. 437  
cholesteatoma, iii. 36  
complicating lesions, ii. 451  
diagnosis, ii. 445  
of the site, nature, size, etc., ii. 445  
differential diagnosis of, ii. 449  
diffused symptoms in, ii. 435  
disturbance of language in, viii. 218  
eye symptoms in, ii. 444  
focal symptoms in, ii. 439  
latent, ii. 448  
lesions of motility in, ii. 439  
of sensibility, ii. 443  
of the special senses in, ii. 440  
local diagnosis of, ii. 446  
parts of the brain in which tumors are most frequently latent, ii. 448  
pathological anatomy of, ii. 450  
percentage of recovery after operation, ii. 453  
prognosis, ii. 450  
psychic changes due to, ii. 437  
surgery of, ii. 451  
symptoms, ii. 435  
treatment of, ii. 451  
varying symptoms of, according to location, ii. 446

**Brain, vessels of the**, ii. 249  
arteries, ii. 249  
circle of Willis, ii. 251  
dural sinuses, ii. 260  
nomenclature, ii. 249  
veins, ii. 255  
and arteries of, general relations of the, ii. 260  
venules of the cortex, ii. 260

**Brain-weight**, ii. 206

**Brain, wounds of**, iv. 561  
a factor in insanity, v. 96

**Branchial arches**, vi. 200

**Branchial clefts**, hæmatocysts of, ii. 459

**Branchial cysts**, ii. 457; vi. 200; vii. 701  
atheromatous, ii. 457  
diagnosis, ii. 459  
differential diagnosis, ii. 459  
hæmatocysts, ii. 459  
mucous, ii. 457  
prognosis, ii. 460  
serous, ii. 459  
treatment, ii. 460  
varieties, ii. 457

**Branchial dermoid**, vi. 200

**Branchial fistulæ**, vi. 200

**Brandy**, i. 169

**Brandy-and-egg mixture**, how to make, iii. 455

**Brasdor's method of treating aneurism**, i. 332

**Brass**, effect of, on workers in, vi. 326

**Brassica alba**, vi. 67  
nigra, vi. 67

**Braxton Hicks' sign**, iv. 342

**Brayera**, v. 376

**Brazil**, history of yellow fever in, viii. 585  
Pharmacopœia in, vi. 582

**Bread**, adulteration of, iv. 176  
amount allowed soldiers, v. 799  
as food for invalids, iii. 456  
as nutrient medium for bacteria, viii. 378  
as part of rations for soldiers, v. 800  
diabetic, iii. 431

**Break-bone fever**, iii. 400

**Breast**, bandage of, i. 730  
chicken-, ii. 810  
pigeon-, ii. 810

**Breast, female**, ii. 461; and see *Mamma*

**Breast, female, diseases of the**, ii. 471; and see *Mamma*

**Breath**, ii. 479  
foul, causes of, ii. 480  
in diseases of the stomach, vii. 493  
offensive, in dyspepsia, ii. 480

**Breathing**, bronchial, ii. 817  
bronchovesicular, ii. 817  
cavernous, ii. 818  
Cheyne-Stokes', vi. 953  
in appendicitis, i. 423  
laryngeal, ii. 817  
pulmonary, ii. 817  
sibilant, ii. 818; vi. 838  
sonorous, ii. 818; vi. 838  
tubular, ii. 817  
vesicular, ii. 817

**Breech presentation**, management of, v. 392

**Breeches**, military, v. 795

**Breeze-flies**, v. 165

**Bregma**, vii. 229, 238

**Brehmer sanatorium**, iv. 375

**Breisky's pelvimeter**, vi. 523

**Brides les bains**, ii. 482

**Brieger's bases**, ptomaines, vi. 786, 790, 791  
method of isolation of ptomaines from urine, viii. 52

**Bright's disease**, v. 330; see also *Nephritis*

acute, v. 331  
chronic, v. 337  
erythema in, iv. 8  
retina in, vi. 956

**Brisement forcé in ankylosis**, v. 292

**British Empire**, Pharmacopœia in, vi. 582

**Brittleness of the nails**, vi. 93

**Broadbent's sign** in adherent pericardium, vi. 561

**Broad ligaments**, anatomy of, vii. 160  
cysts of, iii. 351  
myoma of, vi. 76

**Broca's area**, i. 411  
convolution, ii. 203  
to locate, ii. 405

**Brockton system of sewage disposal**, vii. 137

**Bromal**, ii. 483  
hydrate, ii. 483

**Bromalin**, ii. 483

**Bromanide**, ii. 483

**Bromeliaceæ**, ii. 483

**Bromelin**, a vegetable proteolytic enzyme, iii. 842

**Bromidia**, ii. 486

**Bromides**, ii. 483  
as digestants, iii. 471  
hypnotic action of, iv. 817  
medicinally used, ii. 484  
of ammonium, i. 485  
of calcium, ii. 486  
of iron, v. 228  
of lithium, ii. 485  
of potassium, ii. 484  
of rubidium, vi. 1003  
of sodium, ii. 485  
of strontium, ii. 485  
of zinc, viii. 339  
properties of, ii. 483  
therapeutics of, ii. 484

**Bromidrosis**, ii. 486

**Bromine**, ii. 486  
as a cause of ecthyma, iii. 422  
as a germicide, iv. 331  
toxicology of, ii. 487

**Bromine-Arsenic Springs**, ii. 487

**Bromine chloride**, ii. 487

**Bromipin**, ii. 487

**Bromism**, ii. 483

**Bromo-albumin**, ii. 487

**Bromoform**, ii. 487

**Bromo-hæmol**, v. 230

**Bromol**, ii. 488

**Bromum**, ii. 486

**Bronchi**, anatomy of, v. 577  
atresia of, i. 603  
external fibrous layer of, ii. 488  
foreign bodies in, i. 160  
histology of, ii. 488  
internal elastic layer, ii. 488  
lymphatics of, ii. 489; v. 584, 644  
measurements of, viii. 240  
minute anatomy of, ii. 488  
mucous membrane of, ii. 489  
muscular layer of, ii. 488  
nerve supply of, ii. 489

**Bronchi**, pressure on, a cause of dyspnoea, iii. 579  
stenosis of, i. 603  
structure of, ii. 488  
syphilis of, v. 445; vii. 621  
topography of, ii. 813  
vascular supply of, ii. 489

**Bronchia**, ii. 488

**Bronchial arteries**, ii. 489

**Bronchial breathing**, ii. 817

**Bronchial hemorrhage**, iii. 464

**Bronchial lymphatic glands**, v. 587  
albuminoid degeneration of, v. 588  
cancer of, v. 588  
diseases of, v. 729  
classification, v. 587, 729  
etiology, v. 588  
history, v. 587  
pathology, v. 587  
physical signs, v. 589  
prognosis, v. 589  
symptoms, v. 588  
treatment, v. 589  
hyperplasia of, v. 729  
inflammation of, v. 587  
pigmentation of, v. 588  
syphilis of, v. 588  
tuberculosis of, v. 588, 729

**Bronchiectasis**, viii. 405  
complications, viii. 409  
diagnosis, viii. 409  
duration and course, viii. 409  
etiology, viii. 405  
location, viii. 407  
morbid anatomy, viii. 405  
prognosis, viii. 410  
symptoms, viii. 408  
treatment, viii. 409  
varieties, viii. 406

**Bronchiectatic abscess**, viii. 406

cavities, vii. 755

**Bronchitis**, ii. 489  
acute, ii. 489  
diagnosis, ii. 490  
etiology, ii. 490  
pathology, ii. 491  
symptoms, ii. 489  
treatment, ii. 491  
among troops, ii. 615  
capillary, ii. 492; and see *Bronchopneumonia*

dyspnoea in, iii. 580  
infantile, vi. 684  
chronic, ii. 494  
diagnosis, ii. 496  
etiology, ii. 496  
pathology, ii. 495  
symptoms, ii. 495  
treatment, ii. 496

climate suitable for, iv. 565  
complicating influenza, v. 16  
measles, v. 719  
croupous, iv. 151  
exudative, iv. 151  
fibrinous, iv. 151  
following anaesthesia, iii. 24  
health resorts for, iv. 565  
occupation as a cause of, vi. 318  
plastic, iv. 151  
pseudomembranous, iv. 151  
sputum in, vii. 432  
tuberculous, vii. 900

**Bronchioles**, mucous membrane of, ii. 489

**Bronchiolitis**, acute, ii. 492

**Bronchocele**, iv. 376; see *Goitre*

**Bronchophony**, ii. 818

**Bronchopneumonia**, vi. 671  
acute, following chronic bronchitis, ii. 495  
bacteriology, vi. 671  
complications, vi. 673  
diagnosis, vi. 673  
etiology, vi. 671  
following anaesthesia, iii. 24  
pathology, vi. 671  
signs, vi. 673  
symptoms, vi. 672  
synonyms, vi. 671  
treatment, vi. 673  
tuberculous, vii. 900

**Bronchopneumonia, infantile**, vi. 684  
bacteriology, vi. 685  
complications, vi. 687  
course of, vi. 687  
diagnosis, vi. 687  
in other diseases, vi. 687  
symptoms, vi. 686  
terminations, vi. 686  
treatment, vi. 688  
types of, vi. 687

**Bronchotomy**, vii. 833

**Broncho-vesicular breathing**, ii. 817

**Bronchus**, eparterial, v. 578

**Broom**, ii. 498  
tops, ii. 498

**Bronzed skin disease**, i. 106

**Broth**, mutton, how to make, iii. 454  
veal, how to make, iii. 454

**Brow presentations**, management of, v. 391

**Brown milk**, v. 833  
mixture, v. 518; vi. 387

**Brown's (F. Tilden) irrigating cystoscope for bilateral catheterization**, v. 349

**Brown-Séguard's æsthesiometer**, i. 135  
paralysis, vii. 372

**Brownsville**, ii. 498

**Brown's Wells**, i. 498

**Brucine**, vi. 308  
sulphate, vi. 308

**Brücke's pepsin fluid**, iv. 712

**Brugère's powder**, vii. 910

**Bruit**, uterine, iv. 342

**Brunella**, v. 379

**Brunfelsia hopeana**, v. 686

**Brunner's glands**, histology of, v. 184

**Bruns' method of tarsectomy**, vi. 929  
operation (cheiloplasty), vi. 902

**Bryant's line**, iv. 690

**Bryonia**, ii. 498  
alba, ii. 498  
dioica, ii. 498

**Bryonidin**, ii. 498

**Bryonin**, ii. 498

**Bryony**, ii. 498

**Bubo**, ii. 499  
definition, ii. 499  
etiology, ii. 499  
following chancroids, ii. 500  
idiopathic, ii. 501  
non-venereal, ii. 500  
pathological anatomy, ii. 499  
primary, ii. 501  
simple, ii. 501  
submaxillary, vi. 593  
symptoms, ii. 501  
syphilitic, ii. 502; vii. 606  
tertiary, vii. 618

**Bubo**, treatment of, ii. 502  
varieties of, ii. 499  
venereal, ii. 500  
virulent, ii. 501

**Bubo plague**, ii. 504  
among troops, ii. 575  
bacteriological diagnosis of, viii. 399  
bacteriology of, i. 718; ii. 504  
cause, ii. 504  
diagnosis, ii. 510; viii. 399  
epidemics, ii. 505  
essential characters of, ii. 505  
histology, ii. 510  
morbid anatomy, ii. 510  
mortality, ii. 510  
propagation of, ii. 507  
prognosis, ii. 510  
quarantine for, vi. 824  
symptoms, ii. 508  
treatment, ii. 511  
serum for, ii. 511

**Bubon d'emblée**, ii. 501

**Buchner's pyrogallol method of cultivating anaerobes**, viii. 391

**Buchu**, ii. 514  
camphor, ii. 514

**Buck's extension apparatus**, iv. 265  
operation (cheiloplasty), vi. 903  
scarificator for œdema glottidis, v. 413

**Buckbean**, ii. 514

**Buckeye**, ii. 514

**Buckthorn**, ii. 515

**"Budapest," ventilation of the**, vi. 165

**Budding**, ii. 515

**Buena Vista Springs**, ii. 515

**Buffalo Lithia Springs**, ii. 516

**Buffer's consumption**, v. 594

**Bugle**, ii. 516  
bitter, v. 379

**Bugs**, cannibal, v. 161  
kissing, v. 161  
Miana, i. 437  
pirate, v. 161  
water, giant, v. 160  
wheel, v. 162

**Building materials**, suitable, iv. 751  
micro-organisms in, iv. 751

**Buildings**, sanitary inspection of, iv. 768

**Bulb**, olfactory, ii. 206

**Bulbar palsy**, chronic progressive, vi. 66

**Bulbo-cavernosus muscle**, anomalies of, vi. 62

**Bullæ**, drugs producing, iii. 422

**Bullet tree**, i. 723

**Bullets**, lodgment of, iv. 441  
rotation of, iv. 430  
wounds, see *Gunshot wounds*  
in medico-legal autopsies, i. 666

**Bully tree**, i. 723

**Bullock**, hæmolymph glands of, iv. 467

**Bulpiss**, ii. 516

**Bunion**, iv. 214

**Bunsen's thermo-regulator**, viii. 384

**Buphthalmus**, iv. 364

**Burdach**, columns of, vii. 297

**Burdett Mineral Springs**, ii. 516

**Burdock**, ii. 517  
fruit, ii. 517

**Burdon Sanderson's gauge for measuring vaccine vesicles**, viii. 119

**Burgundy pitch.**  
**Cantharides.**

**Burgundy pitch**, vi. 639  
**Burial**, iii. 356  
dangers of, iii. 357  
**Burlington**, ii. 517  
**Burner**, for acetylene gas, iv. 761  
Welsbach, iv. 761  
**Burnet**, ii. 517  
**Burnett's disinfecting fluid**, viii. 340  
modification of Siegel's speculum, iii. 663  
**Burning bush**, viii. 273  
**Burns and scalds**, ii. 517; iii. 416  
amputation in, i. 235  
ante-mortem and post-mortem, i. 674; ii. 521  
as cause of death, i. 673  
cause of death from, ii. 521  
causes of, indicated by appearances, ii. 520  
classification, ii. 518  
complications, ii. 518  
degrees of, iii. 416  
difference between, ii. 517  
effects of, ii. 520  
from acids, ii. 520  
medico-legal relations of, ii. 519  
of eyelids, iv. 122  
of hands, iv. 502  
of larynx, v. 414  
of mouth, viii. 490  
of tongue, vii. 796  
pathology of, iii. 416  
post-mortem appearances, ii. 521  
powder, iv. 441  
prognosis, ii. 518  
symptoms, ii. 518  
treatment, ii. 518  
X-ray, vi. 990  
**Burq's dynamometer**, iii. 563  
**Bursa tendinosa radialis**, iv. 482  
tendinosa ulnaris, iv. 482  
**Bursæ**, ii. 522  
cysts in, iii. 350  
inflammation of, v. 266  
list of, ii. 522  
of the ankle, ii. 526  
of the elbow, ii. 524  
of the foot, ii. 526  
of the hand, ii. 524  
of the head, ii. 522  
of the hip, ii. 525  
of the knee, ii. 525  
of the neck, ii. 523  
of the shoulder, ii. 523  
of the trunk, ii. 523  
of the wrist, ii. 524  
surgical affections of, ii. 528; iv. 512  
ulnar, ii. 524  
**Bursaraceæ**, ii. 529  
**Bursitis**, i. 471; ii. 528  
prepatellar, v. 274  
**Bürstensaum**, v. 311  
**Burying alive**, in catalepsy, ii. 717  
**Bush**, sweet, iv. 148  
**Butane**, vi. 971  
**Butus carolinus**, v. 159  
**Butneria**, ii. 571  
fertilis, ii. 571  
**Butter**, v. 828  
adulteration of, iv. 180  
cocoa, ii. 531  
cysts, viii. 482  
nutmeg, vi. 307  
of cacao, ii. 531  
of zinc, viii. 338  
**Buttercup family**, see *Ranunculaceæ*  
**Butterfly weed**, vi. 668

GENERAL INDEX.

**Buttermilk**, v. 823, 828  
**Butternut**, ii. 529  
**Butterworth's Mineral Springs**, ii. 529  
**Button**, dog, vi. 307  
mescal, v. 761  
Murphy, v. 179  
muscale, v. 761  
quaker, vi. 307  
**Button scurvy**, iii. 707  
**Butylamin**, ptomaine, vi. 785  
**Butyl chloral hydrate**, ii. 529  
as a hypnotic, iv. 815  
**Butyric acid** as a germicide, iv. 331  
**Buxine**, i. 753; ii. 135, 136; vi. 508  
**Buxus sempervirens**, ii. 135  
**Byrne's operation** for cancer of the cervix uteri, viii. 90  
**Byron Springs**, ii. 530  
**Byssinosis**, v. 594  
**Cabinet**, pneumatic, vi. 669  
**Cabins for soldiers**, v. 811  
**Cacao**, butter of, ii. 531  
**Cachexia**, ii. 531  
lead, v. 473  
malarial, v. 680  
strumipriva, vi. 409; see also *Thyroid glands, diseases of*  
thyreopriva, vi. 409  
**Cacotrophia folliculorum**, v. 307;  
see also *Keratitis pilaris*  
**Cactaceæ**, ii. 533  
poisonous plants of, vi. 694  
**Cactus**, ii. 533; iii. 164  
coccus, iii. 164  
grandiflorus, ii. 533  
as cardiac stimulant, ii. 702  
**Cadaver**, decomposition of, ii. 537  
disposition of, ii. 534  
identification of, ii. 539  
legal status of, ii. 533  
of new-born, examination of, vi. 276  
petrification of, vi. 576  
**Cadaveric lividity**, iii. 121  
**Cadaverin**, ptomaine, vi. 785  
**Cade**, oil of, ii. 540  
**Cadinene**, ii. 541; iii. 338  
**Cadmium**, ii. 541  
poisoning by, ii. 541  
sulphate, ii. 541  
**Cæcum**, diseases of, i. 421; iii. 198, 201  
measurements of, viii. 239  
topographical anatomy of, i. 183  
**Cæsalpina**, bonduc, ii. 115  
bonducella, ii. 115  
**Cæsarean section**, ii. 541; and see *Cælio-hysterectomy*  
in deformed pelvis, vi. 530  
**Caffeine**, ii. 545  
as a cardiac stimulant, ii. 702  
as a diuretic, ii. 546; iii. 545  
citrate, iii. 546  
effect on body temperature, ii. 571  
effervescent citrate of, ii. 546  
hypodermatic use of, iv. 820  
methoxy-, v. 780  
**Caffeo-tannic acid**, iii. 190  
**Cairo**, climate of, iii. 727  
**Caisson disease**, ii. 547; vi. 320  
**Cajeput**, oil of, ii. 548  
**Cajeputa leucadendron**, ii. 548  
**Caju nut**, ii. 707  
poisonous plant, vi. 698  
**Calabar bean**, ii. 548

**Calabarine**, ii. 548  
**Calamine**, ii. 550; viii. 338  
**Calamintha**, v. 379  
**Calamus**, ii. 549  
draco, iii. 552  
**Calcaneo-bursitis**, iv. 216  
**Calcaneo-varus**, acquired, iv. 236  
**Calcaneus talipes**, iv. 216  
acquired, iv. 234  
congenital, iv. 231  
**Calcification**, ii. 550; iii. 396; vi. 575  
metastatic, vi. 575  
occurrence, iv. 575  
of amnion, i. 227  
of chorion, iii. 57  
of lymph nodes, v. 660  
of muscle, vi. 29  
of omentum, vi. 359  
of penis, vii. 177  
of placenta, vi. 651  
of tympanic membrane, iii. 623  
of veins, viii. 209  
**Calcined magnesia**, v. 672  
**Calcium**, ii. 550  
bromide, ii. 486  
carbonate, ii. 552  
antidotal value of, i. 372  
calculi, iii. 235  
precipitated, ii. 552  
chloride, iii. 4  
germicide action of, iv. 331  
compounds used in medicine, ii. 551  
eosolate, iii. 844  
guaiacol sulphonate, iv. 425  
hydrate, antidotal value of, i. 372  
hydroxide, ii. 551  
as a disinfectant, i. 687  
as a germicide, iv. 331  
hypophosphite, iv. 825  
infarct, iv. 868  
in urine, viii. 56  
monoxide, ii. 551  
oxalate calculi, iii. 234  
phosphate, ii. 552  
calculi, iii. 235  
precipitated, ii. 552  
precipitated carbonate of, ii. 552  
phosphate of, ii. 552  
properties of compounds of, ii. 550  
sulphate, ii. 552  
dried, ii. 552  
**Calculi**, iii. 228  
biliary, iii. 229; and see *Gallstones*  
cardiac, iii. 230  
cutaneous, see *Milium*  
diagnosed by Roentgen rays, vi. 989  
intestinal, iii. 231  
in the pericardium, iii. 230  
of the parotid gland, vi. 511  
pancreatic, iii. 230; vi. 468, 478  
prostatic, vi. 771  
pulmonary, iii. 232  
renal, v. 359  
salivary, vii. 14; viii. 489  
tonsillar, i. 159; iii. 232  
urinary, i. 797; iii. 232  
vesical, i. 797; vii. 191  
diagnosis, i. 797  
in the female, i. 769  
prophylaxis, i. 798  
relative advantages of cutting and crushing, i. 799  
symptoms, i. 797

GENERAL INDEX.

**Calculi**, vesical, treatment, i. 798  
treatment of, by litholapaxy, v. 519  
treatment of, by lithotomy, v. 52  
**Caledonia Springs**, ii. 553  
**Calendula**, ii. 553  
officinalis, ii. 553  
**Calendulin**, ii. 553  
**Cal of the leg**, v. 480  
**Calibration and dilatation** of urethral orifice, i. 782  
**California**, requirements for medical practice in, iv. 48  
Southern, climate of, ii. 553  
**California geysers**, The, ii. 555  
**California gum weed**, iv. 415  
**California poppy**, see *Eschscholtzia*, iv. 10  
**California Seltzer Springs**, ii. 557  
**Calisaya**, iii. 88  
**Calistoga Springs**, ii. 557  
**Calliphora vomitoria**, v. 154  
**Callitris quadrivalvis**, vii. 19  
**Callosal artery**, ii. 252  
eminence, ii. 177  
fissure, ii. 190  
gyre, ii. 193  
vein, ii. 257  
**Callositas**, ii. 557  
**Callosum**, ii. 182  
**Callus**, ii. 557  
bone, iv. 252  
**Calomel**, v. 751  
as a cholagogue, iii. 32  
as a diuretic, iii. 545  
as a purgative, vi. 811  
**Caloptris gigantea**, i. 565  
procera, i. 565  
**Calorie**, ii. 558  
**Calorimeters**, ii. 560  
air, ii. 562  
differential, ii. 563  
fusion, ii. 561  
ice, ii. 561  
respiration, ii. 564  
vaporization, ii. 561  
water, ii. 561  
**Calorimetry**, ii. 557  
direct, ii. 559  
historical, ii. 558  
indirect, ii. 558  
in experimental pharmacology, ii. 570  
in fever, ii. 569  
in pathology, ii. 569  
in physiology, ii. 567  
introductory, ii. 558  
**Calot's operation** in Pott's disease, vii. 409  
**Calumba**, iii. 226  
**Calvatia bovista**, iv. 286  
craniiformis, iv. 286  
cyathiformis, iv. 286  
**Calvities**, i. 195  
**Calx**, ii. 551  
chlorata, iii. 6  
sulphurata, vii. 557  
**Calycanthine**, ii. 571  
**Calycanthus**, ii. 571  
**Camas**, poisonous plant, vi. 704  
**Cambogia**, iv. 300  
**Camden, S. C.**, ii. 571  
**Camellia thea**, ii. 545; vii. 644  
viridis, vii. 644  
**Camera** for photomicrography, vi. 628

**Campanulaceæ**, ii. 622  
poisonous plants of, vi. 694  
**Campanuloidæ**, ii. 622  
**Camp diseases**, ii. 572  
acute articular rheumatism, ii. 617  
alcoholism, ii. 603  
Asiatic cholera, ii. 572; v. 813  
avoidable, v. 814  
bronchitis, ii. 615  
bubonic plague, ii. 575  
cerebro-spinal meningitis, ii. 576  
climatic, ii. 617  
congelation, ii. 618  
croupous pneumonia, ii. 588  
dengue, ii. 576  
diarrhoea, ii. 578  
diphtheria, ii. 577  
due to exposure, ii. 615  
to extremes of temperature, ii. 617  
to improper dietary, ii. 619  
to infections, ii. 572  
to intemperate or immoral habits, ii. 603  
to military service, ii. 621  
dysentery, ii. 579; v. 814  
epidemic influenza, ii. 581  
febrile exhaustion, ii. 622  
feigned diseases, ii. 622  
freezing, ii. 618  
insanity, ii. 614  
insolation, ii. 617  
irritable heart, ii. 621  
malarial fevers, ii. 581; v. 813  
measles, ii. 587; v. 814  
mumps, ii. 587; v. 814  
myalgia, ii. 616  
pneumonia, ii. 588  
rheumatism, ii. 616  
scarlet fever, ii. 589; v. 814  
scurvy, ii. 619  
smallpox, ii. 589; v. 814  
snow-blindness, ii. 619  
suicide, ii. 614  
syphilis, ii. 608  
typhoid fever, ii. 593; v. 813  
typhus fever, ii. 600  
tuberculosis, ii. 591  
venereal, ii. 607  
yellow fever, ii. 601; v. 813  
**Camp fever**, vii. 930  
**Campechy wood**, v. 566  
**Camphoid**, ii. 622  
**Camphor**, ii. 622  
action on circulatory system, ii. 696  
alant, iii. 742  
anemone, vi. 797  
as a cardiac stimulant, ii. 695  
as a germicide, iv. 331  
as an antispasmodic, i. 387  
Borneo, ii. 131  
buchu, ii. 514  
dryobalanops, ii. 131  
chloral, ii. 838  
cube, iii. 338  
matico, v. 714  
monobromated, ii. 624  
orris, vi. 417  
patchouli, vi. 517  
poisoning by, viii. 410  
salicylate, ii. 624  
tar, vi. 100  
Tonka bean, iii. 338  
**Camphora**, ii. 622  
officinarum, ii. 622  
**Camphorated soap liniment**, vii. 255

**Burgundy pitch.**  
**Cantharides.**

**Camphorated tincture of opium**, vi. 387  
**Camphorates**, pyramidon, vi. 818  
**Camphoronic acid**, ii. 624  
**Camps**, diseases of, ii. 572  
sites for, v. 807  
**Camponyia macellaria**, v. 154  
**Canada balsam**, ii. 624  
pitch, vi. 639  
**Canadian moonseed**, v. 859  
**Canal**, auditory, see *Auditory canal*  
central, viii. 265  
cochlear, i. 621  
cruial, i. 9  
femoral, i. 9  
hyaloid, viii. 265  
inguinal, i. 6  
jugular, ii. 262  
of Cloquet, viii. 265  
of Nuck, cysts of, iii. 351  
hydrocele of, viii. 98  
of Stilling, viii. 265  
of Wirsung, vi. 460  
semicircular, i. 620  
**Canaliculus lachrymalis**, foreign bodies in, v. 396  
occlusion of, v. 396  
**Canalis**, see also *Canal*  
cochlearis, i. 621  
reuniens, i. 621  
**Canalization of thrombus**, i. 541  
**Canarium**, iii. 781  
commune, iii. 781  
**Canary Islands**, ii. 624  
**Cancer**, see *Carcinoma* and *Sarcoma*  
spider, vi. 90  
vert, iii. 25  
water, viii. 488  
**Cancrum oris**, iv. 307; viii. 488  
**Candleberry**, i. 737  
**Candles**, amount allowed soldiers, v. 799  
**Cane sugar**, vii. 548  
**Canella alba**, ii. 646  
bark, ii. 646  
**Canine teeth**, vii. 646  
**Canister shot**, iv. 429  
**Canities**, ii. 647  
acquired, ii. 647  
congenital, ii. 647  
of eyelashes, iv. 120  
unguim, vi. 93  
**Canker**, viii. 488  
**Cannabin**, ii. 648  
tannate, ii. 648  
**Cannabinol**, ii. 648  
**Cannabis**, Indian, ii. 647  
indica, ii. 647  
as a hypnotic, iv. 818  
as an anodyne, i. 362  
sativa, ii. 647  
white Indian, ii. 647  
**Canned foods** for army rations, v. 803  
**Cannes**, France, ii. 649  
**Cannibal bug**, v. 161  
**Cannula** needle for aspirating and irrigating antrum of Highmore, vi. 145  
**Canquoin's paste**, viii. 338  
**Canteen system in army**, ii. 605  
an aid to discipline, ii. 606  
value of, in tropics, ii. 605  
**Cantharellus**, iv. 284  
cibarius, iv. 284  
floccosus, iv. 284  
**Cantharidate** of potassium, ii. 651  
**Cantharides**, ii. 652