

Burgundy pitch, vi. 639
Burial, iii. 356
 dangers of, iii. 357
Burlington, ii. 517
Burner, for acetylene gas, iv. 761
 Welsbach, iv. 761
Burnet, ii. 517
Burnett's disinfecting fluid, viii. 340
 modification of Siegel's speculum, iii. 663
Burning bush, viii. 273
Burns and scalds, ii. 517; iii. 416
 amputation in, i. 235
 ante-mortem and post-mortem, i. 674; ii. 521
 as cause of death, i. 673
 cause of death from, ii. 521
 causes of, indicated by appearances, ii. 520
 classification, ii. 518
 complications, ii. 518
 degrees of, iii. 416
 difference between, ii. 517
 effects of, ii. 520
 from acids, ii. 520
 medico-legal relations of, ii. 519
 of eyelids, iv. 122
 of hands, iv. 502
 of larynx, v. 414
 of mouth, viii. 490
 of tongue, vii. 796
 pathology of, iii. 416
 post-mortem appearances, ii. 521
 powder, iv. 441
 prognosis, ii. 518
 symptoms, ii. 518
 treatment, ii. 518
 X-ray, vi. 990
Burq's dynamometer, iii. 563
Bursa tendinosa radialis, iv. 482
 tendinosa ulnaris, iv. 482
Bursæ, ii. 522
 cysts in, iii. 350
 inflammation of, v. 266
 list of, ii. 522
 of the ankle, ii. 526
 of the elbow, ii. 524
 of the foot, ii. 526
 of the hand, ii. 524
 of the head, ii. 522
 of the hip, ii. 525
 of the knee, ii. 525
 of the neck, ii. 523
 of the shoulder, ii. 523
 of the trunk, ii. 523
 of the wrist, ii. 524
 surgical affections of, ii. 528; iv. 512
 ulnar, ii. 524
Bursaraceæ, ii. 529
Bursitis, i. 471; ii. 528
 prepatellar, v. 274
Bürstensaum, v. 311
Burying alive, in catalepsy, ii. 717
Bush, sweet, iv. 148
Butane, vi. 971
Butus carolinus, v. 159
Butneria, ii. 571
 fertilis, ii. 571
Butter, v. 828
 adulteration of, iv. 180
 cocoa, ii. 531
 cysts, viii. 482
 nutmeg, vi. 307
 of cacao, ii. 531
 of zinc, viii. 338
Buttercup family, see *Ranunculaceæ*
Butterfly weed, vi. 668

Buttermilk, v. 823, 828
Butternut, ii. 529
Butterworth's Mineral Springs, ii. 529
Button, dog, vi. 307
 mescal, v. 761
 Murphy, v. 179
 muscale, v. 761
 quaker, vi. 307
Button scurvy, iii. 707
Butylamin, ptomaine, vi. 785
Butyl chloral hydrate, ii. 529
 as a hypnotic, iv. 815
Butyric acid as a germicide, iv. 331
Buxine, i. 753; ii. 135, 136; vi. 508
Buxus sempervirens, ii. 135
Byrne's operation for cancer of the cervix uteri, viii. 90
Byron Springs, ii. 530
Byssinosis, v. 594
Cabinet, pneumatic, vi. 669
Cabins for soldiers, v. 811
Cacao, butter of, ii. 531
Cachexia, ii. 531
 lead, v. 473
 malarial, v. 680
 strumipriva, vi. 409; see also *Thyroid glands, diseases of*
 thyreopriva, vi. 409
Cacotrophia folliculorum, v. 307;
 see also *Keratitis pilaris*
Cactaceæ, ii. 533
 poisonous plants of, vi. 694
Cactus, ii. 533; iii. 164
 coccus, iii. 164
 grandiflorus, ii. 533
 as cardiac stimulant, ii. 702
Cadaver, decomposition of, ii. 537
 disposition of, ii. 534
 identification of, ii. 539
 legal status of, ii. 533
 of new-born, examination of, vi. 276
 petrification of, vi. 576
Cadaveric lividity, iii. 121
Cadaverin, ptomaine, vi. 785
Cade, oil of, ii. 540
Cadinene, ii. 541; iii. 338
Cadmium, ii. 541
 poisoning by, ii. 541
 sulphate, ii. 541
Cæcum, diseases of, i. 421; iii. 198, 201
 measurements of, viii. 239
 topographical anatomy of, i. 183
Cæsalpina, bonduca, ii. 115
 bonducella, ii. 115
Cæsarean section, ii. 541; and see *Cælio-hysterectomy*
 in deformed pelvis, vi. 530
Caffeine, ii. 545
 as a cardiac stimulant, ii. 702
 as a diuretic, ii. 546; iii. 545
 citrate, iii. 546
 effect on body temperature, ii. 571
 effervescent citrate of, ii. 546
 hypodermatic use of, iv. 820
 methoxy-, v. 780
Caffeo-tannic acid, iii. 190
Cairo, climate of, iii. 727
Caisson disease, ii. 547; vi. 320
Cajeput, oil of, ii. 548
Cajeputa leucadendron, ii. 548
Caju nut, ii. 707
 poisonous plant, vi. 698
Calabar bean, ii. 548

Calabarine, ii. 548
Calamine, ii. 550; viii. 338
Calamintha, v. 379
Calamus, ii. 549
 draco, iii. 552
Calcaneo-bursitis, iv. 216
Calcaneo-varus, acquired, iv. 236
Calcaneus talipes, iv. 216
 acquired, iv. 234
 congenital, iv. 231
Calcification, ii. 550; iii. 396; vi. 575
 metastatic, vi. 575
 occurrence, iv. 575
 of amnion, i. 227
 of chorion, iii. 57
 of lymph nodes, v. 660
 of muscle, vi. 29
 of omentum, vi. 359
 of penis, vii. 177
 of placenta, vi. 651
 of tympanic membrane, iii. 623
 of veins, viii. 209
Calcined magnesia, v. 672
Calcium, ii. 550
 bromide, ii. 486
 carbonate, ii. 552
 antidotal value of, i. 372
 calculi, iii. 235
 precipitated, ii. 552
 chloride, iii. 4
 germicide action of, iv. 331
 compounds used in medicine, ii. 551
 eosolate, iii. 844
 guaiacol sulphonate, iv. 425
 hydrate, antidotal value of, i. 372
 hydroxide, ii. 551
 as a disinfectant, i. 687
 as a germicide, iv. 331
 hypophosphite, iv. 825
 infarct, iv. 868
 in urine, viii. 56
 monoxide, ii. 551
 oxalate calculi, iii. 234
 phosphate, ii. 552
 calculi, iii. 235
 precipitated, ii. 552
 precipitated carbonate of, ii. 552
 phosphate of, ii. 552
 properties of compounds of, ii. 550
 sulphate, ii. 552
 dried, ii. 552
Calculi, iii. 228
 biliary, iii. 229; and see *Gallstones*
 cardiac, iii. 230
 cutaneous, see *Milium*
 diagnosed by Roentgen rays, vi. 989
 intestinal, iii. 231
 in the pericardium, iii. 230
 of the parotid gland, vi. 511
 pancreatic, iii. 230; vi. 468, 478
 prostatic, vi. 771
 pulmonary, iii. 232
 renal, v. 359
 salivary, vii. 14; viii. 489
 tonsillar, i. 159; iii. 232
 urinary, i. 797; iii. 232
 vesical, i. 797; vii. 191
 diagnosis, i. 797
 in the female, i. 769
 prophylaxis, i. 798
 relative advantages of cutting and crushing, i. 799
 symptoms, i. 797

Calculi, vesical, treatment, i. 798
 treatment of, by litholapaxy, v. 519
 treatment of, by lithotomy, v. 52
Caledonia Springs, ii. 553
Calendula, ii. 553
 officinalis, ii. 553
Calendulin, ii. 553
Cal of the leg, v. 480
Calibration and dilatation of urethral orifice, i. 782
California, requirements for medical practice in, iv. 48
 Southern, climate of, ii. 553
California geysers, The, ii. 555
California gum weed, iv. 415
California poppy, see *Eschscholtzia*, iv. 10
California Seltzer Springs, ii. 557
Calisaya, iii. 88
Calistoga Springs, ii. 557
Calliphora vomitoria, v. 154
Callitris quadrivalvis, vii. 19
Callosal artery, ii. 252
 eminence, ii. 177
 fissure, ii. 190
 gyre, ii. 193
 vein, ii. 257
Callositas, ii. 557
Callosum, ii. 182
Callus, ii. 557
 bone, iv. 252
Calomel, v. 751
 as a cholagogue, iii. 32
 as a diuretic, iii. 545
 as a purgative, vi. 811
Caloptris gigantea, i. 565
 procera, i. 565
Calorie, ii. 558
Calorimeters, ii. 560
 air, ii. 562
 differential, ii. 563
 fusion, ii. 561
 ice, ii. 561
 respiration, ii. 564
 vaporization, ii. 561
 water, ii. 561
Calorimetry, ii. 557
 direct, ii. 559
 historical, ii. 558
 indirect, ii. 558
 in experimental pharmacology, ii. 570
 in fever, ii. 569
 in pathology, ii. 569
 in physiology, ii. 567
 introductory, ii. 558
Calot's operation in Pott's disease, vii. 409
Calumba, iii. 226
Calvatia bovista, iv. 286
 craniiformis, iv. 286
 cyathiformis, iv. 286
Calvities, i. 195
Calx, ii. 551
 chlorata, iii. 6
 sulphurata, vii. 557
Calycanthine, ii. 571
Calycanthus, ii. 571
Camas, poisonous plant, vi. 704
Cambogia, iv. 300
Camden, S. C., ii. 571
Camellia thea, ii. 545; vii. 644
 viridis, vii. 644
Camera for photomicrography, vi. 628

Campanulaceæ, ii. 622
 poisonous plants of, vi. 694
Campanuloidæ, ii. 622
Camp diseases, ii. 572
 acute articular rheumatism, ii. 617
 alcoholism, ii. 603
 Asiatic cholera, ii. 572; v. 813
 avoidable, v. 814
 bronchitis, ii. 615
 bubonic plague, ii. 575
 cerebro-spinal meningitis, ii. 576
 climatic, ii. 617
 congelation, ii. 618
 croupous pneumonia, ii. 588
 dengue, ii. 576
 diarrhoea, ii. 578
 diphtheria, ii. 577
 due to exposure, ii. 615
 to extremes of temperature, ii. 617
 to improper dietary, ii. 619
 to infections, ii. 572
 to intemperate or immoral habits, ii. 603
 to military service, ii. 621
 dysentery, ii. 579; v. 814
 epidemic influenza, ii. 581
 febrile exhaustion, ii. 622
 feigned diseases, ii. 622
 freezing, ii. 618
 insanity, ii. 614
 insolation, ii. 617
 irritable heart, ii. 621
 malarial fevers, ii. 581; v. 813
 measles, ii. 587; v. 814
 mumps, ii. 587; v. 814
 myalgia, ii. 616
 pneumonia, ii. 588
 rheumatism, ii. 616
 scarlet fever, ii. 589; v. 814
 scurvy, ii. 619
 smallpox, ii. 589; v. 814
 snow-blindness, ii. 619
 suicide, ii. 614
 syphilis, ii. 608
 typhoid fever, ii. 593; v. 813
 typhus fever, ii. 600
 tuberculosis, ii. 591
 venereal, ii. 607
 yellow fever, ii. 601; v. 813
Camp fever, vii. 930
Campechy wood, v. 566
Camphoid, ii. 622
Camphor, ii. 622
 action on circulatory system, ii. 696
 alant, iii. 742
 anemone, vi. 797
 as a cardiac stimulant, ii. 695
 as a germicide, iv. 331
 as an antispasmodic, i. 387
 Borneo, ii. 131
 buchu, ii. 514
 dryobalanops, ii. 131
 chloral, ii. 838
 cube, iii. 338
 matico, v. 714
 monobromated, ii. 624
 orris, vi. 417
 patchouli, vi. 517
 poisoning by, viii. 410
 salicylate, ii. 624
 tar, vi. 100
 Tonka bean, iii. 338
Camphora, ii. 622
 officinarum, ii. 622
Camphorated soap liniment, vii. 255

Camphorated tincture of opium, vi. 387
Camphorates, pyramidon, vi. 818
Camphoronic acid, ii. 624
Camps, diseases of, ii. 572
 sites for, v. 807
Camponyia macellaria, v. 154
Canada balsam, ii. 624
 pitch, vi. 639
Canadian moonseed, v. 859
Canal, auditory, see *Auditory canal*
 central, viii. 265
 cochlear, i. 621
 cruial, i. 9
 femoral, i. 9
 hyaloid, viii. 265
 inguinal, i. 6
 jugular, ii. 262
 of Cloquet, viii. 265
 of Nuck, cysts of, iii. 351
 hydrocele of, viii. 98
 of Stilling, viii. 265
 of Wirsung, vi. 460
 semicircular, i. 620
Canaliculus lachrymalis, foreign
 bodies in, v. 396
 occlusion of, v. 396
Canalis, see also *Canal*
 cochlearis, i. 621
 reuniens, i. 621
Canalization of thrombus, i. 541
Canarium, iii. 781
 commune, iii. 781
Canary Islands, ii. 624
Cancer, see *Carcinoma* and *Sarcoma*
 spider, vi. 90
 vert, iii. 25
 water, viii. 488
Cancrum oris, iv. 307; viii. 488
Candleberry, i. 737
Candles, amount allowed soldiers, v. 799
Cane sugar, vii. 548
Canella alba, ii. 646
 bark, ii. 646
Canine teeth, vii. 646
Canister shot, iv. 429
Canities, ii. 647
 acquired, ii. 647
 congenital, ii. 647
 of eyelashes, iv. 120
 unguim, vi. 93
Canker, viii. 488
Cannabin, ii. 648
 tannate, ii. 648
Cannabinol, ii. 648
Cannabis, Indian, ii. 647
 indica, ii. 647
 as a hypnotic, iv. 818
 as an anodyne, i. 362
 sativa, ii. 647
 white Indian, ii. 647
Canned foods for army rations, v. 803
Cannes, France, ii. 649
Cannibal bug, v. 161
Cannula needle for aspirating and irrigating antrum of Highmore, vi. 145
Canquoin's paste, viii. 338
Canteen system in army, ii. 605
 an aid to discipline, ii. 606
 value of, in tropics, ii. 605
Cantharellus, iv. 284
 cibarius, iv. 284
 floccosus, iv. 284
Cantharidate of potassium, ii. 651
Cantharides, ii. 652

Cantharides as a vesicant, iii. 304
cerate of, ii. 652; vii. 914
poisoning by, viii. 411
Cantharidin, ii. 652; v. 166
in treatment of phthisis, ii. 651
poisoning by, viii. 411
Cantharis, ii. 651
vesicatoria, ii. 651; v. 166
vittata, ii. 652
Canthi (of eye), iv. 64
Canutillo, iii. 844
Caoutchouc, vi. 1002
Capacity, vital, of lung, vi. 947
Cape Cod, vi. 97
Cape May, ii. 652
Capillaries, amyloid degeneration
in, ii. 93
blood of, ii. 37
calcareous infiltration of, ii. 93
circulation in, iii. 97
fatty changes in, ii. 93
histology of, ii. 92
hyaline degeneration of, ii. 93
in lungs, v. 583
lymphatic, v. 626
pathological anatomy of, ii. 93
velocity of blood current in, iii.
101
Capillary bronchitis, dyspnoea in,
iii. 580
Capillary pulse, vi. 808
Capon Springs, ii. 653
Capsaicin, ii. 654
Capsicin, ii. 654
Capsicum, ii. 653
annuum, ii. 653
fastigiatum, ii. 653
Capsule, external, lesions of, diag-
nosis of, ii. 286
internal, ii. 181
of knee-joint, v. 370
of Tenon, iv. 65
dropsy of, vi. 406
Capsules, v. 738
glutoid, iv. 374
Captol, ii. 654
Caput gallinaginis, vi. 757
Medusæ, viii. 216
succedaneum, vi. 277
Carabaña Mineral Spring, ii. 654
Carabidæ, v. 165
Caramecuaro, ii. 655
Caramel, ii. 655; vii. 549
custard, how to make, iii. 455
in milk, to detect, v. 840
Caramelan, vii. 549
Carat, vi. 637
Carate, vi. 637
Carathe, vi. 637
Caraway, ii. 655; vi. 637
black, ii. 655
Carbazotic acid, vi. 632
Carbinol, v. 780
Carbo animalis, ii. 800
purificatus, ii. 800
ligmi, ii. 801
Carbohydrates, i. 176
action of amylopsin on, iii. 474
in faeces, iv. 130
influence of, on metabolism, v.
770
in urine, viii. 38
Carbol-fuchsin, preparation of,
viii. 396
Carbolic acid, ii. 655
anaesthetic action of, ii. 657
as a disinfectant, i. 687; ii. 657;
iii. 497

Carbolic acid as an antiseptic, ii.
657
caustic action of, ii. 757
disposition of, in the body, after
absorption, vi. 723
effect of, on body temperature,
ii. 571, 658
germicidal action of, iv. 331
poisoning by, ii. 658; vi. 608
post-mortem appearances in,
i. 661
Carbolic gentian violet, preparation
of, viii. 396
methylene blue, preparation of,
viii. 396
thionin, preparation of, viii. 396
Carbon as a pathological pigment,
vi. 635
bisulphide of, ii. 658
Carbon dioxide, ii. 659
causing drowsiness, iii. 560
determination of, vi. 160
estimation of, vi. 948
percentage of, i. 151
from gas lights, ii. 661
in air, i. 151
detection of, i. 153
in school buildings, vii. 70
physiological action, ii. 660
preparation of, ii. 659
production of, relative to size of
body, v. 767
properties of, ii. 659
quantity eliminated by lungs
and skin, v. 768
sources of, ii. 659
tests for, ii. 661
uses of, ii. 660
Carbon disulphide, ii. 658
Carbon, hydrides and oxides of,
ii. 659
Carbon monoxide, ii. 661
effects on fetus, vi. 279
physiological action, ii. 662
poisoning by, post-mortem ap-
pearances in, i. 662
properties of, ii. 662
sources of, ii. 662
toxicology of, ii. 663
Carbon, oxides of, ii. 659
Carbon, sulphide of, a cause of am-
blyopia, ii. 13
Carbon tetrachloride, ii. 665
Carbonate of ammonia, i. 216
of copper, antidote for phos-
phorus poisoning, i. 374
of iron, v. 223
of lead, v. 471
of lithium, v. 518
of magnesium, v. 672
of potassium, vi. 743
of zinc, viii. 338
Carbonates, alkaline, antidotal
value of, i. 372
in urine, viii. 55
Carbonic acid, ii. 661
gas, ii. 659
in urine, viii. 55
water, ii. 665
Carbonic anhydride, ii. 659
Carbonic oxide, ii. 661
germicidal action of, iv. 332
Carbonous oxide, ii. 661
Carbo-sapol, ii. 666
Carbotriamin, ptomain, vi. 786
Carbuncle, i. 49; ii. 666; see also
Anthrax and Boils
course of the disease, ii. 666

Carbuncle, diagnosis, ii. 667
etiology, ii. 666
in diabetes mellitus, iii. 429
pathology, ii. 667
prognosis, ii. 667
treatment, ii. 668
Carbunculus contagiosus, i. 363
Carcinoma, ii. 626, 669; vii. 908
branchiogenic, vii. 724
cells, karyokinesis in, v. 301
chimney-sweep's, of scrotum, ii.
682
clinical, ii. 626
curative influence of erysipelas
in, ii. 645; iv. 6
diagnosis, ii. 627
deep-seated, ii. 683
etiology, ii. 677
from naevi, ii. 682
general considerations concern-
ing, ii. 626, 629
heredity, influence of, ii. 629
infectious theory of origin of, ii.
627
kyphosis accompanying, v. 378
local distribution of, ii. 626
metastasis of, ii. 675; v. 778, 779
nodular, ii. 683
of auricle, iii. 610
of bladder, i. 769, 791
treatment of, viii. 26
of bronchial glands, v. 588
of cervix uteri, viii. 87
of choroid, iv. 111
of colon, iii. 204
of face, ii. 636
of Fallopian tube, iv. 138
of gall bladder, iv. 296
of gall ducts, iv. 297
of heart, iv. 594
of intestine, ii. 636; v. 188
treatment of inoperable, ii.
644
of kidney, ii. 640; v. 324
of larynx, v. 424
of lip, ii. 634, 683
of liver, v. 555
of lung, v. 606
of lymph nodes, v. 662
of mamma, ii. 477, 630
of middle ear, iii. 669
of muscle, vi. 41
of nose, vi. 141
of oesophagus, vi. 344; vii. 477
of omentum, vi. 360
of orbit, iv. 115
of ovary, vi. 437
of pancreas, vi. 470, 478
of parotid gland, ii. 638; vi. 511
of penis, ii. 638
of pericardium, vi. 563
of periosteum, vi. 570
of peritoneum, vi. 570
of pharynx, vi. 602
of pleura, vi. 667
of prostate, vi. 770
of rectum, i. 399; ii. 637
of scrotum, chimney-sweep's, ii.
682
of skin, ii. 680
of stomach, ii. 636; vii. 513
diet in, iii. 458
of sweat glands, ii. 683, 685
of testicle, ii. 639
of thoracic duct, vii. 746
of thyroid gland, iv. 388; vii.
777
of tongue, ii. 635; vii. 799, 947

Carcinoma of umbilicus, viii. 6
of ureters, viii. 13
of uterus, viii. 89
hysterectomy for, iv. 825,
827
of vagina, ii. 640
of veins, viii. 219
of vulva, viii. 163
papillary, ii. 682
parasitic theory of origin of, ii.
627, 679
prevalence of, ii. 626
prognosis, ii. 628
starvation of, ii. 644; v. 680
subcutaneous, vii. 724
symptoms, ii. 628
syncytial, vii. 595
extirpation of both, for malign-
ant disease, v. 681
internal, vi. 194
anomalies of, i. 527
surface marking of, vi. 191
by cutting off blood supply,
ii. 644
by mixed toxins of erysipe-
las and bacillus prodigio-
sus, ii. 645
of inoperable, ii. 644
ventriculi, vii. 513
**Carcinomatous lymphatic infar-
ction**, ii. 683
Cardamom, ii. 686
Aleppo, ii. 687
Madras, ii. 687
Malabar, ii. 687
oil of, ii. 687
Carden's amputation, i. 263
Cardia, spasm of, vii. 502
Cardiac affections, health resorts
for, iv. 565
calculi, iii. 230
cycle, duration of, iii. 108
depressants, ii. 687
diseases due to occupations, vi.
320
irregularity in neurasthenia, vi.
250
muscle, vi. 19
nerves, vii. 576
neuroses, see *Heart, neuroses of*
plexus, vii. 577
stimulants, ii. 692
tonics, ii. 696
veins, anomalies of, viii. 201
Cardialgia, vi. 248; vii. 494
Cardiography, iv. 567
Cardol, ii. 707; vi. 698
pruriens, ii. 707
Cargo, inspection of, at quarantine
station, vi. 823
Carica, vi. 481
hastifolia, vi. 482
papaya, vi. 481
Caricin, vi. 482
Caries, dental, in pregnancy, iv. 346
of orbit, vi. 400
of ossicles, iii. 630
Carina tracheæ, v. 576
Carissa Schimperii, vi. 430
Carlsbad, ii. 703
Carmin, iii. 225
red, iii. 225
Carminatives as digestants, iii.
469
Carmine, iii. 165
Carmine acid, iii. 164, 225
Carnelian Hot Springs, v. 404
Carniferin, v. 229, 230
Carniferol, v. 230
Carnoy's fluids, iv. 709

Carnoy's modification of Flem-
ming's fluid, iv. 707
of Lang's fluid, iv. 709
Caroba, ii. 704
Carobin, ii. 704
Carota, ii. 704
Carotid artery, vi. 193
common, vi. 193
anomalies of, i. 526
compression of, i. 537
ligature of, vi. 193
surface marking of, vi. 191
external, vi. 194
anomalies of, i. 526
compression of, i. 537
ligature of, vi. 194
extirpation of both, for malign-
ant disease, v. 681
internal, vi. 194
anomalies of, i. 527
surface marking of, vi. 191
Carotid gland, viii. 411
plexus, vii. 575
Carotin, ii. 704
Carpaine, vi. 482
Carpal bones, dislocation of, iv. 572
joints, drainage of, v. 294
Carpus, dislocation of, iii. 523
Carrageen, vi. 1
Carrol's æsthesiometer, i. 185
Carron oil, ii. 552; v. 516
Carrot, ii. 704
Cart, dumping, vi. 877
for street sweepings, vi. 876
garbage, ii. 877
Carthagea bark, iii. 88; and see
Cinchona
Carthamic acid, vii. 3
Carthamin, vii. 3
Carthamus, vii. 3
tinctorius, vii. 3
Cartilage, ii. 704
arytenoid, v. 407
bone-formation in, ii. 117
chemistry of, ii. 129
cricoid, v. 407
defective, in joints, v. 297
development of, ii. 705
displaced, in joints, v. 297
fibro-, ii. 705
fibro-elastic, ii. 705
hyaline, ii. 704
loose, at knee-joint, v. 288
movable, in joints, v. 288, 297
of larynx, v. 407
supernumerary, v. 419
of Santorini, v. 408
of septum of nose, vi. 101
of Wrisberg, v. 408
semilunar, of the knee-joint, v.
370
dislocation of, v. 274, 288
subluxation of, v. 297
slipped, in joints, v. 297
spongy, ii. 705
thyroid, v. 407
tumors composed of, iii. 88; vii.
907
yellow elastic, ii. 705
Carum, ii. 655
carvi, ii. 655
Caruncle, urethral, i. 770
Caruncule myrtiformes, vi. 568
Carvacrol, ii. 706
Carvene, ii. 655
Carvol, ii. 655, 706
Caryophyllin, iii. 149
Caryophyllus, iii. 149

Carophyllum, iii. 149
Casanthrol, ii. 706
Cascara amarga, ii. 706
sagrada, ii. 706
as a laxative, v. 470
Cascarilla, ii. 707
Cascarillin, ii. 707
Caseation, vi. 204
necrosis, vi. 204
Casein in milk, determination of,
v. 828
ointment, ii. 707
Caseinogen of cow's milk, v. 825
how it differs from that of hu-
man milk, iii. 152
Caseoidin, ii. 707
Cashew, i. 271
nuts, ii. 707
allied plants, ii. 707
poisonous plant, vi. 698
Cassava starch, vii. 638
sweet, vii. 638
Cassia, ii. 707, 708
acutifolia, vii. 116
angustifolia, vii. 116
bark, iii. 93
buds, iii. 94
cinnamon, iii. 93
chips, iii. 94
daphnoides, iii. 94
dulce, iii. 94
fistula, ii. 707
flowers, iii. 94
iners, iii. 94
lignea, iii. 93
Loureirii, iii. 94
nitidum, iii. 94
obovata, vii. 117
obtusifolium, iii. 94
purging, ii. 707
in cassia fistula, ii. 707
tamala, iii. 94
vera, iii. 93
Castalia, vi. 308
alba, vi. 308
odorata, vi. 308
tuberosa, vi. 308
Castalian Mineral Springs, ii. 708
Castalian Springs, ii. 708
Castanea, ii. 825
dentata, ii. 825
Castor, ii. 708
Canadian, ii. 708
Siberian, ii. 708
Castoreum, ii. 708
Castorin, ii. 708
Castor-oil, ii. 708
as a laxative, v. 469
as a purgative, vi. 810
methods of disguising taste of,
v. 469
poisonous plant, vi. 701
Castration, ii. 710
as a method of punishment, ii.
713
effect on the human male, ii. 711
on male animals, ii. 710
on sociological conditions, ii.
713
on the nervous system, ii.
715
on the osseous system, ii. 713
on the sexual life, ii. 711,
714
on women, ii. 713
upon the genitals, ii. 715
for enlarged prostate, ii. 711
historical sketch, ii. 710

Castration in cancer of the testis, ii. 639
influence on menstruation, ii. 713
psychical effects, ii. 715
therapeutic results, ii. 716
Casts, urinary, viii. 58
Cat, lymphatic system of, v. 646
Catalepsy, ii. 534, 716; iii. 261
artificially induced, ii. 718
burying alive in, ii. 717
complications, ii. 717
causation, ii. 718
diagnosis, ii. 718
ecstatic, ii. 717
epidemic, ii. 718
hystero-, ii. 717
idiopathic, ii. 716
pathological anatomy, ii. 718
prognosis, ii. 719
syggnostic, ii. 718
symptoms, ii. 717
treatment, ii. 719
with somnambulism, ii. 718
Cataleptic state of hypnosis, iv. 812
Catalysis, Berzelius' theory of, iv. 146
Cataphora, iii. 561
Cataphoresis, ii. 719; iii. 759, 766
analgesic effect of, i. 289
for inoperable cancer, ii. 645
Cataract, ii. 719
absorption, normal, ii. 725
anterior polar, ii. 721
artificial ripening of, ii. 729
black, ii. 723
capsular, ii. 723
causation of, ii. 723
complicated, ii. 720
congenital, ii. 723
cortical, ii. 720
definition, ii. 719
diabetic, ii. 722; iii. 429
diagnosis, ii. 720
discission, ii. 725
extraction by suction, ii. 726
flap operation, ii. 736
history of, ii. 738
linear operation, ii. 727
without iridectomy, ii. 734
functional examination of eye, ii. 720
hard, ii. 720
incipient, ii. 720
in disease of the choroid, ii. 722
in diabetes, ii. 722; iii. 429
in retinitis pigmentosa, ii. 722
in separation of the retina, ii. 722
linear extraction, ii. 727
maturity of, ii. 720
nuclear, ii. 720
operation for, ii. 723
antiseptics in, ii. 724
over-ripe, ii. 723
partial, ii. 720
peripheric linear extraction of, ii. 730
posterior polar, ii. 722
progressive, ii. 720
punctated, ii. 721
reclination for, ii. 737
result of operation for, ii. 724
secondary operations, ii. 733
senile, ii. 722
operation for, ii. 728
simple, ii. 720
soft, ii. 720
of the young, ii. 722

Cataract, stationary, ii. 720
suction for, ii. 726
symptoms, ii. 720
total, ii. 720
congenital, ii. 722
traumatic, ii. 722
treatment of, ii. 723
varieties, ii. 721
zonular, ii. 721
Cataria, ii. 755
Catarrh, acute laryngeal, v. 410
acute nasal, vi. 109; and see *Rhinitis*
Rhinitis
chronic, vi. 114; and see *Rhinitis*
of conjunctiva, iii. 246
Catastoma, iv. 286
circumscissum, iv. 286
Catechin, ii. 739; v. 362
Catechu, ii. 738
black, ii. 738
Catechu-tannic acid, ii. 739
Catelectrotonus, see *Electrotonus*, iii. 767
Caterpillars, poisonous, v. 167
Catgut, apparatus for boiling, iii. 553
chromicized, iii. 553
sterilization of, iii. 552
Cathartic acid, vii. 117
Cathartic pills, compound, composition of, iii. 201
Cathartics, vi. 809; see also *Purgatives*
a cause of constipation, iii. 262
as digestants, iii. 469
cholagogue, vi. 809
contraindications, i. 371
diarrhoea from use of, iii. 439
hydragogue, vi. 809
in cases of poisoning, i. 371
Catheter, ii. 739
care of, ii. 753
conical tip, ii. 743
coudé, ii. 743
double-current, ii. 743
English, ii. 740
evacuating, ii. 746
eye of, ii. 740
female, ii. 752
flexible, ii. 739, 742
for hypertrophy of prostate, vi. 766
Gouley's tunnelled, ii. 746
Guyon's, ii. 743
hard-rubber, ii. 740
invaginated, ii. 746
irrigating, vi. 761
Jacques', ii. 740
lubricant for, ii. 754
Mercier's invaginated, ii. 746
coudé, ii. 743
metal, ii. 743
passing of, ii. 750
Nélaton's, ii. 740
olivary tip, ii. 743
over-curved prostatic, ii. 744
preservation of, ii. 753
prostatic, ii. 743
rat-tail, ii. 743
self-retaining, ii. 742
Sims' female, ii. 752
size of, ii. 748, 749
soft-rubber, ii. 740
spiral prostatic, ii. 744
sterilization of, ii. 753
tunnelled, ii. 746, 751
Catheter life, vi. 766

Catheterism, ii. 739; see also *Catheterization*
continuous, ii. 741
daily, ii. 749
evacuating, ii. 743
in hypertrophy of prostate, vi. 766
of children, ii. 752
of women, ii. 752
of urethra, ii. 739
position of patient, ii. 748
Catheterization, ii. 739; see also *Catheterism*
of Eustachian tube, iii. 664
of ureters, v. 335
Cations, viii. 414
Catmint, ii. 755
Catnip, ii. 755
Catoosa Springs, ii. 755
Cattle used as food, diseases among, v. 726
Cattle fever, Texas, detection of, v. 726
Cattle plague, detection of, v. 726
Cauda equina, tumors of, vii. 386
Caulophyllum, iii. 191
thalictorides, iii. 191
Caustic alkalies, burns from, ii. 519
lime, as a deodorant, iii. 412
Plunket's, i. 524
potash, vi. 743
post-mortem appearances due to, i. 662
soda, vii. 256
post-mortem appearances due to, i. 662
Vienna, vi. 743
Caustics, ii. 755
acid, ii. 756
action of, ii. 756
alkaline, ii. 757
contraindications, ii. 756
Landolphi's, ii. 758
uses of, ii. 756
Cauterization, ii. 758
en flèches, ii. 756
English, ii. 740
evacuating, ii. 746
eye of, ii. 740
female, ii. 752
flexible, ii. 739, 742
for hypertrophy of prostate, vi. 766
degrees of heat in, ii. 759
electrical, ii. 758
Paquelin's thermo-, ii. 758
Cavazzani's method of resection of elbow, vi. 919
Cavernitis, vii. 176
Cavernous plexus, vii. 576
sinus, anomalies of, viii. 204
tumor, i. 350
Cavity, pelvic, vi. 539
Ceanothine, ii. 759
Ceanothus, ii. 759
americanus, ii. 759
Cedar Keys, ii. 759
Cedar Springs, ii. 760
Cedrin, ii. 760
Cedron seeds, ii. 760
Cedronella, v. 379
Celadine, ii. 760
Celastrus scandens, i. 763; vi. 699
Celery, ii. 760
fruit, viii. 1
Cell-body, ii. 761
Cell-division, i. 758; ii. 763; vi. 863
direct, ii. 764
indirect, ii. 763

Cell-membrane, ii. 761, 762
Cell-theory, i. 756
Cells, ii. 760
action of cocaine on, iii. 157
amoeboid movements of, ii. 762
bacterial, structure of, i. 681
changes in, during growth, ii. 320
ciliated, iii. 271
definition of, i. 758; ii. 761
Deiters', i. 623
development of plant, iv. 416
division of, i. 758; ii. 763; vi. 863
direct, ii. 764
indirect, ii. 763
fixed, phagocytosis in, vi. 578
free, phagocytosis in, vi. 578
function of, in absorption, i. 50
giant, ii. 20
granular, iii. 253
growth, a function of, iv. 415
changes in, during, ii. 320
histological element, ii. 760
historical, ii. 760
marrow, ii. 20
mast, iii. 253
membrane, ii. 762
movements of, ii. 762
mucous, iii. 856
nucleolus of, ii. 762
nucleus of, ii. 761
number of, in blood, ii. 23
in body, ii. 23
phagocytic, vi. 577
function of, vi. 576
plasma, iii. 252; vi. 654
prickle, iii. 854
pus, ii. 31
renal, v. 311
reproduction of, ii. 763
shape of, ii. 762
spine, iii. 854
structure of, ii. 761
vital properties of, ii. 762
Cellulitis, see *Phlegmon*
gaseous, iv. 303
laryngeal, v. 412
of hand and fingers, iv. 502
orbital, vi. 398
pelvic, vi. 530
Cementing cover glasses, iv. 727
Cementum of the tooth, vii. 649
hypertrophy of, vii. 658
Centigrade and Fahrenheit scales compared, iv. 132
system of measurements, viii. 298
Centimetre, viii. 299
Centipedes, v. 160
Central America, history of yellow fever in, viii. 322, 585
Pharmacopœia in, iv. 582
Central convulsion, tumor of, diagnosis of, ii. 447
Central fissure, ii. 194
bifurcation, ii. 196
branches, ii. 195
carnivora representative, ii. 198
constancy, ii. 194
dimensions, ii. 194
duplication, ii. 196
form or course in detail, ii. 195
general location and direction, ii. 194
how to distinguish from adjoining fissures, ii. 196
importance, ii. 194
integrality, ii. 198

Central fissure, interruption, ii. 197
partial, ii. 197
junctions, ii. 195
mode of formation, ii. 197
physiological and surgical relations, ii. 198
psychological relations, ii. 198
relation to ental elevations, ii. 194
to the mesal aspect, ii. 196
special location, ii. 196
time of first appearance, ii. 197
topographical importance, ii. 195
Central necrosis, vi. 204
nervous system, action of cocaine on, iii. 158
plexus, vii. 573
Centre, optic, iv. 85
Centre of gravity of body, in erect posture, iii. 857
in walking and running, iii. 857
Centrifuge, ii. 47
Centring, imperfect, iv. 91
Centrosome, ii. 762; iv. 851
Centrum ovale, tumors of, ii. 441
Cephaeline, v. 211
Cephaelis, v. 210
acuminata, v. 211
ipecacuanha, v. 210
Cephalæmatomata, ii. 764
definition, ii. 764
diagnosis, ii. 765
etiology, ii. 765
frequency, ii. 765
location, ii. 765
neonatorum, vi. 277
pathological anatomy, ii. 765
prognosis, ii. 765
synonyms, ii. 764
treatment, ii. 765
triple, ii. 765
Cephalhydrocele, ii. 233
Cephalic index, vii. 230
Cephalic veins, anomalies of, viii. 204
Cephalocele, ii. 233
acquired, ii. 237
treatment, ii. 238
congenital, ii. 233
clinical features, ii. 234
diagnosis, ii. 235
etiology, ii. 233
pathology, ii. 233
prognosis, ii. 234
treatment, ii. 235
pseudo-, ii. 237
varieties, ii. 233
Cephalo-humeral muscle, vi. 44
Cephalo-thoracopagus, vii. 685
Cera alba, viii. 294
flava, viii. 298
Cerate, v. 735
Goulard's, v. 471
of cantharides, ii. 652; vii. 914
of savine, vii. 43
of spermacetil, vii. 277
of subacetate of lead, v. 471
resin, vii. 914
Cercomonas, viii. 533
biflagellata, viii. 536
hominis, viii. 533
intestinalis, viii. 536
Cereals as food for invalids, iii. 455
Cerebellar ataxia, ii. 239
disease, ii. 238
diagnosis, ii. 241
etiology, ii. 238
symptoms, ii. 239
tumor, ii. 240, 442

Cerebellum, affections of, ii. 238
anatomy of, ii. 157, 159
arbor vite, ii. 160
dentatum, ii. 162
development of, ii. 280
disease of, ii. 238
ectocinerea, ii. 159, 162
embolus, ii. 162
fastigatum, ii. 162
flocculus, ii. 158
foliums, ii. 159
function of, in equilibrium, iii. 860
fural sulcus, ii. 160
globulus, ii. 162
hemispheres, ii. 159
horizontal fissure, great, ii. 160
influence of, on knee-jerk, v. 368
lesions of, diagnosis of, ii. 286
lingula, ii. 160
lobes, ii. 161
paraflocculus, ii. 158
peduncles, ii. 158
peduncular sulcus, ii. 160
pileums, ii. 159
sulci, ii. 159, 161
tumors of, ii. 240, 442
diagnosis of, ii. 446
vermis, ii. 159
Cerebral abscess, ii. 218
clinical history, ii. 220
diagnosis, ii. 222
etiology, ii. 218
pathological anatomy, ii. 219
prognosis, ii. 222
treatment, ii. 222
Cerebral anæmia, ii. 223
diagnosis, ii. 226
drowsiness in, iii. 560
etiology, ii. 223
prognosis, ii. 226
symptomatology, ii. 224
treatment, ii. 226
varieties, ii. 223
Cerebral arteries, ii. 249
aneurism of, ii. 227
anomalies of, i. 527
Cerebral atrophy, ii. 228
acquired, ii. 231
congenital, ii. 228
general, ii. 228
partial, ii. 228
primary, ii. 228
secondary, ii. 229
Cerebral congestion, ii. 366
cold in, iii. 195
Cerebral cortex, functions of, i. 297
growth of, ii. 231
histology of, ii. 306
tumors of, ii. 440
Cerebral diseases, see *Brain, diseases of*
insanity dependent on, v. 94
Cerebral disturbances, drowsiness in, iii. 560
Cerebral embolism, ii. 294, 396
Cerebral hemorrhage, ii. 241
diagnosed from brain tumor, ii. 449
from embolism and thrombosis, ii. 244
preceded by drowsiness, iii. 560
Cerebral irritation, ii. 268
Cerebral localization, ii. 297; iii. 260
association areas, ii. 305
auditory areas, ii. 307
methods of investigation, ii. 297

Cerebral localization, motor areas, ii. 304
 sensory areas, ii. 305
 silent areas, ii. 311
 visual areas, ii. 306
 zone of language, ii. 310
Cerebral sinuses, ii. 260
 anomalies of, viii. 203
 thrombosis of, ii. 415
Cerebral thrombosis, ii. 296, 396
Cerebral tracts, lesions of, diagnosis of, ii. 284
Cerebral veins, ii. 260
Cerebral vessels, injuries to, post-mortem signs of, i. 669
Cerebration, unconscious, i. 648
Cerebrosides, ii. 227
Cerebro-spinal axis, defects of, vii. 695
Cerebro-spinal fever, ii. 766
Cerebro-spinal fluid, ii. 245
 amount, ii. 245
 increased, iv. 777
 anatomy of, ii. 245
 chemistry of, ii. 247
 escape of, in fracture of skull, iv. 559
 microscopic appearance, ii. 248
 pathological and clinical considerations, ii. 248
 physiology of, ii. 246
 reduces copper salts, ii. 247
 secretion of, iv. 777
 sources of, ii. 246
Cerebro-spinal meningitis, ii. 766
 bacteriological diagnosis of, viii. 400
 cold in treatment of, iii. 195
 complications and sequelæ, ii. 775
 definition of, ii. 766
 diagnosis of, ii. 776
 duration, ii. 775
 epidemic, ii. 766
 etiology of, ii. 769
 general remarks, ii. 768
 history of, ii. 769
 in armies, ii. 576
 morbid anatomy of, ii. 771
 pathology of, ii. 770
 prognosis and mortality, ii. 777
 prophylaxis, ii. 777
 symptomatology, ii. 772
 synonyms of, ii. 766
 therapy, ii. 777
Cerebro-spinal sclerosis, multiple, viii. 491; and see *Multiple sclerosis*
Cerebrum, ii. 138; and see *Brain*
 development of fissures of, ii. 273
 diagnosis of lesions of cortex, ii. 282
 influence of, on knee-jerk, v. 368
 volume of, varies with inspiration and expiration, ii. 246
 varies with systole and diastole, ii. 246
Cereus grandiflorus, ii. 533
 night-blooming, ii. 533
Cerevisiæ fermentum, viii. 321
Cerin, viii. 294
Cerium, ii. 778
 oxalate, ii. 778
Certificate of death, ii. 533
Certified milk, v. 843
Cerumen, i. C26
 hypersecretion of, iii. 614
 impacted, iii. 614

Cerumen, want of, iii. 615
Cervical artery, ascending, anomalies of, i. 528
 deep, anomalies of, i. 529
 transverse, anomalies of, i. 528
Cervical fascia, vi. 192
 deep, vi. 192
 superficial, vi. 192
Cervical fistulæ, vii. 701
 congenital, vii. 701
 median, vii. 701
Cervical ganglion, vii. 575
 inferior, vii. 576
 lower, vii. 576
 middle, vii. 576
 superior, vii. 575
 upper, vii. 575
Cervical lymphatic glands, deep, v. 631; vi. 199
 superficial, v. 630; vi. 199
Cervical nerve, superficial, surface marking of, vi. 191
Cervical plexus, cutaneous branches of, surface marking of, vi. 191
Cervical veins, transverse, anomalies of, viii. 204
Cervicalis ascendens muscle, anomalies of, vi. 60
Cervico-brachial neuralgia, vi. 246
Cervix uteri, vii. 158; and see *Uterus*
 abrasions of, viii. 69
 absence of, viii. 73
 adeno-carcinoma of, viii. 88
 amputation of, viii. 67
 atresia of, viii. 68
 atrophy of, viii. 64, 73
 cancer of, viii. 87
 treatment, viii. 89
 chancre of, viii. 68
 chancroid of, viii. 68
 dilatation of, viii. 69
 discission of, viii. 69
 divulsion of, viii. 69
 glands, vii. 163
 hypertrophy of, viii. 65
 lacerations of, vi. 810; viii. 70
 operations for, viii. 71
 mucous membrane, vii. 163
 stenosis of, viii. 68
 traumatic affections of, viii. 69
 tuberculous ulceration of, viii. 68
 ulceration of, viii. 68
 wounds of, viii. 69
Cess-pool, air of, i. 158
Cestoda, ii. 779
Cestodaria, ii. 779
Cetaceum, vii. 277
Cetraria, vi. 1
 dried, vi. 1
 islandica, vi. 1
Cetraric acid, vi. 1
Cetrarin, vi. 1
Cevadilla, viii. 220
Cevadine, ii. 690; iv. 626
Chalazæ, vi. 448
Chalazion, iv. 119
 of eyelids, iv. 106
Chalazoderma, iii. 426
Chalcosis, v. 594
Chalk, infarct, iv. 868
 mercury with, v. 750
 prepared, ii. 552
Chalot's method of resection of superior maxilla, vi. 943
Chalybeate, v. 222

Chalybeate Springs, ii. 794
Chalybeate Water, v. 488
 American, v. 849
 European, v. 849
Chalybeates, vii. 807
Chamber, moist, viii. 387
 pneumatic, vi. 669
Chamberland autoclave, viii. 382
Chambon's expression forceps, viii. 140
Chamiquel, ii. 794
Chamomile, ii. 795
 German, ii. 795
 Roman, ii. 795
 Spanish, vi. 522
Chance, viii. 185
Chancre, vii. 606, 947
 clinical features of, vii. 607
 diphtheroid, vii. 607
 hard, vii. 606
 herpetic, vii. 607
 Hunterian, vii. 607
 infecting, vii. 606
 mixed, vii. 607
 of anus, i. 397
 of auricle, iii. 674
 of cervix uteri, viii. 68
 of eyelid, iv. 117
 of hand and finger, iv. 505
 of nipple, ii. 473
 of tongue, vii. 795
 of tonsil, vii. 821
 of urethra, i. 770
 of vulva, viii. 161
 soft, vii. 607
 umbilicated, vii. 607
Chancroid, ii. 795, 944
 buboes following, ii. 500
 clinical history, ii. 796
 complications, ii. 797
 diagnosis, ii. 797
 etiology, ii. 795
 extragenital, ii. 796
 leucorrhœa accompanying, v. 494
 location, ii. 796
 of anus, i. 396
 of cervix uteri, viii. 68
 of rectum, i. 396
 of urethra, i. 770
 of vulva, viii. 161
 treatment, ii. 797
Change of life, ii. 798
Channel Islands, iv. 426
Charbon, i. 363; viii. 231; and see *Anthrax*
Charcoal, ii. 800
 animal, ii. 800
 as a deodorant, iii. 411
 as an antidote, i. 372
 purified animal, ii. 800
 wood, ii. 801
Charcot's disease, i. 549; v. 265
Charcot-Leyden crystals in asthma, i. 587; vii. 432
Charcot-Marie-Tooth disease, vi. 66
Charleston Artesian Wells, ii. 801
Charleston, S. C., ii. 801
Charta, v. 737
 potassii nitratis, vi. 745
 sinapis, vi. 68
Charus, ii. 647
Chattanooga, Tenn., ii. 802
Chattolane Springs, ii. 801
Chaulmoogra, ii. 802
 false, ii. 803

Chaussier's tube for direct mouth insufflation, iv. 142
Chautard's test for acetone, i. 67
Chawul-mungri, ii. 802
Checkerberry, viii. 313
Cheese, v. 829
 adulteration of, iv. 180
 analysis of, v. 829
 as a food for soldiers, v. 803
 hard, v. 829
 nutritive value of, v. 829
 poisonous, iv. 189
 soft, v. 829
Chego, ii. 828
Chegoe, ii. 828
Chegre, ii. 828
Cheilitis glandularis apostematosa, ii. 803
Cheilo-gnatho-prosoposchisis, vii. 701
Cheilo-gnathoschisis, vii. 700
Cheilo-gnatho-uranoschisis, vii. 700
Cheiloplasty, vi. 901
Cheiloschisis, vii. 700
Cheiracanthus siamensis, vi. 210
Cheiromegaly, see Hand, hypertrophy of
Cheirompopholyx, vi. 733
Chekan, ii. 803
Chelerythrine, ii. 73, 112, 760; iv. 11
Chelidon, iii. 732
Chelidonic acid, ii. 760
Chelidonine, ii. 760
Chelidonic acid, ii. 760
Chelidonium, ii. 760
 majus, ii. 760
Cheloid, v. 302; and see *Keloid*
Chelytus eruditus, i. 435
Chemist, duties of, in cases of suspected poisoning, vi. 692
Chemotaxis, i. 682; ii. 762; iv. 844; v. 8
 negative, i. 682; ii. 763; iv. 844; v. 8
 positive, i. 682; ii. 763; iv. 844; v. 8
Chenopodium, viii. 315
 ambrosioides, viii. 315
 anthelminticum, viii. 315
 oil of, used for round worm, i. 362
Cherquen, ii. 803
Cherry, black, i. 741
 laurel, i. 737
 water, poisoning by, iv. 785
 wild, ii. 803
Chervil, sweet, iv. 148
Chest, ii. 804
 alar, ii. 811
 auscultation of, ii. 816
 immediate, ii. 816
 mediate, ii. 816
 bulging of wall of, ii. 814
 cobbler's, ii. 811
 deformities of, ii. 804
 acquired, ii. 807
 associated with paralytic affections, ii. 808
 congenital, ii. 804
 due to changes in thoracic and abdominal cavities, ii. 811
 due to lacing, ii. 810
 due to static conditions, ii. 807
 emphysema of, viii. 430

Chest, emphysematous, ii. 814
 enlargement of, ii. 814
 examination of, by X-rays, ii. 814
 form of, ii. 814
 funnel, ii. 806
 gunshot wounds of, iv. 452
 inspection of, ii. 814
 keeled, ii. 810
 lines of, transverse, ii. 812
 vertical, ii. 812
 massage of, v. 695
 movements of, during respiration, ii. 814
 normal, ii. 814
 size of, ii. 814
 palpation, ii. 815
 paralytic, ii. 811
 percussion, ii. 815
 immediate, ii. 815
 mediate, ii. 815
 phthoid, ii. 811
 phthisical, ii. 811
 physical examination of, ii. 812
 examination of, for life insurance, v. 511
 pigeon, ii. 810, 814
 rachitic, ii. 810, 814
 râles in, ii. 818
 regions of, anterior, ii. 812
 lateral, ii. 812
 posterior, ii. 812
 relations of lung to, ii. 812
 retraction of, ii. 814
 rudimentary, ii. 811
 sinking in of wall of, ii. 814
 topography of, ii. 812
Chestnut, ii. 825
 horse, poisonous plant, vi. 702
Chewstick, ii. 826
Cheyne-Stokes respiration, iii. 579; vi. 953
 causes of, iii. 579
Chicago, Ill., ii. 826
Chichancanab, ii. 826
Chichimequillas, ii. 826
Chichipico, ii. 826
Chicken, hæmolymp glands of, iv. 469
Chicken bug, Mexican, v. 156
Chicken jelly, how to make, iii. 454
 panada, how to make, iii. 454
Chickenpox, ii. 826
 diagnosed from smallpox, vii. 249
Chick's Springs, ii. 827
Chicory, ii. 828
Chicque, ii. 828
Chiene's method of brain localization, ii. 405
Chigger, ii. 828
Chigoe, ii. 828; v. 154
Chilblain, iii. 417; iv. 531
Childbed fever, vi. 793
Child-birth, see Labor
 followed by blindness, ii. 13
Childhood, ii. 829; see also *Infants and Children*
Child labor, injurious influences of, vi. 321
Children, see also Infants
 alimentary tract of, ii. 830
 backward, v. 150
 bones in, ii. 830
 clonic blepharospasm of, ii. 5
 convulsions in, iii. 700
 crying, significance of, in, iii. 334

Children, defective, percentage of, from consanguineous marriages, iii. 257
 disease in, ii. 833
 pericarditis in, vi. 562
 development of, ii. 832
 mental, ii. 832
 dosage for, iii. 551
 Cowling's formula, iii. 551
 Young's formula, iii. 551
 emotions of, ii. 832
 examination of nose in, vi. 109
 growth of, ii. 832; iv. 419
 insanity in, v. 30
 intellect of, ii. 832
 intestinal disease, diet in, iii. 459
 kidneys of, ii. 831
 leprosy in, v. 845
 lymphatic system of, ii. 831
 mortality among, ii. 834
 from preparations of opium, vi. 389
 from consanguineous marriages, iii. 257
 myopia in, vi. 84
 myxœdema in, vi. 87
 necrosis of jaw in, v. 254
 nervous system of, ii. 831
 school life of, ii. 833
 senses of, ii. 832
 skin of, ii. 829
 syphilitic affections of the ear in, iii. 685
 teeth of, ii. 830
 urine of, ii. 831
 weak foot in, iv. 204
 weight of, iv. 418
 vaginitis in, viii. 163
Chile, Pharmacopœia in, vi. 582
Chill, congestive, v. 679
Chillies, ii. 653
Chilodon dentatus, viii. 546
Chilopoda, v. 160
Chimaphila, vi. 638
 corymbosa, vi. 638
 umbellata, vi. 638
Chimaphilin, vi. 639
Chimney-sweeps' cancer of the scrotum, ii. 682
Chin, itching of, in asthma, i. 584
China, Pharmacopœia in, vi. 582
 pride of, i. 675
Chinaberry tree, i. 675
Chinaphtol, ii. 834
Chinaseptol, ii. 834
Chino, el, ii. 834
Chinoidine, iii. 88, 92; and see *Cinchona*
Chinoline, ii. 834
 tartrate, ii. 834
Chinoral, iv. 426
Chinosol, ii. 835
 compound powder of, ii. 835
Chinovic acid, iii. 92
Chinovin, iii. 92
Chique, ii. 828
Chirata, ii. 835
Chiratin, ii. 835
Chiretta, ii. 835
Chirol, ii. 835
Chitten bark, ii. 706
Chittenango Sulphur Springs, ii. 835
Chiuchi-coca, iii. 154
Chloasma, ii. 835
 diagnosed from erythrasma, iv. 10
 uterinum, ii. 836; vi. 634