

Hepatitis apostematosa, v. 530
 extrinsic, v. 531
 intrinsic, v. 531
 suppurative, v. 530
 from arterial infection, v. 531
 of biliary origin, v. 532
 of portal origin, v. 531
 per extensionem, v. 352
 primary, v. 531
 secondary, v. 531
Hepaticization, gray, vi. 678
 red, vi. 678
Herbage, poisonous, iv. 705
Herb-juice cure, the, at Meran, v. 748
Herbs, fresh, tinctures of, v. 739
Hereditary ataxia, vii. 347
Heredity, iv. 638
 and immunity, iv. 664
 and infections, iv. 663, 664
 and insanity, v. 65, 69
 and intoxications, iv. 663
 and mutilations, iv. 663
 and neuropathies, iv. 664
 and overdevelopment, iv. 663
 and reduction and synapsis, vi. 870
 as a cause of cretinism, iv. 392
 as a cause of insanity, v. 28
 as a factor of organic evolution, iv. 24
 as a form of motion, iv. 645
 data of, in pathology of insanity, v. 36
 definition of, iv. 638
 effects of, iv. 659
 familial, iv. 660
 individual, iv. 660
 racial, iv. 659
 specific, iv. 659
 influence of, in parthenogenesis, vi. 515
 in gigantism, viii. 461
 in its relation to the development of morbid states, iv. 659
 in paresis, v. 87
 in relation to consumption, iii. 264
 law of ancestral, iv. 642
 phenomena of, iv. 640
 theories of, iv. 644
Hering's theory of color sensation, viii. 245
Hermann's hardening fluid, iv. 708
 modification of Flemming's hardening fluid, iv. 707
Hermaphroditic malformations, vii. 711
Hermaphroditism, iv. 711
 bilateral, vii. 711
 false, vii. 712
 lateral, vii. 711
 true, vii. 711
 unilateral, vii. 711
Hermophenol, iv. 665
Hernia, iv. 665
 acquired, iv. 665
 adult umbilical, iv. 679
 anatomical varieties, iv. 669
 associated with undescended testicle, iv. 675
 Bassini's method of cure, iv. 672, 677
 Bloodgood's method of radical cure, iv. 675
 cerebri, ii. 233; iv. 61
 choice of methods of cure for inguinal, iv. 675

Hernia, clinical varieties, iv. 666
 congenital, iv. 665
 umbilical, iv. 678
 diaphragmatic, iii. 434; iv. 665, 683
 acquired, iii. 434
 congenital, iii. 434
 direct inguinal, iv. 671
 epigastric, iv. 680
 etiology, iv. 665
 exciting causes, iv. 666
 femoral, iv. 676
 anatomy of, i. 9; iv. 676
 occurrence of, iv. 677
 results of operations, iv. 678
 treatment, iv. 677
 Fowler's method of radical cure, iv. 675
 Gordon's method of cure, iv. 678
 Halsted's method of radical cure, iv. 674
 herniotomy, iv. 669
 indirect inguinal, iv. 671
 infantile, iv. 672
 umbilical, iv. 679
 inflamed, iv. 666
 inguinal, i. 7; iv. 669
 anatomy, iv. 669
 diagnosis, iv. 672
 post-operative treatment, iv. 676
 radical cure of, iv. 672
 treatment, iv. 683
 internal, iv. 665
 interstitial hernia, iv. 672
 in the linea alba, iv. 680
 in the lineæ semilunares, iv. 681
 in the lineæ transversæ, iv. 681
 irreducible, iv. 666
 ischiatic, iv. 682
 kelotomy, iv. 669
 Kocher's method of radical cure, iv. 674
 Lucas Championnière's method of radical cure, iv. 675
 lumbar, iv. 681
 Macewen's method of radical cure, iv. 675
 mechanical treatment, iv. 683
 oblique inguinal, iv. 671
 obstructed, iv. 666
 obturator, iv. 681
 of the appendix vermiformis, iv. 682
 of the bladder, i. 790; iv. 682
 of the cord, iv. 678
 of the large intestine, iv. 682
 of the meninges, ii. 233
 of the ovary, iv. 682; vi. 432; viii. 163
 of the pelvic outlet, iv. 682
 of the pregnant uterus, iv. 349
 of the uterus, viii. 78, 85
 of the ventricles of the larynx, v. 436
 predisposing causes, iv. 665
 purse-string method of cure of, iv. 678
 radical cure of inguinal, iv. 672
 reducible, iv. 666
 reduction *en masse*, iv. 669
 sliding, iv. 682
 slipped, iv. 682
 strangulated, iv. 667
 anatomical changes, iv. 667
 aspiration in, i. 580
 causes of, iv. 667
 classification, iv. 668

Hernia, strangulated, differentiated from intestinal colic, iii. 197
 mechanism, iv. 667
 treatment, iv. 668
 taxis for, iv. 668
 contraindications to, iv. 668
 dangers of, iv. 668
 traumatic ventral, iv. 681
 trusses for, iv. 683
 umbilical, iv. 678; viii. 6
 classes of, iv. 678
 ventral, iv. 680
 vesical, iv. 682
Hernies par glissement, iv. 682
Herniotomy, iv. 669
Heroin, iv. 684
 as an expectorant, iv. 52
Herpes, iv. 684
 catarrhalis corneæ, iii. 285
 circinatus, iv. 8
 corneæ, iii. 285
 genitalis, iv. 685
 idiopathica corneæ, iii. 285
 in pregnancy, iv. 347
 iris, iv. 8
 of the eyelids, iv. 117
 of the throat, vi. 591
 of the tongue, vii. 796
 of the vulva, iv. 685
 præputialis, iv. 685
 produced by salicylic acid, iii. 422
 progenitalis, iv. 685
 diagnosis of, from chancreoid, ii. 797
 simplex, iv. 684
 zoster, i. 456; iv. 686
 and eczema, differential diagnosis of, iii. 715
 corneæ, iii. 285
 frontalis, iv. 117
 of supraorbital nerve, iv. 117
 on arm and forearm, i. 456
 ophthalmicus, iv. 117
Herpetic fever, iv. 685
Hesperetin, iii. 127
Hesperidin, ii. 514; iii. 127; v. 482
Hesse's apparatus for air analysis, viii. 403
 Nährstoff-Heyden agar, viii. 376
Heterochromia, v. 218
Heterochromie, iv. 807
Heterolysin, viii. 472
Heterophoria, vii. 533
Heterophyes, vii. 870
 heterophyes, vii. 870
Heteroptera, v. 160
Hetocresol, iv. 688
Hetoform, iv. 688
Hetol, iv. 688
Heuchera, i. 206
 americana, i. 206
Hewitt's mouth prop, iii. 12
 nitrous oxide and oxygen apparatus, iii. 20
 nitrous oxide inhaler, iii. 19
Hexamethylenediamin, ptomaïn, vi. 785
Hexamethylene-tetramine, iv. 246; viii. 60; and see *Urotropin*
Hexapoda, v. 153, 160
 poisonous, v. 160
Hexoses in urine, viii. 38
Hexylamin, ptomaïn, vi. 785
Hey's method of tarso-metatarsal amputation, i. 256

Hiatus aorticus, i. 408
Hibernating animals, blood in, ii. 37
Hicks' method of version, vi. 314
Hides, tanning of, regulations for, vi. 332
High altitudes, cases suitable for, iii. 354
Highland Springs, Cal., iv. 688
Highland Springs, Me., iv. 689
Highmore, antrum of, vi. 104; and see *Maxillary sinus*
 cystic disease of, v. 248
 hydrops of, v. 248
 measurements of, viii. 240
 polypus of, v. 249
 suppuration in, v. 248
Hill and Barnard's sphygmometer, vi. 803
Hill's mercurial gas pump, vi. 949
Hip disease, v. 266, 268
 abscess in, v. 268
 and congenital dislocation of the hip, differential diagnosis, v. 271
 atrophy in, v. 267, 270
 attitude in, viii. 270
 deformity in, v. 268
 treatment, v. 284
 determination of amount of deformity, v. 269
 diagnosis of, v. 269
 differential diagnosis of varieties of, v. 271
 distortion of the limbs in, v. 268
 distraction in the treatment of, v. 278
 extension in the treatment of, v. 279
 fixation in the treatment of, v. 278
 limping in, v. 267
 muscular stiffness in, v. 269
 night cries in, v. 267
 pain in, v. 267, 270
 prognosis, v. 268
 protection in the treatment of, v. 281
 swelling in, v. 270
 treatment, v. 278
 tuberculous osteitis, v. 266
Hip-joint, iv. 689; vi. 938
 amputation at, i. 264; v. 284
 ankylosis of, i. 360
 arthritis deformans, of, v. 273
 blood supply of, iv. 692
 bursa of, ii. 525
 capsule of, iv. 691
 chronic ostitis of, v. 266
 congenital dislocation of, iv. 692
 diagnosed from coxa vara, iii. 309
 Lorenz method of treating, iv. 695
 development of, iv. 690
 disease of, see *Hip disease*
 dislocations of, iii. 523
 congenital, iv. 692
 drainage of, v. 294
 excision of, v. 283
 liability of, to disease or injury, iv. 689
 ligaments of, iv. 690
 method of examining, v. 269
 movements of, iv. 689
 nerves of, iv. 692
 relations, iv. 689
 resection of, vi. 936

Hip-joint, resection of, after-treatment, vi. 941
 history, vi. 936
 indications, vi. 936
 methods, vi. 938
 results, vi. 936
 synovitis of the, v. 272
Hippocamp, ii. 179
Hippocampus major, ii. 179
 development of, ii. 278
Hippocratic bath, iv. 699
 fingers, iv. 500
 succussion, vi. 668
Hippomane, iv. 17
 mancinella, poisonous, vi. 699
Hippospongia equina, vii. 430
Hippuric acid, formation of, in body, v. 772
 in urine, v. 318; viii. 46
 tests for, viii. 46
Hirsuties, iv. 807
Hirudinea, iv. 700
Hirudo, iv. 701
 decora, iv. 702
 medicinalis, iv. 701
 nipponica, iv. 701
 officinalis, iv. 701
 troctina, iv. 701
Hiss' plate medium, viii. 376, 578
 tube medium, viii. 376, 578
Histidin, i. 68
Histogenesis, iv. 649
Histological technique, iv. 703
 aniline dyes, iv. 721
 artificial digestion of tissues, iv. 712
 double staining, iv. 721
 metallic impregnations, iv. 722
 methods of applying reagents, iv. 704
 of decalcification, iv. 710
 of dissociation, iv. 710
 of embedding, iv. 717
 of fixing, hardening, and preserving, iv. 706
 of injecting, iv. 723
 of making sections, iv. 712
 of mounting, iv. 727
 of staining, iv. 718
 of studying living and fresh tissue, iv. 703
 special stains, iv. 722
Histon in urine, viii. 33
 test for, viii. 33
Histotherapy, vi. 409
Hives, see *Urticaria*
Hoarseness, v. 415
Hob-nailed liver, v. 544
"Hoche," plan of the, vi. 164
 ventilation of the, vi. 164
Hodenpyl's method of section cutting, iv. 713
Hodge's obstetric forceps, vi. 312
Hodgen's splint, iv. 264
Hodgkin's disease, ii. 643; iv. 728; v. 663
 anatomical characters, iii. 691
 definition, iv. 728
 diagnosis, iv. 730
 differentiated from leukæmia, v. 503
 etiology, iv. 728
 extract of bone marrow in, vi. 414
 history, iii. 691
 pathology, iv. 729
 prognosis, iv. 731
 symptoms, iv. 729

Hodgkin's disease, synonyms, iv. 728
 the blood in, ii. 69
 treatment, iv. 731
Hoffa-Schede appliance, modified, for correction of scoliosis, v. 464
Hoffmann's anodyne, i. 361; iv. 13
Hog apple, see *Podophyllum*
Hog cholera, detection of, v. 727
Hogs, diseases among, detection of, v. 727
Holarrhena, iv. 732
 antidysenterica, iv. 732
Holland, food adulteration in, iv. 166
 Pharmacopœia in, vi. 585
Hollyhock, v. 686
Holocardius, vii. 679
Holocain, iv. 732
Holorachischisis, vii. 695
Holzlin, iv. 246
Holzlinol, iv. 246
Homatropine, iv. 732
 as a mydriatic, vi. 70
Homburg, Germany, iv. 732
Homicide and suicide, probabilities between, in case of poisoning, vi. 692
Homines pilosi, iv. 807
Homocheilonine, alpha, ii. 760
 beta, ii. 112, 760
Homocinchonidine, iii. 92
Homocresol, iv. 425
Homœosis, viii. 184
Homogamy, iv. 33
Homogentisuric acid in urine, viii. 47
Homologous organs, as an evidence of evolution, iv. 21
Homosexuality, v. 134
Homotypes, viii. 184
Honduras bark, ii. 706
Honey, iv. 733; v. 736
 adulteration of, iv. 181
 a form of medicine, v. 736
 of rose, iv. 733; v. 736
Honthin, iv. 733
Hoof-and-mouth disease, iv. 733
Hooklets, echinococcus, v. 541
Whooping-cough, see *Whooping-cough*, viii. 306
Hopea micrantha, iii. 352
 splendida, iii. 352
Hopkins' method of estimating quantity of uric acid in urine, viii. 36
 rongeur forceps, ii. 407
Hops, iv. 735
 difference between lupulin and v. 609
Hordeolum, iv. 119
Horehound, iv. 736
Horion, v. 11, and see *Influenza*
Horn, Politzer's metallic, iii. 632
Hornet, bald-faced, v. 168
Horn's Spring, iv. 736
Horns, cutaneous, iii. 292
 of the eyelids, iv. 106
 of the penis, vii. 177
Horny changes, iii. 291
 excrescence, iii. 292
Horse, hæmolymp glands of, iv. 468
Horse-chestnut, ii. 514
Horse flesh as food, v. 727
Horse-flies, v. 165
Horseradish, iv. 737

Horseshoe tourniquet, i. 239
Horsley's instrument for fixing the fissure of Rolando, ii. 403
method of brain localization, ii. 402
Hospital cars, vi. 836; vii. 855
Hospital, field, i. 474
Hospital gangrene, iv. 307
Hospital, isolation, iv. 234
Hospital phagedena, iv. 307
Hospital ships, iv. 737
in England, iv. 745
in the United States, iv. 737, 745
medical officers, duties of, iv. 743
nurses on, iv. 744
officers of, iv. 740
of the United States army, iv. 737
the *Aid*, iv. 739
the *Bay State*, iv. 739
the *Missouri*, iv. 738
the *Olivette*, iv. 739
the *Relief*, iv. 737
Hospital tents, v. 810
Munson's, v. 810
Hospital wards, amount of air required in, ii. 661
contagious, ii. 661
lying-in, ii. 661
surgical, ii. 661
Hot-air treatment of fractures, iv. 256
Hot Borate Spring, iv. 746
Hot Springs, Bath County, Va., iv. 746
Hot Springs, Fall River County, S. D., iv. 748
Hot Springs, Garland County, Ark., iv. 748
Hot Springs, Madison County, N. C., iv. 749
Hot Sulphur Springs, Col., iv. 750
"Hottentot apron," the, viii. 163
Hot water to heat houses, iv. 760
House, see *Habitations*
House, sanitary inspection of, iv. 768
House sanitation, iv. 750
Howard Springs, Lake County, Cal., iv. 770
Howard Springs, Lauderdale County, Ala., iv. 770
Howard's method of artificial respiration, i. 560
Howship's lacunæ, ii. 119
Hubbard Springs, iv. 770
Hudson Hot Springs, iv. 770
Huefner's apparatus for estimation of urea, viii. 34
Humerus, dislocations of, iii. 517
fractures of, iv. 260
Humidity an element of climate, iii. 142
of health resorts, iv. 564
relation to temperature, iii. 142
Humulus lupulus, iv. 735
Hungary, Pharamcopœia in, vi. 581
Hunger, a cause of headache, iv. 549
in diabetes mellitus, iii. 428
sensation of, vii. 120
Hunter's canal, vii. 738
depressor, iv. 464
Hunter's Hot Springs, iv. 771
Hunter's method of treatment for aneurism, i. 328
Hunter's Pulaski Alum Springs, v. 771

Huntington's chorea, v. 101
Hunyadi Janos Spring, Austria, viii. 478
Huppert's test for acetone in the urine, i. 67
for bile pigments, viii. 50
Hura, iv. 17
Hurtle's spring manometer, iii. 98
Hutchinson's spirometer, vi. 947
syphilitic teeth, vii. 654
Huts for soldiers, v. 811
Huxham's tincture, iii. 89
Huxley's layer of hair, viii. 566
Hyalin, iv. 771
Hyaline bodies, iv. 773
cartilage, ii. 704
changes in pancreas, vi. 464
Hyaline degeneration, iii. 395, 396; iv. 771
causes of, iv. 773
locations, iv. 772
of connective tissue, iv. 772
of lymph nodes, v. 660
of omentum, vi. 359
of placenta, vi. 615
of veins, viii. 209
Hyaline deposits, iii. 396
Hyalitis, viii. 265
asteroid, viii. 266
punctata, viii. 266
suppurative, viii. 266
Hyaloid artery, persistent, viii. 265
Hyaloid canal, viii. 265
opacity of the walls of, viii. 265
Hyaloid membrane, viii. 265
Hyaloplasm, ii. 761
Hyaloserositis, multiple progressive, viii. 504
Hydatid cysts, ii. 789
kyphosis due to, v. 378
of the heart, iv. 582
of the kidney, v. 344
of the liver, v. 539
of the pericardium, vi. 563
Hydnaceæ, iv. 285
Hydnocarpus anthelmintica, ii. 803
Hydnum caput ursi, iv. 286
coralloides, iv. 286
erinaceus, iv. 286
imbricatum, iv. 286
repandum, iv. 286
Hydracetic, iv. 773
Hydradenoma, not identical with colloid degeneration of the skin, iii. 200
Hydramins, ptomaines, vi. 786
Hydramnion, i. 227; iv. 773
Hydramnios, iv. 773
diagnosed from ovarian tumor, vi. 439
Hydrangea, iv. 774
arborescens, iv. 774
Hydrangin, iv. 774
Hydrargyro-iodo-hæmol, v. 230
Hydrargyrum, see *Mercury*
cum cretâ, v. 750
Hydrarthros, v. 261
Hydrarthrosis, v. 261
Hydrastin, iv. 775
Hydrastine, iv. 775
Hydrastinine, iv. 775
hydrochlorate, iv. 775
Hydrastis, iv. 774
canadensis, iv. 774
Jezænsis, iv. 775
Hydrate, ferric, v. 225

Hydrate, ferric, with magnesia, v. 225
Hydrate of iron, v. 225
and magnesia, v. 225
of magnesia, v. 672
of potassium, vi. 743
Hydrecephalocele, ii. 233, 411
Hydriodic acid, iv. 775
ether, iv. 14
Hydroa, iv. 8, 776
vacciniforme, iv. 776
Hydrobilirubin, i. 755
Hydrobromic acid, iv. 776
as a hypnotic, iv. 817
Hydrobromic ether, iv. 13
Hydrobromide of quinine, iii. 90
Hydrocele, vii. 185
abdominal, vii. 187
bilocular, vii. 187
complications, vii. 186
congenital, vii. 186, 187
diagnosis, vii. 186
idiopathic, vii. 185
infantile, vii. 187
inguinal, vii. 186
of the canal of Nuck, viii. 98
of the spermatic cord, vii. 187
symptomatic, vii. 185
symptoms, vii. 186
treatment, vii. 186
varieties, vii. 186
Hydrocephalocele, ii. 233
occipital, ii. 233
Hydrocephalus, see *Idiocy, hydrocephalic*
acute, ii. 431
aspiration in, i. 581
chronic, iv. 777
congenital and acquired, iv. 777
definition of, iv. 777
diagnosis, iv. 779
duration, iv. 779
etiology, iv. 777
internal and external, iv. 777
morbid anatomy, iv. 778
of adolescents or adults, iv. 779
prognosis, iv. 779
symptoms, iv. 778
theories concerning, iv. 777
treatment, iv. 779
congenital, iv. 777; vi. 280
diagnosed from brain tumor, ii. 449
external, iv. 777
internal, iv. 777
neonatorum, vi. 280
Hydrochinon, iv. 788
Hydrochloric acid, iv. 780
action of, on the tissues, i. 71
as a caustic, ii. 757
as a germicide, iv. 333
as a vesicant, iii. 304
burns from, ii. 520
in the stomach, function of, iii. 472
origin of, vii. 96
in the urine, viii. 53
post-mortem appearances in poisoning by, i. 661
toxicology of, i. 71
Hydrochloric ether, iv. 13
Hydrochloride of quinine, iii. 90
Hydrocyanic acid, iv. 780
action of, on heart, v. 23
analysis, in poisoning by, iv. 783
detection of, post-mortem, iv. 783

Hydrocyanic acid, experiments with, iv. 781
inhalation of, symptoms following, iv. 782
lethal dose, iv. 783
medico-legal questions in poisoning by, iv. 785
physiological effects of, iv. 781
poisonous effects of, iv. 781
post-mortem appearances in poisoning by, i. 662; iv. 783
statistics of poisoning by, iv. 781
symptoms of poisoning by, iv. 782
tests for, iv. 784
therapeutics of, iv. 780
toxicology, iv. 781
treatment of poisoning by, iv. 783
Hydrocyanic ether, iv. 786
Hydrofluoric acid, iv. 786
in the urine, viii. 53
Hydrogen as a germicide, iv. 333
in diagnosis of penetrating abdominal wounds, v. 190
Hydrogen dioxide, iv. 786
as a germicide, iv. 333
in facial infection, i. 460
Hydrogen peroxide, iv. 786
Hydrogen, sulphuretted, as germicide, iv. 336
Hydromeningocele, ii. 233
Hydronephrosis, i. 33; v. 357
Hydropericardium, iv. 787
anatomic alterations, iv. 787
etiology, iv. 787
physical signs, iv. 787
prognosis, iv. 788
symptoms, iv. 787
treatment, iv. 788
Hydroperitoneum, i. 563
Hydrophobia, vi. 830; and see *Rabies*
dyspnoea in, iii. 580
Hydrophone, vii. 459, 460
Hydrophthalmus, iv. 364
Hydropic degeneration, iii. 394
of muscle, vi. 28
Hydropneumothorax, vi. 667
physical signs of, vi. 668
Hydros, vi. 334; and see *Œdema*
adiposus, iii. 79
ascites, i. 563
chylosus, iii. 79
of the antrum of Highmore, v. 248
of the knee, v. 273
treatment, v. 288
of the omentum, vi. 359
of the ventricles of the brain, iv. 777
Hydropsia spuria, vi. 337
Hydroquinone, iv. 788
effect of, on bodily temperature, ii. 571
in the urine, viii. 44
Hydorrhœa, vi. 114
Hydrosalpinx, pathology of, iv. 135
Hydrostatic test, i. 673
Hydrotherapy, iv. 788
in chronic diseases, iv. 792
in insanity, v. 73
Hydrothionæmia, an auto-intoxication, i. 645
Hydrox wool fat, v. 405
Hydroxide of iron, v. 225
of magnesium, v. 672

Hydroxide of potassium, vi. 743
of sodium, vii. 256
Hydroxylamine, iv. 792
hydrochloride, iv. 792
Hydrozone, iv. 787
Hyeres and Costebelle, iv. 793
Hygiene, military, iv. 792
alcohol, iv. 805
antiscorbutics, iv. 803
barracks, iv. 807
bathing, iv. 816
beverages, iv. 804
camps, iv. 809
clothing, iv. 792
food, iv. 798
foot covering, iv. 795
general considerations, iv. 817
guard duty, iv. 815
gymnastics, iv. 816
habitations, iv. 708
head covering, iv. 794
marching, iv. 814
rations, iv. 799
setting-up, iv. 815
tents and camps, iv. 809
underclothing, iv. 795
uniform, iv. 793
water, iv. 804
weight of equipments, arms, etc., iv. 797
Hygiene, naval, vi. 154
climatic conditions, vi. 178
clothing, vi. 180
environment, vi. 178
examination of recruits, vi. 180, 187
food, vi. 171, 179
introductory, vi. 154
rations, vi. 171
subjective conditions, vi. 179
the sick, vi. 187
ventilation, vi. 155
water, vi. 167
Hygiene of acclimatization, i. 54
of infancy, iv. 859
of insanity, v. 73
of occupation, vi. 316
Hygienic treatment of infantile diarrhœa, iii. 446
Hygroma, iv. 794
congenitum colli, iv. 794
spinosa, iv. 794
Hymen, vi. 568; vii. 166
cysts of, iii. 351
Hymenolepis, ii. 791
diminuta, ii. 791
murina, ii. 791
nana, ii. 791
Hymenomyces, iv. 282
Hymenoptera, poisonous, v. 167
Hyofascialis muscle, vi. 45
Hyoglossus muscle, anomalies of, vi. 47
Hyoid bone, vi. 198
dislocations of, iii. 513; iv. 794
fractures of, iv. 794
Hyoscine, iv. 795
hydrobromate, iv. 795
as a hypnotic, iv. 818
hypodermatic use of, iv. 820
toxic action of, iv. 795
Hyoscyamina, iv. 795
Hyoscyamine, iv. 795
as a hypnotic, iv. 818
effect of, on body temperature, ii. 571
hydrobromate, iv. 795

Hyoscyamine, hypodermatic use of, iv. 820
sulphate, iv. 795
Hyoscyamus, iv. 637; and see *Hennibane*
album, iv. 638
as a hypnotic, iv. 818
niger, iv. 637
poisonous, i. 610
Hyperacousis, iii. 603
Hyperæmia, v. 551
active, v. 551
as precursor of cystitis, i. 793
cerebral, ii. 368
headache in, iv. 549
mechanical, v. 551
of chorion, iii. 53
of choroid, iii. 64
of conjunctiva, iii. 240
of liver, v. 551
of lungs, v. 591
of œsophagus, vi. 338
of omentum, vi. 358
of placenta, iii. 53
of retina, vi. 953
of striated muscle, vi. 26
passive, v. 551
pathology of, iii. 120
Hyperæsthesia, vii. 117
in hysteria, iv. 831
in insanity, v. 51
ocular, i. 582
of larynx, v. 427
of mamma, ii. 473
of nipple, ii. 473
of pharynx, vi. 605
Hyperchlorhydia, vii. 500
Hyperemesis of pregnancy, iv. 345
Hyperidrosis, ii. 486; iv. 796
Hyperisotonic solutions, viii. 417
Hyperkeratosis, iii. 291; v. 307
eccentrica, vi. 735
figurata centrifuga atrophicans, vi. 735
of the extremities, v. 305
subungualis, vi. 94
Hyperkinesis, varieties of, iii. 275
of stomach, vii. 502
Hyperleucocytosis, v. 491
Hypermetropia, i. 56, 582; iv. 796; vi. 77
absoluta, iv. 797, 800
acquisita, iv. 800
and emmetropia, difference between, iv. 796
aphakia, iv. 803
diagnosis of, iv. 801
facultativa, iv. 799
fundus of eye in, vi. 373
latens, iv. 798
manifest, iv. 798
measurement of, iv. 801
objective measurement of, iv. 801
relativa, iv. 799
subjective measurement of, iv. 801
treatment of, iv. 802
Hypernephroma, iv. 805
Hyperopia, see *Hypermetropia*
Hyperosmia, vi. 131
Hyperostosis, vi. 425, 569
circumscribed, vi. 569
in syphilis, ii. 123
of the external auditory canal, iii. 620
of the mastoid process, iii. 682

Hyperostosis.
Infancy.

Hyperostosis of the skull, vi. 274
of the upper jaw, v. 250
Hyperphalangism, iv. 494
Hyperplasia, iv. 809; and see *Hypertrophy*
compensatory, iv. 810
general considerations, iv. 810
lymphadenoid, in status lymphaticus, vii. 447
of the bronchial glands, v. 729
of the lymph nodes, v. 662
of the omentum, vi. 360
of the spleen, vii. 426
Hyperpnoea, vi. 951
Hyperpyrexia, iv. 620
Hyperthyroidism, viii. 417
Hypertonic solutions, viii. 417
Hypertrichosis, iv. 807; vii. 717
Hypertrophic cirrhosis of the liver, v. 545
Hypertrophic elongation of cervix uteri, viii. 65
Hypertrophic rhinitis, vi. 119
Hypertrophy, iv. 809
acquired, iv. 809
causes of, iv. 809
compensatory, iv. 809
intrinsic, iv. 809
laborers', iv. 810
numerical, iv. 809
of Luschka's tonsil, iii. 613
of non-striated muscle, vi. 39
of striated muscle, vi. 27
of the adrenals, vii. 567
of the arteries, ii. 96
of the bladder, i. 768
of the cervix uteri, viii. 65
of the clitoris, viii. 162
of the fingers, iv. 498
of the hand, iv. 498
of the heart, ii. 822; iv. 591
of the labia minora, viii. 162
of the lachrymal glands, v. 394; vi. 406
of the larynx, v. 419
of the mamma, ii. 472
of the nails, vi. 93
of the oesophagus, vi. 343
of the ovary, vi. 433
of the parathyroid glands, vi. 507
of the pituitary gland, vi. 640
of the placenta, vi. 651
of the prepuce, i. 722
of the prostate, vi. 762
of the veins, viii. 209
of the vulva, viii. 162
quantitative, iv. 809
true, iv. 809
Hyperuresis, iv. 731
Hypholoma, iv. 285
sublateritium, iv. 285
Hyphomycetes, i. 720
Hypnol, iv. 811
Hypnone, iv. 811
Hypnosis, iv. 811
Hypnotic states, iii. 261
Hypnotics, iv. 813
indications for, iv. 813
in insanity, v. 72
mode of action, iv. 813
Hypnotism, i. 648; iv. 811
history of, iv. 811
Hypoblast, iv. 337
Hypochlorites of lime and soda, germicidal action of, iv. 333
Hypochondriasis, v. 130; and see *Insanity, hypochondriacal*

GENERAL INDEX.

Hypoderma bovis, v. 152
lineata, v. 152
Hypodermatic medication, iv. 818; v. 735
advantages of, iv. 821
disadvantages of, v. 735
Hypodermatic syringe, iv. 819
Hypodermoclysis, iv. 822
indications for, iv. 822
in shock, vii. 202
quantity of fluid to be used, iv. 822
technique, iv. 823
Hypogastric lymphatic glands, v. 640
Hypogastric plexus, v. 640; vii. 578
Hypoglossal nerve, iii. 318; iv. 823
paralysis of muscles supplied by, iv. 823
pathology, iv. 823
physiology, iv. 823
Hypoosmotic solutions, viii. 417
Hypoleucocytosis, v. 491, 493; and see *Leucopenia*
Hypomania, v. 123
Hypophalangism, iv. 492
Hypophosphites, iv. 824
of iron, v. 227
Hypophysin, vi. 413
Hypophysis = pituitary body, ii. 165
Hypophysis cerebri, vi. 639
Hypoplasia, i. 140, 606
of heart and vascular system, i. 140
of uterus, viii. 77
vascular, ii. 95
Hypopyon, iii. 287
Hypopyon keratitis as a cause of blindness, ii. 10
Hyposecretion of gastric juice, vii. 503
Hypospadias, vii. 174, 709
in the female, viii. 161
Hypostasis, ante-mortem, cause of, iii. 121
external, ii. 536
evidence of death, ii. 536
post-mortem, ii. 536; iii. 121
Hyposulphites, vii. 557
Hypotonic solutions, viii. 417
Hypotrichosis, vii. 717
Hyssop, v. 379
hedge, vii. 78
Hyssopus officinalis, v. 379
Hysterectomy, iv. 825
abdominal, for cancer of cervix uteri, viii. 92
after-treatment, iv. 830
cœlio-, iv. 825
combined, iv. 830
complications, iv. 830
history of, iv. 825
indications for, iv. 825
kolpo-, iv. 828
kolpo-cœlio-, iv. 830
vaginal, for cancer of cervix uteri, viii. 90
Hysteria, iii. 261; iv. 831; and see *Insanity, hysterical*
acoustic, hearing in, iii. 603
anæsthesia in, i. 283; iv. 832
circulatory disturbances in, iv. 833
clinical history of, iv. 831
convulsions in, iv. 832

Hysteria, definition, iv. 831
diagnosis of, iv. 834
dyspnoea in, iii. 580
effect of "damages" in, vi. 239
electrical treatment of, ii. 653
etiology, iv. 831
excretory disturbances in, iv. 833
hand in, iv. 532
headache in, iv. 548
hyperæsthesia in, iv. 831
major, iv. 831
mental condition in, iv. 833
minor, iv. 831
motor disturbances in, iv. 833
paralysis in, iv. 832
prognosis, iv. 834
secretory disturbances in, iv. 833
sensory disturbances in, iv. 831
traumatic, vi. 240
treatment, iv. 834
Hysterical lesions of upper extremity, i. 472
Hysterical spine, vii. 389
Hysterionica, iv. 415
Baylahuen, iv. 415
Hystero-catalepsy, ii. 717
Hystero-epilepsy, iv. 833
Ibit, iv. 835
Ice, see *Cold*
for soldiers' use, v. 805
purer than the water from which it is formed, viii. 277
Ice applications, iii. 194
Ice bag, iv. 790
Ice calorimeter, ii. 561
Ice cream, poisoning by, iv. 189
Iceland moss, vi. 1
Icene, vi. 755
Ichor, i. 45
Ichthalbin, iv. 835
Ichthargan, iv. 835
Ichthoform, iv. 835
Ichthyocolla, v. 234
Ichthyol, iv. 835
albuminate, iv. 835
silver, iv. 835
Ichthyomethia piscipula, iii. 550
Ichthyosis, iii. 291; iv. 836
anérine des scrofuleux, v. 307; and see *Keratosis pilaris*
diagnosed from seborrhœa, vii. 89
diagnosis of, iv. 838
fœtal, iv. 840
follicularis, v. 306; and see *Keratosis follicularis*
hystrix, iv. 837
palmaris, v. 304; and see *Keratoderma palmare*
plantaris, v. 304; and see *Keratoderma plantare*
sebacea, vii. 87
Ichthyotoxismus, iv. 188
Icterus, v. 244; and see *Jaundice*
after hemorrhages, v. 247
akathetic, vi. 433
catarrhalis, iv. 289
diffusion, vi. 433
drowsiness in, iii. 560
ex emotione, v. 247
gastro-duodenalis, iv. 289
gravis, v. 536
inanition, v. 247
neonatorum, iv. 856; v. 246; vi. 280
psychicus, v. 247
simplex, iv. 289

Icterus, spasticus, v. 247
syphiliticus, v. 247
Idaho, requirement for medical practice in, iv. 48
Idaho Hot Springs, iv. 840
Idan-Ha Spring, iv. 841
Ideas, compulsive, v. 131; and see *Insanity, compulsive*
fixed and insistent, in insanity, v. 48
flight of, v. 121
imperative, v. 181
paraplegia dependent upon, vi. 499
Identification of charred bodies, i. 674
Idiocy, v. 145
amaurotic family, v. 150; vi. 958
diagnosis, v. 148
diplegic, v. 149
epileptic, v. 149
etiology, v. 146
hemiplegic, v. 149
hydrocephalic, v. 148
microcephalic, v. 148
Mongolian, diagnosed from cretinism, iv. 395
paralytic, v. 149
pathology, v. 146
prognosis, v. 151
resulting from consanguinity of the parents, iii. 257
sensorial, v. 150
symptoms, v. 147
traumatic, v. 150
treatment, v. 151
Idiopathic catalepsy, ii. 716
Idioplasm, iv. 647
Idiosyncrasy, iv. 841
dosage modified by, iii. 551
in regard to drugs, iv. 842
Idiotisme, v. 101; and see *Dementia precox*
Igasuric acid, vi. 308
Igazol, iv. 842
Ignatia, iv. 843
Ileo-colitis, acute, in children, iii. 444
Ileothoracopagus, vii. 863
Ileum, v. 185
Ilex paraguensis, v. 713
verticillata, i. 170
Iliac artery, circumflex, anomalies of, i. 534
common, anomalies of, i. 523
compression of, i. 537
external, anomalies of, i. 534
compression of, i. 537
internal, anomalies of, i. 535
Iliac lymphatic glands and plexus, v. 640
Iliac regions, i. 11
Iliac veins, anomalies of, viii. 206
Iliacus minor muscle, vi. 56
Iliacus muscle, anomalies of, vi. 56
superficial, vi. 56
Ilicineæ, i. 428
Ilio-capsularis muscle, vi. 56
Ilio-inguinal nerve, vii. 736
Ilio-lumbar neuralgia, vi. 247
Ilio-tibial band of the fascia lata, vii. 737
Ilium, vi. 537
development of, vi. 543
dislocation of femur on dorsum of, iii. 524
Illegitimacy, viii. 248

GENERAL INDEX.

Ill-humor, transitory, in epileptic insanity, v. 99
Illicium, i. 358
anisatum, i. 358
religiosum, i. 358
verum, i. 358
Illinois, history of yellow fever in, viii. 588
requirement for medical practice in, iv. 48
"Illinois," ventilation of the, vi. 164
Illuminating agents, characteristics of chief, iv. 761
Illuminating gas, ii. 663
action of, on economy, ii. 664
effect of, on fœtus, vi. 279
poisoning by, ii. 663
Illusions, v. 46
as symptom of insanity, v. 46
Images, formation of, in the eye, iv. 85
Imbecility, v. 145
diagnosis, v. 148
etiology, v. 146
moral, v. 136
pathology, v. 146
prognosis, v. 151
symptoms, v. 147
treatment, v. 151
Immobilization of limb by plaster-of-Paris, iii. 558
Immunity, iv. 843, 872
acquired, iv. 843
and heredity, iv. 664
inherited, iv. 846
natural, iv. 846
relation of phagocytosis to, vi. 579
specific, iv. 845
theories of, iv. 845
variation in, iv. 843
Immunization, viii. 471
methods of, viii. 402
Impacted cerumen, iii. 614
Impacted fractures, iv. 248
Impaction, fœcal, iii. 204
Imperforation, i. 603; and see *Atresia*
Imperial draught, vi. 745
drink, how to make, iii. 456
Impetigo, iv. 846
contagiosa of the auricle, iii. 606
diagnosed from eczema, iii. 715
from smallpox, vii. 250
Implantation cone, vi. 235
Implantation metastasis, v. 778
Implantation of ureters, viii. 14
Impotence, i. 420; vii. 192
irritable, i. 420
nervous, i. 420; vii. 192
organic, i. 420; vii. 192
paralytic, i. 420
psychical, i. 420
symptomatic, vii. 192
Impregnation, iv. 847
after the menopause, ii. 800
Impulses, morbid, v. 133
Impulsions, v. 48
in insanity, v. 48
Inactive alpha-amido-isobutyl-acetic acid, ptomain, vi. 788
In-and-in breeding of animals, iii. 258
Inanition in insanity, v. 71
Incapacity, civil, iii. 127
Incisor teeth, vii. 646
Inclusion cysts, iii. 349

Hyperostosis.
Infancy.

Incompatibility, medicinal, iv. 853
Incontinence of urine, viii. 486; and see *Enuresis*
pyloric, vii. 503
seminal, vii. 192
Incubator infants, statistics of, vi. 752
Incubators, vi. 749; viii. 383
Incudo-tympanic joint, iii. 586
Incus, i. 617; iii. 585
removal of the, iii. 672
Index, in study of variations, viii. 184
cranial, vii. 230
occipital, ii. 275
parietal, ii. 275
pelvic, vi. 541
sacral, vi. 536
India, Pharmacopœia in, vi. 582
India-rubber, vi. 1002
Indian apple, see *Podophyllum*
Indian cannabis, ii. 647
Indian corn, toxic effect of, see *Pellegra*
Indian hemp, ii. 647
Indian physic, v. 212
Indian Mineral Springs, iv. 854
Indian poke, iv. 625
Indian Springs, Butts County, Ga., iv. 854
Indian Springs, Martin County, Ind., iv. 855
Indian Territory, requirements for medical practice in, iv. 48
Indiana, food and drug adulteration in, iv. 174
requirement for medical practice in, iv. 48
Indiana Mineral Springs and Mud Baths, iv. 855
Indianapolis, Indiana, iv. 855
Indican in urine, v. 774; viii. 44
tests for, viii. 45
Indigestion, vii. 492
causes, vii. 492
diarrhœa from, iii. 439
dysentery from, iii. 568
headache from, iv. 547
nervous, treatment of, vi. 253
symptoms, vii. 493
treatment, vii. 497
Indigo concretions, iii. 235
wild, iv. 855
Indirect necrosis, vi. 201
Individual, the, in heredity, iv. 660
Indole, ptomain, vi. 789
germicidal action of, iv. 333
Indoxyl in urine, viii. 44; and see *Indican*
potassium sulphate, see *Indican*
Indusium, ii. 184
Industrial poisoning by arsenic, viii. 348
Inée, vii. 541
Infancy, iv. 855
anatomical and physiological characteristics of, iv. 856
circulation in, iv. 857
definition of, iv. 855
dentition in, iv. 855
development of senses and mental faculties, iv. 858
digestive tract in, iv. 857
feces in, iv. 858
feeding in, iv. 859
growth in, iv. 858
hemiplegia in, iv. 633
hygiene in, iv. 859