

Syphilis and psoriasis, diagnosis of, vi. 782
and rhinoscleroma, diagnosis of, vi. 143
and seborrhoea, diagnosis of, vii. 89
and smallpox, diagnosis of, vii. 249
as a cause of paresis, v. 86, 88
bacillus of, i. 693; vii. 603
bubo in, ii. 500
cerebral, ii. 427
congenital, vii. 630
definition, vii. 602
evolution of, in periods, vii. 603
general paralysis from, vii. 627
geographical distribution, vii. 602
headache in, iv. 552
hereditary, vii. 630
history, vii. 602
in armies, ii. 608
in etiology of epilepsy, iii. 849
initial lesion of, vii. 606
insanity in, v. 33, 95
in the new-born, vi. 277
joint affections of, v. 264
kyphosis in, v. 378
leucorrhoea in, v. 494, 495
mucous patches, vii. 622
nature of, vii. 603
of bone, ii. 123
of the adrenals, vii. 567
of the aorta, ii. 107
of the auditory nerve, iii. 684
of the blood-vessels, ii. 105
of the brain, ii. 427
of the bronchi, v. 445
of the bronchial glands, v. 588
of the chorion, iii. 59
of the decidua, iii. 391
of the Eustachian tube, iii. 681
of the external auditory canal, iii. 676
of the hands and fingers, iv. 505
of the heart, iv. 601
of the kidney, v. 361; vii. 626
of the labyrinth, iii. 682
of the larynx, v. 443
as a cause of stenosis, v. 440
of the liver, v. 560
of the lungs, vii. 621
of the mastoid process, iii. 677, 682
of the mediastinum, v. 732
of the nasal cavities, vi. 148
of the oesophagus, vi. 342
of the omentum, vi. 361
of the pituitary gland, vi. 640
of the spine, vii. 387
of the testicle, vii. 184
of the thymus, v. 729
of the thyroid, iv. 389
of the tongue, vii. 795
of the tonsil, vii. 820
of the trachea and bronchi, v. 446
of the ureters, viii. 12
of the uvula, viii. 109
of the veins, viii. 218
of the velum palati, viii. 110
retinal changes in, vi. 958
stage of invasion, vii. 607
synonyms, vii. 602
treatment of, i. 1; vii. 633
vaccinal, viii. 136
Syphilitic dactylitis, iv. 506
infiltration, iv. 873

Syphilitic meningitis, vii. 335
myositis, vi. 32
synovitis, vii. 599
ulcer, vii. 944, 947
urethritis, viii. 20
Syphiloderm, vii. 608
bullous, vii. 612
gummatous, vii. 613
macular, vii. 609
malignant, vii. 615
palmar and plantar, vii. 610
papular, vii. 609
pustular, vii. 611
relation of, to systemic intoxication, vii. 618
to other infections, vii. 618
rupia, vii. 611
serpiginous, vii. 615
treatment of, vii. 616
tuberculous, vii. 612
vesicular, vii. 612
Syphiloma, gumma, vii. 618
of the subcutaneous glands, vii. 618
of the vagina, vii. 625
Syringe, fountain, v. 734
hypodermatic, iv. 819
prostatic, Ullmann's, vi. 761
Syngomyelia, vii. 373
course and prognosis, vii. 377
etiology, vii. 374
diagnosed from acromegaly, i. 95
differential diagnosis, vii. 376
of the upper extremity, i. 467
pathological anatomy, vii. 373
symptomatology, vii. 374
the hand in, iv. 500, 532
treatment, vii. 377
Syrups, v. 739
of althaea, v. 694
of calcium lactophosphate, ii. 552
of citric acid, v. 483
of ferrous iodide, v. 224
of garlic, iv. 308
of hydriodic acid, iv. 775
of hypophosphites, iv. 825
of hypophosphites with iron, iv. 825; v. 223
of ipecac, v. 212
of lactophosphate of calcium, v. 402
of lactucarium, v. 403
of lemon, v. 483
of lime, ii. 551
of orange flowers, vi. 398
of poppy capsules, vi. 735
of rhubarb, vi. 974
of rose, vi. 1000
of senega, vii. 114
of senna, vii. 117
of squill, vii. 434
of sweet orange peel, vi. 398
of tar, vii. 639
of the phosphates of iron, quinine, and strychnine, iii. 90; v. 227; vii. 543
of the triple phosphates, iii. 90; v. 227; vii. 543
of wild cherry, ii. 804
of yerba santa, viii. 334
simple, vii. 549
Systems, Haversian, ii. 115
Systolic murmur, ii. 822
aortic, ii. 822
in aneurism, i. 342
mitral, ii. 882

Tabacosis, v. 594
Tabacum, vii. 787
Tabanidae, v. 165
Tabanus, v. 165
atratus, v. 165
Tabes, vii. 378
diagnosis, vii. 380
duration, course, and prognosis, vii. 381
etiology, vii. 378
relation to paresis, v. 93
symptoms, vii. 378
treatment, vii. 381
Tablets, v. 739
compressed, v. 739
hypodermatic, v. 739
Tac, v. 11; and see *Influenza paroxysmal*, iv. 800
Tachycardia, iv. 596
Tactile corpuscles, viii. 562
sense, function of, in maintaining equilibrium, iii. 858
sensibility, vii. 118
Tænia, i. 332
ægyptica, ii. 791
africana, ii. 785
capensis, ii. 784
confusa, ii. 787
crassicollis, ii. 787
cucumerina, ii. 792
demerariensis, ii. 790
diminuta, ii. 791
echinococcus, ii. 788; v. 539; vi. 504; viii. 233
elliptica, ii. 792
fenestrata, ii. 784
flavopunctata, ii. 791
hirudinacea, vi. 224
lata, ii. 792
leptocephala, ii. 791
lophosoma, ii. 792
marginata, ii. 787
minima, ii. 791
moniliformis, ii. 792
nigra, ii. 784
pellucida, ii. 785
saginata, ii. 780, 783, 784; viii. 233
serrata, ii. 781, 787
solum, ii. 779, 786; viii. 233
tenella, ii. 786
treatment of, i. 362
varesina, ii. 791
vulgaris, ii. 785, 792
Tæniadæ, ii. 779
Tæniæ, see *Cestoda* and *Anthelminthics*
Tagliacozzi's operation, rhinoplasty, vi. 905
Taka diastase, iii. 449
Taliaferro's method of tamponade, viii. 179
Talipes, iv. 216
arcuatus, iv. 210
calcaneo-valgus, acquired, iv. 236
calcaneo-varus, acquired, iv. 236
calcaneus, iv. 216
acquired, iv. 234
congenital, iv. 231
cavus, iv. 210
congenital, iv. 217
compared with acquired, iv. 218
diagnosed from acquired, iv. 232
equino-valgus, acquired, iv. 237
equino-varus, iv. 218

Talipes equino-varus, acquired, iv. 236
congenital, iv. 218
equinus, iv. 216
acquired, iv. 232
congenital, iv. 231
etiology, iv. 216
paralytic, iv. 237
plantaris, iv. 210
statistics of, iv. 218
valgus, iv. 216
congenital, iv. 231
varieties, iv. 216
varus, iv. 216
acquired, iv. 232
congenital, iv. 231
Talley's Springs, vii. 635
Tamarind, vii. 635
Tamarindus indica, vii. 635
Tampa, Fla., vii. 636
Tamponing the vagina, viii. 177
Tamponade, viii. 178
indications for, viii. 178
Taliaferro's method of, viii. 179
Tampons, use of, viii. 177
in metritis, v. 785
Tanacetum, vii. 638
vulgare, vii. 638
Tangerine, iii. 127
Tannal, vii. 636
Tannalbin, vii. 636
Tannate of colchicine, iii. 192
Tannic acid, vii. 636
as a germicide, iv. 836
Tannigen, vii. 637
Tannin, vii. 636
as an antidote, i. 371
Tannoform, iv. 246; vii. 637
Tanno-geiform, iv. 328
Tannon, iv. 246; vii. 637
Tannopin, iv. 246; vii. 637
Tannosal, vii. 638
Tansy, vii. 638
Tapetal cell, vi. 869
Tapeworms, i. 362; ii. 779
occurrence of various species, ii. 782
of animals, in relation to public health, viii. 233
specifics for, ii. 782
treatment of, i. 362
Taphosote, vii. 638
Tapioca, vii. 638
Tapotement, v. 694
Tar, vii. 638
as an expectorant, iv. 51
camphor, vi. 100
cancer, ii. 682
Tarantism, iii. 43
Tarantula, v. 158
American, v. 159
fasciventris, v. 158, 159
"Tarantula killer," v. 168
Tarasp-Schuls, vii. 639
Taraxacum, iii. 352
officinale, iii. 352
Tarsal joints, drainage of, v. 294
Tarsectomy, anterior, vi. 925
Bardenheuer's operation, vi. 925
complete, of Wladimiroff-Mikulicz, vi. 928
indications, vi. 928
posterior, iv. 927
after-treatment, vi. 928
indications, vi. 927
result, vi. 928

Tarso-metatarsal amputation, i. 256
Tarsus, resection of; see *Tarsectomy*
Tartar, cream of, vi. 744
crude, vi. 744
vitriolated, vi. 745
Tartar emetic, i. 370, 375
as cardiac depressant, ii. 691
as an emetic, iii. 811
as an expectorant, iv. 49
as a pustulant, iii. 305
poisoning by, i. 376
Tartaric acid, vii. 640
as a germicide, iv. 336
diphenyl ester, vii. 641
Tartarilithine, vii. 641
Tartarate of antimony and potassium, i. 375
of chinoline, ii. 834
of iron and ammonium, v. 226
and potassium, v. 226
of potassium and sodium, vi. 744
as a laxative, v. 469
Tartrophen, vii. 641
Taste, vii. 641
centripetal conduction path of, ii. 362
disturbance of, in cerebral tumors, ii. 445
in insanity, v. 51
localization of sense of, ii. 308
Tate Spring, vii. 641
Tattoo marks, vii. 642
pigment used in, vi. 635
Taurin, i. 68
Taurine, i. 754
Taxis in the reduction of hernia, iv. 668
contraindications, iv. 668
dangers, vii. 645
Taxonomy, i. 758
Taylor's brace for club-foot, iv. 222
hæmoglobinometer, ii. 57
Tchike, ii. 828
Tea, vii. 644
adulterations of, iv. 183
as beverage for soldiers, v. 805
continental, vi. 707
in infusion, v. 736
James', vi. 707
Labrador, vi. 707
marsh, vi. 707
Mexican, viii. 815
New Jersey, ii. 759
Paraguay, v. 713
swamp, vi. 707
Tea-berry, viii. 313
Teale's method of amputation, i. 243
Tear duct, obstruction of, vi. 295
Tears of ammoniac, i. 218
Teats, diseased, a cause of unhealthy milk, v. 835
Teel oil, i. 743
Teeth, vii. 645
abscess of the pulp, vii. 656
affections of, a cause of headache, iv. 549
alveolar abscess, vii. 660
anatomy of, vii. 645
anomalies of, iii. 404
calcification of the pulp, vii. 656
canine, vii. 646
caries of, vii. 657
cementum of, vii. 649
chemistry of, ii. 128
congestion of the pulp, vii. 655
crusta petrosa, vii. 649

Teeth, dentine of, vii. 647
disease of the peridental membrane, vii. 659
of the pulp, vii. 654
enamel, vii. 649
erosion of, vii. 658
eruption of, vii. 650
anomalies in time of, iii. 404
disorders during, iii. 405; vii. 651
extraction of, vii. 661
accidents in, vii. 662
hemorrhage after, vii. 663
formation of secondary dentine in, vii. 656
formula of, vii. 645
fracture of, during extraction, vii. 662
functions of, vii. 650
fusion of, vii. 654
gangrene of the pulp, vii. 656
growth of, in children, ii. 830
hypertrophy of the cement, vii. 658
in hereditary syphilis, vii. 654
incisor, vii. 646
inflammation of the pulp, vii. 655
irregular, vii. 651
malformations of, vii. 653
malpositions of, vii. 651
microscopic anatomy of, vii. 647
molar, vii. 646
of the lower jaw, vii. 645
of the upper jaw, vii. 645
parts of, vii. 646
pathology of, vii. 651
peg, vii. 654
peridental membrane, vii. 649
permanent, vii. 645
physiology of, vii. 650
pitting of, vii. 653
polypus of the pulp, vii. 656
pulp, cavity of, vii. 647
relation of, to food and to form of jaw, v. 700
sensitive sprouting of the pulp, vii. 657
structure of, vii. 654
anomalies in, vii. 654
supernumerary, vii. 651
temporary, iv. 858; vii. 646, 648
tumors of, see *Odontoma*
wisdom, vii. 651
Teevan's modification of Maison-neuve's urethrotome, viii. 23
Teichmann's crystals, ii. 74; viii. 33
test for blood pigment in the urine, viii. 32
Tela, ii. 139
Telangiectasis, see *Angioma*
Telangioma, see *Angioma*
Teleangiectatic tumors of the conjunctiva, iv. 108
of the iris, iv. 110
of the orbit, iv. 114; vi. 405
of the retina, iv. 112
Telephony, iv. 644
Teleodendrons, ii. 334
Telini fly, v. 166
Tellicherry bark, iv. 732
Tellurates, vii. 663
of potassium, vii. 663
of sodium, vii. 663
Tellyseniczky's fluid, iv. 708
Telodendron, iv. 234
Telophases, ii. 764

Temperature, a condition of climate, i. 149; iii. 114
comparative table of the Fahrenheit and centigrade scales, vii. 733
effect of, upon bacteria, i. 686
upon differentiation, iii. 468
upon electrotonus, iii. 776
upon heart, v. 23
upon white blood cells, ii. 32
instruments for determining, vii. 732
of dwelling-houses, iv. 755
of health resorts, iv. 564
of the human body, vii. 734; and see *Temperature, body*
relation of, to humidity, iii. 142
Temperature, body, effect of enterclysis upon, iii. 833
of quinine upon, iii. 90
of starvation upon, vii. 442
extreme, as a cause of disease among troops, ii. 617
high, iv. 620
in appendicitis, i. 424
in disease, vii. 734
influence of, upon conductivity of nerves, vi. 229
upon dysentery, iii. 567
in health, vii. 734
in insanity, v. 53
in myelogenous leukæmia, v. 500
of the cavities in the human body, vii. 734
of the head, in intracranial tumors, ii. 417
of the internal parts of the body, vii. 734
reduced, a sign of death, ii. 535
subnormal, iv. 619
Temporal artery, compression of the, i. 537
superficial, anomalies of the, i. 527
Temporal bone, fractures of, iii. 689
Temporal crest, vii. 229
Temporal lobes, diagnosis of tumors of, ii. 447
Temporal muscle, anomalies of, vi. 43
Temporalis minor muscle, vi. 43
Temporo-maxillary articulation, diseases of, v. 258, 277
Temporo-maxillary vein, anomalies of, viii. 202
Temulent acid, vi. 701
Temuline, vi. 701
Tenaculum, iv. 465
Tenderness, a sign of cancer, ii. 628
points of, in joint lesions, ii. 128
Tendo Achillis, v. 481
division of, in talipes, iv. 227
strain of, iv. 216
Tendon reflex, see *Knee-jerk and Reflexes, clinical*
Tendons and tendon sheaths, acute suppuration of, vii. 664
adherent, of hand and fingers, iv. 516
cysts in, iii. 350
dislocation of, i. 468; vii. 665
histology of, iii. 254
injuries and diseases of, i. 468; vii. 663
open wounds of, vii. 665
operations on, vii. 665

Tendons and tendon sheaths, paralysis of extensor communis and peronei, vii. 668
of gastrocnemius, vii. 668
of tibialis anticus and tibialis posticus, vii. 665
rupture of, i. 468
splicing, iv. 238
subcutaneous rupture, vii. 665
suppuration of, vii. 664
termination of muscular fibres in, vi. 12
transplantation, for relief of paralytic talipes, iv. 237
tuberculosis of, vii. 664
Tenesmus, on urination, viii. 484
Tennessee, history of yellow fever in, viii. 588
requirements for medical practice in, iv. 48
Tenonitis, vi. 400
Tenon's capsule, iv. 65
dropsy of, vi. 406
inflammation of, vi. 400
Tenosynovitis, vii. 664
acute, vii. 664
chronic, vii. 664
of the hand, iv. 516
of the upper extremity, i. 468
Tenotomy, subcutaneous, in talipes, iv. 226
Tension, muscular, in appendicitis, i. 423
Tensor fasciæ plantaris, vi. 58
Tensor palati muscle, viii. 107
Tensor trochleæ, vi. 43
Tensor tympani muscle, i. 619
Tensor vaginæ femoris muscle, vii. 737
anomalies of, vi. 56
Tenth nerve, iii. 318
Tentorium, ii. 211
Tents and camps, v. 809
Teratoid cysts, vii. 720
tumors, vii. 719
Teratology, vii. 668; and see *Malformations*
abnormal development affecting the entire embryonic area, vii. 672
abnormalities of position, vii. 673
abrachius, vii. 714
acardiac monsters, vii. 679
acardius, vii. 678
acephalus, vii. 678, 681
acornus, vii. 680
acranium, vii. 697
amelus, vii. 714
amorphus, vii. 679, 682
amyelus, vii. 695
ankyloblepharon, vii. 699
anophthalmus, vii. 699
aprosopus, vii. 700
apus, vii. 714
arhinencephalus, vii. 699
astomus, vii. 701
Bohemian twins, vii. 683
Brazilian sisters, vii. 686
Carolina twins, vii. 682
causation, vii. 670
cephalo-thoracopagus, vii. 685
cheilo-gnatho-prosoposchisis, vii. 701
cheilo-gnatho-schisis, vii. 700
cheilo-gnatho-uranoschisis, vii. 700
cheiloschisis, vii. 700

Teratology, classification, vii. 672
craniopagus, vii. 684
parasiticus, vii. 685
cranio-rachischisis, vii. 697
cranoschisis, vii. 671, 697
eryptophthalmus, vii. 699
cyclocephalus, vii. 698
cyclopia, vii. 671, 699
cyclostomus, vii. 699
cyclotus, vii. 699
defects due to arrested development of cranial vault, vii. 697
diagnathus, vii. 701
diastematomyelia, vii. 697
dicephalus, vii. 684
diprosopus, vii. 684
diophthalmus, vii. 684
monostomus, vii. 684
tetrophthalmus, vii. 684
triophthalmus, vii. 684
dipygus, vii. 689
parasiticus, vii. 688, 689
double monsters, vii. 675, 682; and see *Duplicities*
duplicitas parallela, vii. 685
duplicities, vii. 674
acardiac monsters, vii. 679
asymmetrical, vii. 689
classification of, vii. 677
etiology, vii. 676
middle union, vii. 685
parasitic, origin of, vii. 693
posterior, vii. 684
production, mode of, vii. 687
symmetrical, vii. 677
theories accounting for, vii. 675
unequal monochochonic twins, vii. 678
encranium, vii. 690
epignathus, vii. 690
exencephalus, vii. 697
gastrochisis, vii. 702
hemiacardius, vii. 679
hemicrania, vii. 697
hermaphroditism, vii. 711
history, vii. 668
holocardius, vii. 679
holorachischisis, vii. 695
Hungarian sisters, vii. 682
hydrocephalus, vii. 698
ileothoracopagus, vii. 683
iniencephalus, vii. 698
ischiopagus, vii. 683
parasiticus, vii. 683
ischiothoracopagus, vii. 683
tetrabrachius, vii. 683
janus asymmetros, vii. 685
symmetros, vii. 685
Laloo, vii. 688, 689
macrocardius, vii. 679
macrosonia, vii. 672
macrostomus, vii. 701
malformations, frequency of, vii. 672
hermaphroditic, vii. 711
of the abdomen, vii. 702
of the circulatory organs, vii. 706
of the diaphragm, vii. 703
of the digestive tract, vii. 703
of the external sexual organs, vii. 710
of the extremities, vii. 713
of the face, vii. 699
of the heart, vii. 706
of the integument, vii. 717

Teratology, malformations of the neck, vii. 699
of the organs, vii. 695
of the respiratory tract, vii. 705
of the sexual glands and ducts, vii. 709
of the thorax, vii. 702
of the urogenital organs, vii. 707
Marie-Rose Drouin, vii. 684
maternal impressions, vii. 672
merorachischisis, vii. 695
micrencephalus, vii. 698
microbrachius, vii. 714
microcephalus, vii. 679
micrognathus, vii. 701
micromelus, vii. 714
microphthalmus, vii. 699
micropus, vii. 714
microsomia, vii. 673
microstomus, vii. 701
monobrachius, vii. 714
monopus, vii. 714
multiplicities, vii. 688
nanoccephalus, vii. 698
paracephalus, vii. 678
parasites, abdominal, vii. 692
cephalic, vii. 690
cervical, vii. 691
engastric, vii. 692
sacral, vii. 691
thoracic, vii. 691
parasitic monsters, vii. 689
perobrachius, vii. 714
perodactylism, vii. 715
peromelus, vii. 714
peropus, vii. 714
phocomelus, vii. 714
polydactylism, vii. 716
porencephalus, vii. 698
pseudocardius, vii. 679
pygopagus, vii. 682
rachischisis, vii. 695
cystica, vii. 695
Ritta-Christina, vii. 684
Siamese twins, vii. 685
Siren, vii. 715
spina bifida, vii. 695
cystica, vii. 696
occulta, vii. 697
sternopagus, vii. 686
symmelus, vii. 671, 715
sympus apus, vii. 715
dipus, vii. 715
monopus, vii. 715
syncephalus, vii. 685
syndactylism, vii. 715
synophthalmus, vii. 699
synotus, vii. 699, 701
tetrabrachius, vii. 683
thoracogastrochisis, vii. 702
thoracopagus, vii. 685
thoracoschisis, vii. 702
triceps, vii. 688
triple monsters, vii. 689
xiphopagus, vii. 685
Teratoma, vii. 719, 909
autochthonous, vii. 724
congenital, vi. 281
cysts, complex, vii. 721
simplex, vii. 720
malignant, vi. 281; vii. 724
of the ovary, vii. 723; viii. 581
of the testis, vii. 723; viii. 581
of the Wolffian body, viii. 581
treatment, vii. 724

Terbromide of formyl, ii. 487
Terebene, vii. 725
Terebinthina, vii. 913
Terebinthinaceæ, i. 271
Teres major muscle, anomalies of, vi. 51
Teres minor muscle, anomalies of, vi. 51
Terpineol, vii. 725
Terpin hydrate, vii. 725
as an expectorant, iv. 51
Terpinol, vii. 725
Tessin, Pharmacopœia in, vi. 586
Testamentary capacity of insane, v. 77
Testicle, iv. 324
absence of the, vii. 709
adenoma of the, i. 115
anatomy of the, iv. 324
anomalies of the, vii. 179
atrophy of the, vii. 180
cancer of the, ii. 639
contusions of the, vii. 180
coverings of the, iv. 324
cysts of the, iii. 351
dermoid cysts of the, viii. 581
descent of the, iv. 318, 319, 324
ectopic, vii. 179
effect of removal of the, vi. 415
extract of, vi. 415
therapeutic of, vi. 415
gangrene of the, vii. 180
hypertrophy of the, vii. 180
inflammation of the, vii. 180, 182
injuries of the, vii. 180
in the perineum, vi. 567
irritable, vii. 180
luxation of the, vii. 180
lymphatics of the, v. 636
malformations of the, vii. 709
neuralgic, vii. 180
phlegmon of the, vi. 616
retained, vii. 179
syphilitic lesions of the, vii. 625; vii. 184
teratoma of the, vii. 723; viii. 581
tuberculosis of the, vii. 902; vii. 183
tumors of the, vii. 184
wounds of the, vii. 180
Testicular extract, vi. 415
Test-letters, in geometrical progression, vi. 393
Test-meals, vii. 489
Tests for albumin in the urine, viii. 30
for acetone in urine, i. 66, 67
for bile, i. 754
for bilirubin, v. 245
for diacetic acid, iii. 480
for globulin in urine, viii. 31
hydrostatic, i. 673
Tetanilla, vii. 727; and see *Tetany*
Tetanin, ptomaïn, vi. 790
Tetanotoxin, ptomaïn, vi. 790
Tetanus, vii. 725
amputation in, i. 237
antitoxin, i. 389
bacillus, i. 698, 719
bacteriological diagnosis of, viii. 400
dyspnoea in, iii. 580
hand in, iv. 532
in animals, a cause of unwholesome milk, v. 836
neonatorum, vi. 281
serum therapy in, vii. 133
Tetany, vii. 727

Tetany, an auto-intoxication, i. 648
the hand in, iv. 532
Tête carrée, vi. 977
Tetra-allyl-ammonium alum, vii. 729
Tetrabrachius, vii. 683
Tetrachlormethane, ii. 665
Tetracoccus, i. 680, 709
Tetra-ethyl-ammonium-hydroxide, vii. 729
Tetra-iodo-di-chlor-salicylic acid, vii. 729
Tetraiodophenolphthalein, v. 208
Tetra-iodo-pyrrol, v. 207, 209
Tetramethylenediamin, ptomaïn, vi. 785
Tetramethylthionine chloride, v. 782
Tetronal, vii. 881
poisoning by, see *Synthetic products, toxicology of*
Tetronerythrin, an animal pigment, iii. 225
Tetter, iii. 708
Teucrium, v. 379
chamaedrys, v. 379
Texas, vii. 729
cattle fever, detection of, v. 726
fever, see *Arachnida*
history of yellow fever in, viii. 588
requirements for medical practice in, iv. 48
sarsaparilla, v. 859
screw-worm, in nasal cavities, vi. 142
Texas Sour Springs, vii. 730
Textile industries, dangers of working in, vi. 324
Thalamus of brain, relation to lateral ventricles, ii. 176
opticus, see *Brain*
relation to paracela, ii. 176
Thallin, effect of, upon body temperature, ii. 571
Thalline, vii. 730
sulphate, vii. 730
Thallium, vii. 730
Thalman's agar, viii. 373
Thanatol, iv. 425
Thapsia, viii. 1
garganica, viii. 1
Thea, bohea, vii. 644
camellia, ii. 545
japonica, ii. 645
sinensis, ii. 545; vii. 644
viridis, vii. 644
Thebaicine, vi. 385
Thebaine, vi. 385, 386
Thebenine, vi. 385
Theca folliculi, vi. 451
of dura, ii. 211
Thecitis, purulent, i. 469
Thecosoma hæmatobium, vii. 872
Theine, ii. 545, 546
Thelytoky, vi. 514
Thelyphonus, v. 159
Theobald's lachrymal probe, v. 399, 400
Theobroma, ii. 531; and see *Cacao, oil of*
cacao, ii. 531
oil of, ii. 531
Theobromine, ii. 531
diuretic action of, iii. 548
Theobromine-lithium salicylate, see *Uropherin*
Theocin, vii. 731

Theophylline, vii. 731
Therapeutics, suggestive, viii. 511
Theraphosids, i. 428
Thermæsthesiometer, i. 137
Thermal Acid Springs, vii. 731
Thermal waters, v. 849
 American, v. 849
 European, v. 850
Thermic fever, iv. 617; and see *Heat-stroke*
Thermin, vii. 732
Thermo-anæsthesia, definition of, i. 282
Thermodin, vii. 732
Thermo-electric apparatus, for measuring animal temperatures, vii. 733
Thermograph, vii. 733
Thermometers, vii. 732
 application of, vii. 732
 avitreous, vii. 732
 clinical, vii. 732
 description, vii. 732
 graduation of, vii. 733
 history, vii. 732
 use of, in diagnosis, vii. 734
 use of, in prognosis, vii. 735
 use of, in treatment, vii. 735
 metastatic, vii. 733
 surface, vii. 733
Thermometric scales, comparison of Fahrenheit and Centigrade, iv. 132
Thermometry, medical, vii. 732
Thermo-regulators, viii. 384
Thiersch's operation, rhinoplasty, vi. 906
Thigh, vii. 735
 amputation of, i. 263
 lymphatics of the, v. 633; vii. 736
Thilanin, vii. 741
Thiocol, iv. 425; vii. 741
Thiocyanates, vii. 558
Thioform, vii. 741
Thiogenol, vii. 741
Thiol, vii. 741
Thiolic acid, vii. 741
Thiolium liquidum, vii. 741
 siccum, vii. 741
Thiophene, vii. 741
 diiodide, vii. 742
Thio-resorcin, vii. 742
Thio-salicylic acid, vii. 742
Thiosapol, vii. 742
Thiosavonal, vii. 742
Thiosinamine, vii. 742
Thiosulphates, vii. 557
Third nerve, iii. 325
Thirst, vii. 741
 in diabetes mellitus, iii. 428
 sensation of, vii. 120
Thiry-Vella fistula, see *Succus entericus*
Thiuret, vii. 743
Thoma's frog plates, iv. 703
 hip splint, v. 278
 knee splint, v. 286
 knock-knee brace, v. 373
 method of suturing in fracture of lower jaw, v. 253
 shoe for metacarpal disease, v. 289
 sliding microtome, iv. 713
Thoma-Zeiss corpuscle counting apparatus, ii. 42, 43
"Thomas," U. S. Army transport, section of, i. 519, 520

Thomas wrench, iv. 222
Thomasville, Ga., vii. 743
Thompson's solution of phosphorus, vi. 621
Thomsen's disease, vi. 28
 due to auto-intoxication, i. 644
Thoracic aorta, aneurism of, ii. 825
Thoracic duct, v. 645; vii. 743
 anatomy of, v. 645; vii. 743
 anomalies of, vii. 745
 pathology of, vii. 744
 thrombosis of, vii. 745
 tuberculosis of, vii. 746
 wounds of, v. 666
Thoracic wall, phlegmon of, vi. 616
Thoraco-gastrochisis, vii. 702
Thoracopagus, vii. 685
Thoracoplasty, vii. 755
Thoracoschisis, vii. 702
Thorax, vii. 747
 contents of, vii. 748
 contusions of, vii. 752
 deformities of, determined by cyrtometer, iii. 341
 distended, ii. 811
 emphysematous, ii. 811
 inflated, ii. 811
 injuries of, vii. 752
 a cause of death, i. 670
 in medico-legal autopsy, i. 659
 lymphatic glands of, v. 644
 lymphatics of, v. 641
 malformations of, vii. 702
 muscles of, anomalies of, vi. 61
 nerves of, vii. 751
 section of, in new-born, vi. 275
 surgery of, vii. 752
 veins of the, vii. 751
 wounds of, vii. 753
Thornapple, vii. 534
 poisonous, i. 610
Thoroughwort, vii. 756
Thread-worms, i. 363
Three Springs, vii. 757
Throat, bacilli in, iii. 481
 examination of, v. 421
 herpes of, vi. 591
Thrombase, iii. 843
Thrombin, iii. 843
 in coagulation of blood, iii. 151
Thrombo-arteritis, ii. 97
Thrombo-phlebitis, ii. 97; viii. 210
 gangrenosa, viii. 212
 organisatoria, viii. 212
 purulenta, viii. 211
 suppurativa, viii. 211
Thrombosis, iii. 123; vii. 757
 causes of, iii. 123
 cerebral, ii. 296
 symptoms of, ii. 396
 chemico-physics of, vii. 758
 in the new-born, vi. 281
 in the upper extremity, i. 470
 of the cerebral sinuses, ii. 415
 of the central artery of retina, vi. 954
 of the central vein of retina, vi. 953
 of the heart, iv. 614
 of the lateral sinus, diagnosed from intracranial abscess, ii. 413
 of the placenta, iii. 53
 of the sigmoid sinus, septic, operation for, v. 712
 of the thoracic duct, vii. 745
 of the veins, viii. 214
 phlebo-, viii. 210

Trombosis, sequelæ, iii. 123
 treatment, vii. 764
 varieties of, vii. 757
Thrombus, arterial, vii. 761
 canalization of, i. 541
 capillary, vii. 761
 fate of, vii. 759
 fibrin, vii. 757
 formation of, i. 539
 hyaline, vii. 757
 leucocytic, vii. 757
 localization of, vii. 760
 mode of development of, vii. 759
 red, vii. 757
 venous, vii. 761; viii. 214
 white, vii. 757
Thrush, viii. 488
 of the œsophagus, vi. 342
 of the vulva, viii. 161
Thuja, i. 438
 articulata, vii. 19
 occidentalis, i. 438
 orientalis, i. 438
Thumb, iv. 487
 amputation of the, i. 250
 dislocations of the, iii. 523; iv. 513
Thus, vi. 355
 Americanum, vii. 913
Thymacetin, vii. 764
Thyme, vii. 764
 garden, vii. 764
 wild, vii. 765
Thymegol, iii. 727
Thymic asthma, and status lymphaticus, vii. 448
Thymoform, iv. 246; vii. 765
Thymol, i. 163; vii. 765
 as an anthelmintic, i. 362
 as a germicide, iv. 336
 carbonate, vii. 765
 chlor-methyl-salicylate, vii. 765
 iodide, i. 449
 urethane, vii. 766
 used for tapeworm, i. 362
Thymotal, vii. 765
Thymus gland, v. 728; vii. 766
 anatomy of the, v. 728; vii. 766
 atrophy of, v. 728
 cysts of the, v. 729
 development of the, viii. 568
 dose of, vi. 413
 embryology of, vii. 766
 enlargement of, v. 728
 extract of, vi. 413
 histology of the, vii. 767
 inflammation of the, v. 729
 in status lymphaticus, vii. 446
 pathology of the, vii. 769
 persistence of the, v. 728
 physiology of the, vii. 769
 removal of the, vi. 413
 retrogression of the, vii. 768
 syphilis of the, v. 729
 therapeutics of, vi. 413
 tuberculosis of the, v. 729
Thymus serpyllum, vii. 765
 vulgaris, vii. 764
Thyro-arytenoid muscle, v. 409
Thyro-epiglottic ligament, v. 408
Thyro-hyoid ligaments, v. 408
Thyro-hyoid muscle, v. 409
 anomalies of, vi. 45
Thyroid artery, inferior, anomalies of, i. 528
 middle, i. 526
 superior, anomalies of, i. 527
Thyroid axis, anomalies of, i. 528

Thyroid cachexia, see *Thyroid gland*
Thyroid extract, vi. 409; and see *Organotherapy*
Thyroid gland, iv. 377, 384; vi. 197; vii. 770; and see *Goitre*, *Cretinism*, and *Myxœdema*
 accessory, iv. 378, 385; vi. 506; vii. 775
 active principle of the, vi. 410
 adenoma of, i. 115; iv. 381, 383
 administration of, vi. 409
 anatomy of, iv. 376; vi. 197; vii. 770
 as a source of auto-intoxication, i. 646
 atrophy of the, vii. 775
 cartilage, v. 407
 changes in, vii. 775
 chemistry of the, vii. 772
 circulatory disturbances of the, vii. 775
 colloid of, iii. 199
 congestion of the, iv. 380
 cystic degeneration of, iii. 350
 cysts of, iii. 350
 dermoid cysts of, v. 730
 desiccated, symptom of overdose of, v. 144
 development of, vii. 771; viii. 571
 dose of, vi. 410
 echinococcus of, iv. 389
 effect of, upon metabolism, v. 775
 enlargements of the, vi. 281; and see *Struma*
 extract, vi. 409
 function of the, vi. 409
 functional relation to parathyroids, vi. 507
 histology of, vii. 771
 hypertrophy of, iv. 381
 in chondrodystrophia, viii. 426
 in dwarfism, viii. 426
 infections of, vii. 776
 intralaryngeal, iv. 385
 pathology of, vii. 774
 physiology of, iv. 378; vii. 773
 preparations of, vi. 410
 relation of, to cretinism, iv. 391, 395
 removal of the, vi. 86, 409
 secretions of the, iv. 377; vii. 101
 syphilis of, iv. 389
 therapeutics of, vi. 410
 tuberculosis of, iv. 389
 tumors of, iv. 381; v. 730; vii. 776
Thyroid treatment of obesity, i. 125
Thyroid vein, middle, surface marking of, vi. 191
Thyroidectomy, iv. 397
Thyroidism, vi. 409
Thyroidin, vi. 410
Thyrolingual cysts, vi. 200
 duct, patent, vii. 775
 fistulæ, vi. 200
Thyrolitic serum, viii. 477
Thyrotomy, vii. 833; and see *Tra-cheotomy*
Tibia, congenital anterior displacement of, iv. 698
 fracture of, iv. 267
 peculiarities of, v. 476, 477
Tibial artery, anterior, v. 479
 anomalies of, i. 535
 VOL. VIII.—49

Tibial artery, anterior, compression of, i. 537
 posterior, v. 481
 anomalies of, i. 535
 compression of, i. 537
Tibial nerve, anterior, v. 479
Tibialis anticus muscle, anomalies of, vi. 57
Tibialis posticus muscle, anomalies of, vi. 59
Tibialis secundus muscle, vi. 59
Tibio-accessorius muscle, vi. 58
Tibio-astragalus anticus muscle, vi. 57
Tibiocalcanean joint, resection of, vi. 926
Tibiofascialis anticus muscle, vi. 57
Tic douloureux, vi. 245
Tick fever or spotted fever, viii. 574
Ticks, i. 435
 African, i. 436
 American dog, i. 436
 Creole, i. 437
 Senegal, i. 436, 437
Tics, electro-therapeutics in, iii. 760
Tidal wave of pulse, vi. 798
Tigrétier, iii. 43
Tigroid, disintegration of the, vi. 264
 granules, vi. 236
Tigrolysis, v. 301; vi. 201, 264
 varieties of, vi. 268
Tilia, v. 515
 flowers, v. 515
Tillandsia usneoides, ii. 483
Timbre, i. 613
Tin, poisoning by, vii. 786
Tincture, v. 739
 compound, of aconite, i. 84
 of aloes, i. 194
 of aloes and myrrh, i. 194; vi. 85
 of benzoin, i. 725, 746
 of catechu, ii. 739
 of cinchona, iii. 89
 of gentian, iv. 328
 Huxham's, iii. 89
 of arnica flowers, i. 521
 root, i. 521
 of asafetida, i. 562
 of belladonna, i. 743
 of benzoin, i. 746
 of bitter orange peel, vi. 398
 of blood-root, ii. 73
 of bryonia, ii. 499
 of Calabar bean, ii. 249
 of Canada snakeroot, vii. 254
 of cannabis indica, ii. 649
 of cantharides, ii. 652
 of capsicum, ii. 654
 of cardamom, ii. 687
 of chamomile, ii. 795
 of chirata, ii. 835
 of chloride of iron, v. 227
 germicidal action of, iv. 332
 of cimicifuga, iii. 88
 of cinchona, iii. 89
 of cinnamon, iii. 94
 of colchicum, iii. 192
 of columbo, iii. 226
 of cypridium, iii. 340
 of digitalis, iii. 478
 of flowering dogwood, iii. 550
 of gelsemium, iv. 315
 of ginger, iv. 352
 of guaiac, iv. 423

Tincture of hops, iv. 736
 of hyoscyamus, iv. 638
 of ignatia, iv. 843
 of iodine, v. 204
 of ipecac and opium, v. 212; vi. 387
 of kino, v. 362
 of kola, v. 376
 of lactucarium, v. 403
 of larch, v. 405
 of lobelia, v. 566
 of matico, v. 714
 of musk, vi. 67
 of myrrh, vi. 85
 of nutgall, vi. 307
 of nux vomica, vi. 308
 of olibanum, vi. 355
 of opium, vi. 836
 of bellitory, vi. 522
 of pulsatilla, vi. 797
 of quassia, vi. 827
 of rhatany, vi. 964
 of rhubarb, vi. 974
 of rhus toxicodendron, v. 239
 of saffron, vi. 243
 of sanguinaria, ii. 73
 of serpentaria, vii. 255
 of squill, vii. 434
 of stramonium, vii. 535
 of sumbul, vii. 564
 of sweet orange peel, vi. 398
 of tolu, i. 725
 of valerian, viii. 181
 varieties of, vii. 182
 of veratrum viride, iv. 626
 Warburg's, i. 378
Tinctures of fresh herbs, v. 739
Tinder, i. 128
Tinea barbae, vii. 783
 circinata, vii. 782
 and eczema, differential diagnosis of, iii. 714
 corporis, vii. 782
 favosa, vii. 780
 and eczema, differential diagnosis of, iii. 722
 imbricata, vii. 783
 sycosis, vii. 783
 tonsurans, vii. 782
 treatment of, vii. 784
 tricophytina, vii. 781
 diagnosed from seborrhœa, vii. 89
 unguium, vii. 783
 versicolor, vii. 783
 and eczema, differential diagnosis of, iii. 715
Tineas, the, vii. 780
Tinkle, metallic, vi. 838
Tinnitus aurium, vii. 784
 in ear diseases, iii. 659
Tinnitus, nervous, iii. 603
Tinospora, v. 859
 cordifolia, v. 859
Tissue, adenoid, iii. 254; v. 657
 areolar, iii. 254
 changes in, during starvation, v. 768
 connective, ii. 251
 effect of salt solutions on, viii. 418
 growth a function of, iv. 415
 infiltration, iv. 872
 interstitial, iii. 254
 irritability of, v. 231
 lymphoid, iii. 254; v. 657
 muscular, see *Muscle*
 resistance of, to septic infection, iii. 534