

293. *Botanical geography* is thus both an interesting and intricate subject. To enter fully upon the influences of temperature, altitude, &c. would require a pretty extensive knowledge of physical geography; and even then, without an acquaintance with the various classes of plants, the special effect of these influences could be but imperfectly understood. A general idea of the subject, however, has been given in the present section, from which the student will perceive that every plant is perfectly adapted to the situation it is created to fill; and that there is no portion of the globe—the regions of perpetual snow and the moving sands of the desert scarcely excepted—which does not administer to the growth of some plant, which has not some form of vegetation to adorn its surface.

313. Define botanical geography.

INDEX.

[The Figures in the columns beneath refer to the paragraphs in the text in which the particular term or subject is fully explained.

| | PARA. | | PARA. |
|--|---------------|--|------------|
| Abruptly-Pinnate | 105 | Asci | 192 |
| Absorption by Vegetables | 71, 117 | Ascidium, or Pitcher | 111, 203 |
| Aclimatised | 285 | Assimilation, Vegetable | 6, 10, 118 |
| Aeetous Fermentation | 237 | Astringents | 253 |
| Achenium | 159 | Axil of Leaf | 90, 161 |
| Acid, Carbonic, Absorption of | 10 | Axis, growing point | 90 |
| Acids, Vegetable | 10, 254 | Axillary | 142 |
| Acotyledonous, without cotyledons | 189 | | |
| Acrogenous Stem | 85 | BALSAMS | 243, 245 |
| Acuminate, taper-pointed | 107 | Barbs | 51 |
| Adinata Anthers | 152 | Bark, Inner and Outer | 81 |
| Adventitious Substances | 259 | Bearded | 51 |
| Æstivation of Flowers | 141 | Benzoin, a gum | 245 |
| Air, Effects of | 20 | Berry | 158 |
| Ale, or wings | 150 | Bidentate | 106 |
| Albumen, Vegetable | 116, 159, 163 | Biennials, plants of two years' duration | 29 |
| Alburnum, or Sap-wood | 80 | Bifoliate | 105 |
| Algæ, sea-weeds | 3, 193 | Bigeminate | 105 |
| Alkalis, Vegetable | 255 | Biinnate | 105 |
| Alkalis, in soil | 24 | Biteriate | 105 |
| Alkalis, in plants | 259 | Bituminous Fermentation | 237 |
| Alkanet, a dye | 250 | Blade Leaf | 96 |
| Alpine Plants | 226 | Blanching | 21 |
| Alternate | 93 | Bloom on Leaves | 108, 240 |
| Altitude, Effects of, on Plants | 291 | Bractea, or Bracts | 139, 234 |
| Alumina, in soil | 23 | Bractioles | 139 |
| Amentum, or Catkin | 143 | Branching-Root | 65, 69 |
| Ammonia | 8, 116 | Breaking of Flowers | 213 |
| Animals and Plants compared | 7 | Budding | 180 |
| Annuals, plants of one year's duration | 29 | Bulb | 94 |
| Anther of Stamen | 152 | | |
| Apetalous, without petals | 146 | Calcarate, spur-shaped | 149 |
| Apex of Leaf | 106 | Calyptra, a hood | 159 |
| Aphyllous, without leaves | 193 | Calyx, or Flower-Cup | 145, 148 |
| Apothecia | 159 | Cambium | 128, 145 |
| Appendages, Floræ | 152, 155 | Campanulate, bell-shaped | 150 |
| Aquatic Plants | 286 | Camphor | 242 |
| Archil, a dye | 250 | Caoutchouc, or Indian Rubber | 247 |
| Armed Leaves | 106 | Capsule | 153 |
| Aromatics | 251 | Carbon in Plants | 8 |
| Arnatto, a dye | 250 | Carbon, Fixation of | 125 |
| Arvensine Plants | 286 | Carbonic Acid, Absorption of | 10 |
| | | Carina, or Keel | 156 |

| PARA. | PARA. |
|--|---------------|
| Carpels..... | 153 |
| Caruncle..... | 164 |
| Caryophyllaceous, formed like the pink..... | 150 |
| Caryopsis..... | 158 |
| Caudex, the main root..... | 63 |
| Caule (stem) Leaves..... | 109 |
| CELLULAR TISSUE..... | 36 |
| Centrifugal..... | 144 |
| Centripetal..... | 144 |
| Chalaza..... | 159 |
| Chalk, in soil..... | 23 |
| Characeæ, or Stoneworts..... | 190 |
| Chlorophyll, colouring matter of the leaf..... | 102 |
| Chromele, colouring matter of plants..... | 209 |
| Ciliate, like the eye-lash..... | 51 |
| Ciliated Margins..... | 106 |
| Circinate, curled..... | 92 |
| Cirrhose-Pinnate..... | 105 |
| Clay, in soil..... | 23 |
| Climbers..... | 87 |
| Cold, Effects of..... | 18 |
| Coleorhiza, the root-sheath..... | 181 |
| Collar, or Collet..... | 75 |
| Colour, Cause of, in Plants..... | 209 |
| Colours of Flowers..... | 212, 213, 278 |
| Coma, tuft of hair..... | 164 |
| Concentric Circles in Wood..... | 80 |
| Conceptacles..... | 188 |
| Conduplicate..... | 92 |
| Conjugately-Pinnate..... | 105 |
| Connective..... | 152 |
| Convolute..... | 92 |
| Copal, a resin..... | 244 |
| Cordate, heart-shaped..... | 104 |
| Corms, solid bulbs..... | 95 |
| Corolla..... | 145, 150 |
| Cortical Integument..... | 81 |
| Corymb..... | 143 |
| Cotton..... | 253 |
| Cotyledon, or Seed-lobe..... | 165 |
| Creeping Stems..... | 87 |
| Crenated..... | 106 |
| Creosote..... | 254 |
| Crinose..... | 51 |
| Crisped..... | 106 |
| Cruciform, in the form of a cross..... | 150 |
| Crumpled..... | 141 |
| Cryptogamous, flowerless..... | 169, 183 |
| Culm, stems of grasses..... | 86 |
| Cupule..... | 139 |
| Cuspidate, spear-like..... | 107 |
| Cuticle..... | 48 |
| Cyanic, series of colours..... | 215 |
| Cyme..... | 143 |
| Decay of Plants..... | 33 |
| Deciduous, plants losing their leaves in winter..... | 97 |
| Farina of Plants..... | 235 |
| Fasciated, bundled..... | 276 |
| Fascicle..... | 244 |
| Fasciculated..... | 69 |
| Decumbent, trailing..... | 87 |
| Decursively-Pinnate..... | 105 |
| Dehiscent..... | 156 |
| Deltoid, shaped like the Greek letter Δ..... | 104 |
| Dentate, toothed..... | 106 |
| Diastase..... | 17, 177 |
| Dicotyledonous, having two cotyledons or seed-lobes..... | 165 |
| Digestion in Plants..... | 7, 203 |
| Digitate, finger-shaped..... | 104 |
| Digitately-Pinnate..... | 105 |
| Dimidiate..... | 189 |
| Disk, or Discus..... | 164, 269 |
| Dissipaments..... | 153 |
| Dorsal Suture..... | 158 |
| Down..... | 51 |
| Drastics..... | 253 |
| Dropsy in Plants..... | 49 |
| Drupe, a stone fruit, as the cherry..... | 158 |
| Ducts, or Cylindrical Cells..... | 43, 44 |
| Duramen, the heart-wood..... | 80 |
| Dyes, Vegetable..... | 218, 250 |
| Earths, Primitive..... | 23 |
| Earthling, Effects of..... | 226 |
| Elaters..... | 186 |
| Electricity of Plants..... | 231 |
| Elements of Plants..... | 8 |
| Elliptic..... | 104 |
| Emarginate..... | 107 |
| Embryo..... | 14, 159 |
| Endogenous Stems..... | 83 |
| Endocarp..... | 153 |
| Endosmose, Theory of..... | 132 |
| Ensiform, sword-shaped..... | 104 |
| Entire Margins..... | 106 |
| Envelopes, Floral..... | 146 |
| Envelopes, Use of..... | 151 |
| Epicarp..... | 158 |
| EPIDERMIS, or SKIN..... | 43 |
| Epiphyte, growing upon another..... | 256 |
| Equisetaceæ, horse-tails..... | 186 |
| Eroze, gnawed..... | 106 |
| Essential Oils..... | 239 |
| Esterio..... | 158 |
| Etiolated, blanched..... | 21 |
| Evergreens..... | 97 |
| Excrementitious Matters..... | 27, 130 |
| Excretions, Vegetable..... | 233 |
| Exhalation..... | 134 |
| Exogenous Stems..... | 79 |
| Exomose, Theory of..... | 132 |
| Expansion of Flowers..... | 144 |
| Eye..... | 158 |
| Eyes, Striking by..... | 180 |

| PARA. | PARA. |
|--|-------------|
| Feather-Nerved..... | 101 |
| Fermentation, Kinds of..... | 237 |
| Fibrils, fibres of the root..... | 63 |
| Filament of Stamen..... | 152 |
| Filices, or Ferns..... | 184 |
| Fixed Oils..... | 239 |
| Flabellate, fan-shaped..... | 104 |
| Flax..... | 255 |
| Flora's Time-Piece..... | 198 |
| Flower-Buds..... | 138 |
| Flowers, Metamorphoses of..... | 212, 278 |
| Flowers, Colours of..... | 212, 278 |
| Flowers, Double and Full..... | 278 |
| Fluviatile Plants..... | 296 |
| Folicle..... | 158 |
| Food of Plants..... | 114, 116 |
| Foramen..... | 153, 160 |
| FRAGRANCE, CAUSE OF..... | 219 |
| Frankincense..... | 245 |
| Free-Central Placenta..... | 153 |
| Fronds, the leaves of flowerless plants..... | 96, 181 |
| FRUCTIFICATION OF FLOWERLESS PLANTS..... | 183 |
| Fruit..... | 156 |
| Fruit, Ripening of..... | 173 |
| Fruit, Metamorphoses of..... | 278 |
| Fungi..... | 194 |
| Funicle, footstalk of seeds..... | 156 |
| Fusiform, or spindle-shaped..... | 156 |
| Fustic, a dye..... | 250 |
| Galeate, helmet-shaped..... | 149 |
| Gamboge..... | 245, 253 |
| GEOGRAPHY OF PLANTS..... | 253 |
| GERMINATION..... | 174 |
| Glabrous, smooth..... | 60, 108 |
| Gland, a fruit..... | 158 |
| Glands, organs of secretion..... | 56 |
| Glaucus, sea-green..... | 108 |
| Glume..... | 139 |
| Gluten..... | 8, 17, 116 |
| Granulated Root..... | 69 |
| Growth, Season of..... | 126 |
| Gums..... | 245 |
| Gum-Resins..... | 243, 245 |
| Gynophore..... | 153 |
| Gyrate, coiled up..... | 92, 144 |
| Habitats of Plants..... | 236 |
| Habitats, Range of..... | 287 |
| Hairs, Lymphatic..... | 51 |
| Hairs, Glandular..... | 53 |
| Hastate, spear-shaped..... | 104 |
| Hatchet-Shaped..... | 104 |
| Head of Flowers..... | 143 |
| Heart-wood..... | 80 |
| Heat, Effects of..... | 18, 290 |
| Heat Emitted by Plants..... | 230 |
| Henna-Juice, a dye..... | 250 |
| Herbaceous Stems..... | 77, 86 |
| Hilum..... | 159 |
| Hirsute, hairy..... | 51 |
| Honey..... | 170 |
| Honey-Comb Cells..... | 38 |
| HYBRIDISM..... | 230 |
| Hybrids, Nature of..... | 280, 281 |
| Hybrids, Uses of..... | 282 |
| Hydrogen..... | 8 |
| Hypocratiiform, salver-shaped..... | 150 |
| Humus, decayed vegetable matter..... | 23 |
| Imbricate, like roof-tiles overlying each other..... | 92 |
| Impari-Pinnate..... | 105 |
| Incised (regularly cut) Leaves..... | 106 |
| Indehiscent..... | 157 |
| Indium, or Covering..... | 184 |
| Indigo, a dye..... | 247 |
| Inflorescence..... | 143 |
| Infundibuliform, funnel-shaped..... | 150 |
| Innate..... | 152 |
| Inorganic Matter..... | 3, 24, 116 |
| Intercellular Passages..... | 39 |
| Internodes of Stems..... | 82 |
| Interruptedly-Pinnate..... | 105 |
| Involucre..... | 139, 153 |
| Involucel..... | 92 |
| Iron, in soils..... | 24 |
| Iron, in plants..... | 250 |
| IRRITABILITY OF PLANTS..... | 197 |
| Jalap, a purgative..... | 253 |
| Joints of Stems..... | 82 |
| Juice, Proper..... | 124 |
| Kernel..... | 158 |
| Labiatae, lipped..... | 150 |
| Laciniated (irregularly cut) Leaves..... | 106 |
| Lactiferous Tissue..... | 44 |
| Lacustrine (lake) Plants..... | 236 |
| Lamina..... | 96 |
| Lanceolate, lance-shaped..... | 104 |
| Latex, the descending sap..... | 45 |
| Gum-Resins..... | 245, 247 |
| Gynophore..... | 153 |
| Gyre, coiled up..... | 92, 144 |
| Leaf-Buds..... | 90, 272 |
| Leaf, Fall of..... | 131 |
| Leaves, Simple and Compound..... | 104, 105 |
| Leaves, Seminal..... | 167 |
| Leaves, Metamorphoses of..... | 277 |
| Legume, or Pod..... | 158 |
| Liber, or Inner Bark..... | 51, 124 |
| Lichens..... | 192 |
| Light, Effects of..... | 10, 21, 250 |
| Lignous (woody) Stems..... | 30, 77 |
| Lignite..... | 179 |
| Ligulate, strap-shaped..... | 104 |
| Lilaceous, resembling the lily..... | 150 |

| | PARA. | | PARA. |
|--|----------|--|----------|
| Limb | 148 | Nucules | 190 |
| Lime, in soil | 23 | Nut | 158 |
| Lime, in plants | 258 | | |
| Linear | 104 | Ocrea, or Boots | 110 |
| Lingulate, tongue-shaped | 104 | Odours, Kinds of | 221 |
| Liqueurs | 238 | Odours, Uses of | 220 |
| Liquors, Fermented | 238 | Oils, Fixed and Essential | 239 |
| Lobed | 104 | OLEAGENOUS PRODUCTS | 239 |
| Lobes | 148 | Operculum | 189 |
| Locomotion in Plants | 7 | Opium | 248 |
| Loculicidal | 157 | Opposite | 93 |
| Logwood, a dye | 250 | Organic Matter | 3, 115 |
| Longevity of Plants | 28, 31 | ORGANS, SIMPLE OR ELEMENTARY | 34 |
| Luminosity of Plants | 229 | ORGANS, COMPOUND | 47 |
| Lycopodiaceæ, club-mosses | 188 | ORGANS OF NUTRITION | 61, 113 |
| Lymph, ascending sap | 119 | ORGANS OF REPRODUCTION AND THEIR FUNCTIONS | 130, 179 |
| Lyrate, lyre-shaped | 104 | Ovary, or Seed-Vessel | 153, 270 |
| Maceration, Effects of, on Leaves | 40 | Ovules, seed-germs | 153 |
| Madder, a red dye | 250 | Oxygen, Imbibed and Exhaled | 8, 10 |
| Magnesia, in soils | 23 | Palea | 139 |
| Malting | 178 | Palmae, like the palm of the hand | 104 |
| Manganese, in plants | 116 | Palms | 84 |
| Margins of Leaves | 106 | Palustrine, marshy | 286 |
| Marine (sea) Plants | 236 | Panicle | 143 |
| Maritime (sea-coast) Plants | 236 | Papilionaceous, butterfly-shaped | 150 |
| Marsileaceæ, Pillworts | 187 | Papillose, blistery | 56 |
| Mastic, a resin | 244 | Pappus | 148 |
| Medulla, or Pith | 30 | Parasitic, living on another | 236 |
| Medullary Rays | 80 | Parenchyma of the Leaf | 98, 103 |
| METAMORPHOSSES OF PLANTS | 261 | Parietal Placenta | 153 |
| Metamorphosis, Regular | 261 | Pectinate, comb-shaped | 104 |
| Metamorphosis, Irregular | 274 | Pedeate | 104 |
| Microphyte | 159 | Pedicels | 140 |
| Midrib, middle vein of a leaf | 101 | Peduncle, foot-stalk | 140 |
| Migration of Plants | 292 | Perennials, plants of many years' duration | 29, 86 |
| Mitral | 159 | Perianth, or Floral Envelope | 146 |
| Moisture, Effects of | 19, 239 | Pericarp, or Seed Envelope | 156, 172 |
| Moniliform Root | 69 | Perichaetium | 189 |
| Monocotyledonous | 168 | Peristoma | 189 |
| Monopetalous, having a whorl of petals | 147 | Personate | 150 |
| Monstrosities in Flowers | 271 | Petals, divisions of the corolla | 147, 266 |
| Mordant | 250 | Petiole | 96, 111 |
| Morphology | 261 | Phanerogamous | 137 |
| Morphia | 248 | PHENOMENA OF VEGETATION | 196 |
| Mosses | 189 | Phyllodium | 111 |
| Movements, Spontaneous | 204 | Pilose | 51 |
| Mucilage | 128, 251 | Pinnæ, or Leaflets | 103 |
| Mucronate, bristle-pointed | 107 | Pinnatifid | 84 |
| Mucus | 124 | Pistil, Description of | 153, 270 |
| Muriform Cells | 38 | Pitted Tissue | 44 |
| Myrrh | 248 | Pitcher-Shaped Leaves | 203 |
| Narcotine | 248 | Placenta, Parietal | 153 |
| Nectaries, or Floral Appendages | 155 | Plaited Margin | 106, 141 |
| Nectariferous Spurred | 150 | Plant, Definition of | 7 |
| Nerves of Leaf | 101 | Plants, Food of | 114 |
| Nitrogen, Use of, in Vegetation | 8 | Plants, Longevity of | 28, 31 |
| Nodes | 82 | Plants, Composition of | 35 |
| Nucleus | 150 | | |

| | PARA. | | PARA. |
|---|----------|---|----------|
| Plants. Utility of | 11 | Plcate, plaited | 92 |
| Plumule, the ascending shoot in germinating seeds | 165 | Poisoned, Plants may be | 207 |
| Pollen, Formation of | 152, 171 | Pome | 158 |
| Potash, in soils | 24 | Potash, in plants | 259 |
| Pratensis (meadow) Plants | 236 | Prickles | 57 |
| Primine | 164 | Procumbent, trailing | 87 |
| Prostrate | 87 | Pubescence, or Down | 51 |
| Pyxis, Pyxidium | 158 | Septic Fermentation | 237 |
| Scape | 86 | Serricidial | 157 |
| Scimitar-shaped | 104 | Serrated, saw-toothed | 106 |
| Sclerogen, the cellular tissue of stone fruits | 44 | Sessile, sitting close without a foot-stalk | 96, 140 |
| Searf on Leaves | 55 | Seta | 129 |
| SECRECTIONS OF PLANTS | 232 | Shrubs | 30 |
| Secundine | 164 | Silexes, or Silica, in soil | 23 |
| Seed | 159 | Silica, in plants | 259 |
| Seed, Germination of | 175 | Silique | 153 |
| Seed-Vessels | 157 | Siliicle | 158 |
| Segments | 147 | Silver-Grain | 80 |
| Seminal Leaves | 167, 177 | Sinuated | 106 |
| Sepals, divisions of the calyx | 147, 235 | Sleep of Plants | 201 |
| Septa | 153 | Soda in soils | 24 |
| Septic Fermentation | 237 | Soda, in plants | 259 |
| Sepcialid | 157 | Soil, Use of | 22 |
| Sessile, sitting close without a foot-stalk | 96, 140 | Soil, Composition of | 23 |
| Seta | 129 | Soil, Influence of | 238 |
| Shrubs | 30 | Sori | 184 |
| Silexes, or Silica, in soil | 23 | Root | 16, 62 |
| Silica | 153 | Root, Varieties of | 69 |
| Sillicie | 158 | Root, Functions of | 64, 71 |
| Silver-Grain | 80 | Root, Structure of | 73 |
| Sinuated | 106 | Roots, Aërial | 73 |
| Sleep of Plants | 201 | Roots, Metamorphoses of | 274 |
| Soda in soils | 24 | Root-Plate | 94 |
| Soda, in plants | 259 | Rosaceous, rose-shaped | 150 |
| Soil, Use of | 22 | Rotiate, wheel-shaped | 150 |
| Soil, Composition of | 23 | Rotation of Crops | 25, 26 |
| Soil, Influence of | 238 | Ruminated | 163 |
| Sori | 184 | Runcinate | 106 |
| Root | 16, 62 | Runners | 87 |
| Root, Varieties of | 69 | Running of Colours | 212 |
| Root, Functions of | 64, 71 | Saccharine Fermentation | 237 |
| Root, Structure of | 73 | Saffron, a yellow dye | 250 |
| Roots, Aërial | 73 | Sagittate, arrow-shaped | 104 |
| Roots, Metamorphoses of | 274 | Samara | 158 |
| Root-Plate | 94 | Sand, in soil | 23 |
| Rosaceous, rose-shaped | 150 | Sap, Accumulation of | 133 |
| Rotiate, wheel-shaped | 150 | Sap, Motions of | 132 |
| Rotation of Crops | 25, 26 | Sap of Plants | 119 |
| Ruminated | 163 | Sapwood | 80, 129 |
| Runcinate | 106 | Scaly Bulb | 158 |
| Runners | 87 | Scaly | 139 |
| Running of Colours | 212 | Scapes | 110, 264 |
| Saccharine Fermentation | 237 | Stellate, star-like | 51 |
| Saffron, a yellow dye | 250 | Stem, Underground | 70 |
| Sagittate, arrow-shaped | 104 | Stem, Varieties of | 76 |
| Samara | 158 | Sap, Metamorphoses of | 276 |
| Sand, in soil | 23 | Stigma, Stigmata | 153 |
| Sap, Accumulation of | 133 | Stipe, stalk of the ovary | 153 |
| Sap, Motions of | 132 | Stipules | 83, 96 |
| Sap of Plants | 119 | Stolones of the Couch-Grass | 88 |
| Sapwood | 80, 129 | Stomata, or Mouths | 49 |
| Scaly | 139 | | |
| Scaly Bulb | 94 | | |

| PARA. | | PARA. | |
|--|----------|---|---------|
| Storax, a gum resin | 245 | Twisted | 141 |
| Strumose, swollen | 139 | Umbel | 143 |
| Style, stalk of the stigma | 153 | Undulated | 106 |
| Stylium | 202 | Unguis, or Claw | 150 |
| Subterranean Plants | 236 | Urceolate, Pitcher-shaped | 150 |
| Subulate, awl-shaped | 104 | | |
| Succulent | 36, 89 | | |
| Suffruticose Stems | 77, 87 | Valvate | 92 |
| Sugar | 170, 236 | Valves | 157 |
| Sutures of Seed-Vessels | 157 | VASCULAR TISSUE | 43 |
| Sylvan Plants | 236 | Vasiform Tissue | 44 |
| Tallow, Vegetable | 241 | Vegetable Physiology | 1 |
| Tannin | 249 | VEGETABLE LIFE, DEVELOPMENT OF | 12 |
| Tap-Root | 65 | Vegetable Life, Progress of | 135 |
| Tar | 244 | Velvet | 51 |
| TANTES OF PLANTS | 225 | Venation, the arrangement of the veins in leaves | 101 |
| Tastes, Uses of | 228 | Venus' Fly-Trap | 203 |
| Tendrils | 111 | Vernation of Leaves | 92 |
| Terminal | 142 | Verrucose, warty | 56 |
| Ternate | 105 | Versatile | 152 |
| Testa | 159 | Verticillate, or Whorled | 93 |
| Thallus, a membranous leaf | 96 | Vexillum | 150 |
| Theca, seed-capsules of flower- less plants | 184 | Villous | 51 |
| Thorns | 58, 262 | Vinous Fermentation | 237 |
| Thyrse | 143 | Vitality, Nature of | 3 |
| Tissues, Vegetable | 35 | Vitality, Destruction of | 207 |
| Tomentum | 51 | Vitality, Suspension of | 208 |
| Trees, age of | 32 | Vital Knot | 75 |
| Tree-Fern | 85 | Vital Sap | 179 |
| Triinnate | 105 | Water, Imbibed by Plants | 71 |
| Truncate | 104 | Water, Exhaled by Plants | 134 |
| Truncated Root | 69 | Wax | 240 |
| Tubers, Tuberous | 69, 88 | Woad, a dye | 250 |
| Tubers, Metamorphoses of | 275 | WOODY TISSUE | 42 |
| Tubular Corolla | 150 | Whorls, Whorled | 93, 269 |
| Tunicated Bulb | 94 | Xanthic, series of colours | 215 |
| Turmeric, a yellow dye | 250 | Zoophytes | 6 |
| Turpentine | 244 | | |
| Twiners | 87 | | |

THE END.

ELEMENTS

PHYSIOLOGY

PART II.

ANIMAL PHYSIOLOGY.

CHAMBERS' EDUCATIONAL COURSE.