

## INDEX.

- Abdominal wounds, 312.  
Abortion, 240.  
Abscess of ankle, 256.  
    of abdominal parietes, 311.  
Absorption of bone, 304.  
Acids, 17.  
Acne, 104.  
Action of drugs, 335.  
Affection of pancreas, 208.  
Agalactea, 41.  
Albuminuria, 216.  
Alcohols, 16.  
Alicrancs, 43.  
Alkali group, 12.  
Alkaline vs. Acid children, 351.  
Alopecia, 66.  
Alum group, 9.  
Amblyopia, 86.  
Amenorrhœa, 233.  
Amputation of leg, 306.  
    of toes, 306.  
    secondary of thigh, 305.  
Anacardiaceæ, 26.  
Anal and rectal fissure, 202.  
Ankylosis of ankle-joint, 304.  
    of hip-joint, 304.  
Aneurism, 166.  
    of superficial artery, 304.  
Angina Ludovici, 108.  
Angina pectoris, 166.  
Antidote to carbolic acid, 51.  
    to phosphor., 51.  
Aphasia, 61.  
Aphonia, 113, 114.  
Apocynæ, 26.  
Apoplectic attack, 63.  
Apoplexy or morphia, 53.  
Aphtha, epidemic, 105.  
Arachnides, 43.  
Articulates, 42.  
Artificial pupil, 301.  
Asphyxia neonatorum, 248.  
Asthenopia, 87.  
Asthma, 144.  
Asthmatic cough, 144.  
Atrophy of pancreas, 208.  
    of right arm, 289.  
Aural speculum, 87.  
Aurum group, 10.  
Bahama Islands, 346.  
Berberideæ, 33.  
Bladder, 217.  
Blepharitis marginalis, 69.  
Blood, 272.  
Bloodvessels, 164.  
Brain and its membranes, 62.  
Breast-pang, 165.  
Bright's disease of kidneys, 214.  
Bronchi, 126.  
Bronchitis and aphonia, 144.  
    pneumonia, 137, 140.  
Blurring of sight, 86.  
Calcarea group, 11.  
Cactineæ, 27.  
Caesalpiniaceæ, 27.  
Cancer, 325.  
    melanoides, 106.  
Cancrum oris, 106.  
Canine madness, 273.  
Canthoplasty, 302.  
Caprifoliaceæ, 22.  
Carbon group, 8.  
    oxide, 51.  
Carbuncle, 326.  
Caries of femur, 303.  
Carcinosis, 278.  
Castration, 220.  
Cataract, 301.  
Catarrh of pancreas, 208.  
Catarrhus æstivus, 93.  
Catarrhus suffocatus, 144.  
Catching cold, 350.  
Causes of disease, 333.  
Cephalgia, 258.  
Cerebro-spinal meningitis, 65.  
Chancere, 226.  
Characteristic indications of the principal medicines for diarrhoea, 181.  
Chemicals, 1.  
Chemistry, 353.  
    of cobra poison and beer, 357.  
Cincho-mininæ, 23.

Cholera, diagnostic sign, 198.  
epidemic of 1873, 197.  
false, 196.  
indigenous, 197.  
infantum, 193.  
in Nashville, 198.  
sporadica, 196.  
Chorea, 262.  
Chronic laryngitis, 117.  
nasal catarrh, 101.  
Climacteric complaints, 237.  
Climate of New England, 346.  
Climatology, 346.  
Coccydynia, 351.  
Colchicaceæ, 18.  
Cold-blooded animals and low temperature, 350.  
Colorada, 347.  
Common salt, 53.  
Comparisons, 46.  
Condylomata, 222.  
Congestion of lungs, 146.  
Coniferæ, 20.  
Conjunctiva, 71.  
Constipation, 201.  
Constitution of patient, 334.  
Continuous fever, 281.  
Convulsion, epileptic, 264.  
Convulsions, 269.  
after scarlatina, 286.  
Coremorphosis, 301.  
Cornea, 77.  
Coryza, 91.  
Cough, 133.  
characteristics, 128, 141.  
remedies, 126, 134.  
Cracked nipples, 239.  
Cracks, corner of mouth, 104.  
Cramps, 261.  
Cranial nerves, 350.  
Croup, 121.  
in old age, 124.  
Cruciferæ, 28.  
Cucurbitaceæ, 24.  
Cystitis, 217.  
Delirium tremens, 61.  
Denuded cranium, 300.  
Diabetes, 211, 213.  
Diagnosis of ovarian tumors, 229.  
Diagnostic signs of ovarian disease, 228.  
Diaphragm, 167.  
Diarrhoea during cholera epidemics, 199.  
treatment of, 174.  
Diet for phthisical patients, 158.  
in summer complaint, 196.  
Differential diagnosis of bronchitis and pneumonia, 137.  
Dilatation of right ventricle, 164.  
Diphtheria, 110.  
Diphtheritic conjunctivitis, 74.  
Diplopia, 86.

Disease as modifying labor, 243.  
Diseases of inner ear, 90.  
Disinfectants, 50.  
Disinfection, 357.  
Dislocation of shoulder, 307.  
Displacement of the long head of biceps, 304.  
Distemper, 273.  
Distress from light and headache, 67.  
Dose, the, 343.  
Dropsy, 272.  
Drugs from animals, 41.  
Dynamids, 1.  
Dysentery, 50, 171.  
Dysmenorrhœa, 235.  
Dyspepsia, 170.  
Ears, 87.  
Eczema, 292.  
of face, 103.  
Elaboration of Materia Medica, 54.  
Electricity, 1.  
Electrolysis, 325.  
Empyema, 160.  
Encephaloid of thigh, 303.  
Enteric diseases, 193.  
Enucleation of eyeball, 301.  
Enuresis nocturna, 218.  
Ephelides, 291.  
Epidemic remedies, 329.  
Epilepsy, 266.  
Epileptic convulsion, 264.  
vertigo, 62.  
Epileptiform paroxysms, 270.  
Epistaxis, 103.  
Epithelioma, 104, 300.  
of tongue, 106.  
Epizootic, 96.  
Eruption, 293.  
Erysipelas, 66, 291.  
of face, 103.  
Ethers, 16.  
Ether spray as a means of diagnosis, 334.  
Euphorbiaceæ, 41.  
Exanthemata, 286.  
Excessive menstruation, 233.  
Excision of inferior maxillary bone, 300.  
Excrescence at the os uteri, 232.  
Eye-ball wound, 67.  
Eyes, 67.  
Face, 103.  
Facial paralysis, 271.  
False cholera, 196.  
Fatty degeneration of pancreas, 208.  
Fatty tumors, 294.  
Fauces, 107.  
Fever, 226.  
Febrile state, 226.  
Fibrinous exudation, 159.  
Finger-nail disease, 255.  
Fishes, 43.

Fissura ani, 202.  
Fistula in ano, 202.  
Food of infants, 249.  
Fracture of inner condyle of humerus, 311.  
internal malleolus, 310.  
leg, 309, 310.  
patella, 308.  
tibia, 308, 309.  
Fungi in auditory canal, 87.  
Furunculi, 294.  
Gall-stone colic, 208.  
Galvanic cautery, 327.  
Galvano-puncture, 322.  
Ganglion, 304.  
Gangrena sicca, 257.  
Gastralgia, 171.  
Gastrodynia, 171.  
Genius epidemicus morbi, 332.  
Gestation, protracted, 240.  
Glaucoma, 84.  
Glycerides, 17.  
Goitre, 112.  
Gonorrhœa, 221.  
Granular conjunctivitis, 75.  
Gun-shot wound of abdomen, 312.  
Haemophily, 272.  
Haemophysis, 159.  
Hemorrhage, 325.  
abdominal in complicated labor, 244.  
Haemorrhoids, 202, 322.  
Hallucinations, 58, 59.  
Halogen group, 9.  
Hawaiian Islands, 346.  
Hay asthma, 145.  
fever, 93.  
Headache, 258.  
Heart, 164.  
Hepatic affections, 203.  
Hermaphrodite, 352.  
Hernia, 201.  
femoral, 312.  
operation, 312.  
Herniotomy, 312.  
Herpes, 291.  
Hiccup, 169.  
Hoarseness, 113.  
Hydarthros genu, 256.  
Hydrocele, 219, 323.  
Hydrocephalus, 63.  
Hydrophobia, 45, 273, 275.  
Hydrothorax, 163.  
Hymenini, 18.  
Hyperæmia of brain, 62.  
Hypermetropia, 86.  
Hypertrophy of heart, 164.  
of pancreas, 208.  
Hypopyon, 80.  
Hysteria, with dysmenorrhœa, 235.  
Hysterotomy, 312.  
Icterus catarrhalis, 14.  
Impetigo figurata, 293.  
Imprisoning criminal insane, 60.  
Index to poisoning cases, 53.  
Indications for remedies in bronchitis and pneumonia, 140.  
Indications for remedies in suppuration of middle ear, 89.  
Indigenous cholera, 197.  
Indolent ulcer, 294.  
Inflammation of conjunctiva, 71.  
of eye, 67.  
of fauces, 107.  
of finger-joint, 254.  
of naso-pharyngeal membrane, 108.  
of pancreas, 208.  
Influence of mind over heart, 61.  
Infinitesimals, 349.  
Ingrowing toe-nail, 257.  
Injury of the eyes, 301.  
of leg, 310.  
Irideæ, 18.  
Irido-choroiditis, 80.  
Iris, 80.  
Iritis, 80.  
Iron group, 10.  
Irregular pains, 244.  
Insanity, 59.  
emotional, 60.  
Insects, 42.  
Insufficiency of mitral valves, 164.  
Internal vaccination, 287.  
Intermittens, 2.  
Intermittent fever, 277.  
Introductory lecture, 342.  
Inversion of uterus, 230.  
Itching in eustachian tube, 88.  
Kidneys, 211.  
Kumiss, 45.  
Labiatæ, 24.  
Laryngismus stridulus, 115.  
Laryngitis, 116.  
Laryngcope, 113.  
Larynx, 113.  
Laurineæ, 22.  
Lemon juice, 53.  
Lens, 82.  
Leprosy, 295.  
and syphilis, 226.  
Leucorrhœa, 230.  
Leukæmia, 14.  
Lichens, 18.  
Lids, 68.  
Liliaceæ, 19.  
Lithotomy, 323.  
Liver, 203.  
Location and direction of thoracic pains, 140.  
Logical operations of the mind, 328.  
Loss of crystalline, 71.  
Lumbago, 254.

Luxation of the hip, 307.  
tibio-torsal, 307.

Madness in dogs, 275.

Magnesia group, 11.

Male genitals, 219.

Malformation of bowels, 352.

Malpresentations, 240.

Mammæ, 238.

Mammary abscess, 239.

Mania, acute, 60.

Marasmus, 187, 188.

Mastitis, 238.

Materia medica, complete, 54.

Matter, life and living matter, 328.

Medical electricity, 354.

Medical problems, 342.

Melancholia, 61.

Meningitis, 64.

Menorrhagia, 233.

Mental affections, 60.

Mental symptoms of drugs, 54.

Menstrual anomalies, 233.

Metrorrhagia, 245.

Milk as a disease agent, 53.  
profuse and watery, 250.

Mind, 58.

Morbus Basedowii, 113.

Morbus Brightii, 213.

Morphia or apoplexy, 53.

Motory apparatus, 251.

Mouth, 104.

Myristicaceæ, 21.

Myrtineæ, 27.

Nasal bronchial catarrh, 133.  
catarrh, 98, 100.  
polypus, 102.

Naso-pharyngeal fibroid tumor, 298.

Nevus, congenital, 305.

Neck and oesophagus, 112.

Necrosis of femur, 304.

Nerves, 257.

Neuralgia, 258.  
of diaphragm, 169.  
oculi, 67.

Neuroma of the stump, 305.

Neuropathology, 350.

Neurosis cordis, 165.

Neutral media for the preparation of our remedies, 354.

Night sweats, 157.

Non-ligation of funis, 248.

Nose, 91.

Nosodes, 45.

Notes on cholera, 198.  
on the ear, 88.

Obstetrics, 239.

Oedema of glottis, 125.

Odontalgia, 104.

Offensive odor from mouth, 107.

Opacity of cornea, 302.

Ophidians, 53.

Ophthalmia, 72.  
tarsi, 69.

Optic nerve, 85.

Orchitis, 220.

Organic compounds, 16.

Oesophagitis, 113.

Otitis, 89.

Otorrhœa, 89.

Ovarian hernia, 314.  
tumor, 229, 313, 315, 316, 322.

Ovaries, 228.

Ovariotomy, 316, 320, 322.

Ovaritis, 228.

Oxygen group, 9.

Ozæna, 101.

Ozone in the atmosphere, 353.  
in homœopathy, 354.

Painful menstruation, 234.

Pancreas, 208.

Papaverineæ, 29.

Papilionaceæ, 27.

Paracenthesis, 164, 325.

Paralysis, 271.  
agitans, 270.  
facialis, 271.

Paroxysmal œdema glottidis, 126.

Pepsin, 45.

Pernicious gastro-intestinal catarrh, 196.

Persian insect powder, 24.

Perspiration, fetid, 296.

Phalloides, 53.

Phlegmasia alba dolens, 248.

Phosphor group, 2.

Phthisis pulmonalis, 155.

Physiological interpretation of symptoms, 348.

Physiology, 348.

Pimples of face, 104.

Piperaceæ, 21.

Placenta prævia, 244.

Plants, 18.

Pleura, 159.

Pleuritis, 159, 163.  
sicca, 159.

Pleuro-pneumonia, 147, 149.

Pneumonia catarrhalis, 146.  
crouposa, 146.

Pneumatic aspirator, 150.

Poisonings—agaric. musc., 18.  
apis mellifica, 42.  
arnica montana, 24.  
atropine, 25.  
baryta ac., 12.  
belladonna, 25.  
cantharides, 52.  
carbon oxide, 51.  
chloral hydrate, 16.  
glonoinum, 17.  
hyoscyamus, 24.  
nitro-benzine, 17.  
nux mosch., 21.  
opium, 29.

Poisonings—phosphorus, 2.  
plumbum, 10.  
rhus radicans, 26.  
ricinus communis, 41.  
scorpions, 43.  
stramonium, 25.  
vermillion, 51.

Polyuria, 12.

Posology, 342.

Post-partum hemorrhage, 245.

Post-scarlatinal albuminuria, 286.

Potentization, 349.

Practice, 58.

Prediction of sex, 240.

Pregnancy in the aged, 240.

Primary and secondary, 341.

Products of destructive distillation, 17.

Prosopalgia, 260.

Prostatitis, 220.

Provings—actaea racemosa, 40.  
arnica montana, 24.  
baptisia tinctoria, 27.  
belladonna, 25.  
bromal hydrate, 17.  
actus grandiflorus, 27.  
chrom. acid, 2.  
conium maculatum, 26.  
eryngium maritimum, 26.  
eucalyptol, 20.  
helonias dioica, 18.  
iodine, 9.  
kali bromum, 14.  
kumiss, 45.  
lactic acid, 17.  
lycopus virginicus, 24.  
macrotin, 41.  
nicotinum, 25.  
oleum jecoris, 43.  
podophyllum peltatum, 33.  
sylphium laciniatum, 26.  
xanthoxylum fraxineum, 41.

Pruritus during pregnancy, 239.  
with dysmenorrhœa, 237.  
vulvæ, 237.

Psoriasis, 294.

Psoriasis guttata, 68.

Psychiatrics, 61.

Pterygium, 76.

Puerperal convulsions, 245, 246.  
eclampsia, 247.  
fever, 245.  
hysteria and mania, 245.  
mania, 245.

Pulmonary consumption, 150, 151.  
parenchyma, 146.

Punctured wound, 254.

Purpura hemorrhagica, 272.

Pustule, malignant, 294.

Pyothorax, 160.

Pyrexia, 276.

Ranunculineæ, 40.

Relapsing fever, 281.

Remedies for suppuration of middle ear, 89.

Remittent fever, 281.

Renal colic, 217.

Reptiles, 45.

Resuscitation by electricity, 1.

Retention of urine, 46, 218.

Retina, 85.

Retino-choroiditis, 87.

Retro-aural abscess, 87.

Retro-pharyngeal abscess, 109.

Rhachitis, 251.

Rheumatic fevers, 251.

Rhinnorrhœa, 100.

Rivinaceæ, 27.

Rubiaceæ, 23.

Russula, 53.

Scald, 296.

Scab, 66.

Scarlatina, malignant, 286.

Sciatica, 261.

Scirrhous of right breast, 313.

Scorpions, 43.

Scrofula, 272.

Sea air, 12.

Sea sickness, 62.

Senile cataract, 302.

Septicæmia, 272.

Serpent poisoning, 52.

Serpent venom, 45.

Shortening left leg, 255.

Sighing breathing, 145.

Skin, 291.

Skin-grafting, 325.

Small-pox, 289.

Soap and lard for new born, 248.

Softening of pancreas, 208.

Solanineæ, 24.

Somnambulism, 58.

Sore mouth, 106.

Soreness of mucous membrane in the nose, 102.

Sore throat, 108.

Spasms of diaphragm, 169.  
of eyelids, 71.

Spasmus scriptorium, 261.

Spavin, 12.

Speech, defects of, 107.  
undeveloped, 107.

Spermatorrhœa, 220.

Spinal affection, 250.  
curvature, 250.  
irritation, 250.

Spine, 250.

Splint for fracture of femur, 309.

Sprains, 307.

Staphylorrhaphy, 299.

Statistics of consumption, 158.

Stethoscope, 126.

Stomach, 170.

Strabismus, 300.

Strangury, 218.

Stuffing of nose, 100.

Substitute for Gooch's canula, 325.  
 Sulphur group, 1.  
 Sunflower, 50.  
 Sunstroke, 62.  
 Suppuration of middle ear, 89.  
 Surgery, 298.  
*Symblepharon* and trichiasis, 68.  
*Synanthereæ*, 24.  
 Synovitis, 256.  
*Syphilis*, 222, 226.  
 Syphilitic diseases of children, 226.  
     ulcers, 226.  
 Syringing the ears, 87.  
 Teething, 104.  
 Tertiary syphilis, 227.  
*Tetanus*, 263.  
 Tetany, 263.  
 Tetter, 294.  
 Theories and therapeutic aphorisms, 341.  
 Theory, 328.  
 Theory of dynamization, 336.  
 Therapeutics of *coryza*, 91.  
     of diabetes, 211, 213.  
     of hay asthma, 145.  
     of nasal catarrh, 98.  
     of ozæna, 101.  
     of uterine discharges, 230.  
 Thorax, 126.  
 Time of aggravation of cough, 141.  
*Tinea ciliaris*, 68.  
     tonsurans, 66.  
 Tonsilitis, 110.  
 Toothache, 104.  
 Tooth, ulcerated, 105.  
 Toxicological remarks, 50.  
 Trachoma, 76.  
 Trephining, 298.  
 Tuberculosis, 150.  
 Tuberculosis of sacrum, 325.  
 Tumor in breast, 239.  
 Typhlo-enteritis, 171.  
 Typhoid and typhus, differential diagnosis, 282.  
 Typhoid fever, 282.  
 Typhus, 284.

Ulcer, 294, 295.  
 Ulceration of throat, 109.  
 Ulcers of cornea, 77.  
 Ultimate cause of disease, 333.  
*Umbelliferæ*, 26.  
 Urethrotomy, 324.  
 Urination painful, 218.  
*Urticaceæ*, 20.  
*Urticaria*, 291.  
 Uses and abuses of the waters in labor, 241.  
 Uterine discharges, therapeutics, 230.  
     displacement, 230.  
     hemorrhage, 245.  
     hydatids, 231.  
     polypi, 232.  
     polypus, 320.  
 Uterus, 230.  
 Vaccination, 286, 288.  
*Vaccino-syphilis*, 226.  
 Vagina, 237.  
 Vaginal polypi, 237.  
*Vaginismus*, 10, 237.  
 Varicocele, 323, 324.  
 Vermillion, 51.  
 Vertebrates, 43.  
 Vertigo, 62.  
 Vesicular erysipelas of face, 104.  
 Vicious cicatrix, 303.  
 Vinegar, 53.  
 Visual accommodation, 82.  
 Vomiting during pregnancy, 239.  
 Warts, 291.  
 Weakness of sight, 85.  
 Whitlow, 255.  
 Whooping cough, 144.  
 Willow-twigs fracture, 310.  
 Wind from bladder, 217.  
 Worms, 203.  
*Xanthoxylineæ*, 41.  
 Zoster, 291.  
*Zymosis*, 272.

## REMEDIES.

*Abies canadensis*, 20.  
*Absinth*, epilepsy, 266.  
*Acet. ac.*, dyspepsia, 170.  
*Acolipta ind.*, leucorrhœa, 230.  
*Acon.*, 40, 50.  
     antidote morph., 51.  
     digit., 52.  
     asphyxia neon., 248.  
     cholera infantum, 196.  
     croup in old age, 124.  
     diarrhoea, 174.  
     dysentery, 172.  
     inflammation of diaphragm, 167.  
     intermittent fever, 278.  
     iritis, 80.  
     liver complaints, 203.  
     ovariotomy, 321.  
     pleuritis, 160.  
     pneumonia, 146.  
     puerperal convulsions, 246.  
     ulcers of cornea, 77.  
*Actæa racemosa*, 40.  
*Actæa*, rheumatism, 253.  
*Aesc. hipp.*, diarrhoea, 174.  
*Aethusa*, 50.  
*Aethusa cyn.*, cholera infantum, 193,  
     195.  
     diarrhoea, 174.  
*Agaricus muscarius*, 18, 53.  
     chorea, 262.  
*Alcohol*, 16.  
*Aloes*, alopecia, 66.  
     diarrhoea, 174, 185.  
*Alumina*, 9.  
*Ambra grisea*, 46.  
     pain in vertex, 257.  
*Ammoniacum gummi*, 26.  
*Amm. carb.*, 12.  
*Amm. mur.*, chronic ulcer, 294.  
     epizootic, 96.  
*Amyl*, breast-pang, 166.  
*Amyl nitrite*, melancholia, 61.  
*Angust.*, asthma, 145.  
*Ant. crud.*, 8.  
     cholera infantum, 194.  
     diarrhoea, 174, 183.  
     gangrena sicca, 257.