

Societies—Pennsylvania, .....	358
Vermont, .....	400
Wayne Co., N. Y., .....	37
Sore nipples, .....	16
Tabes mesenterica, by D. A. Gorton, M.D., .....	291, 334, 381
Toothache, by Dr. C. von Boeninghausen, .....	97, 133
Valedictory, by C. Dunham, M.D., .....	401
Veterinary Homœopathy, by D. Wilson, M.D., .....	114
"    "    and the rinderpest, .....	276
Wells, P. P., M.D., Aloes, .....	268
"    "    Apis mellifica, .....	13
"    "    Scarlet fever, .....	104
WESSELHEFT, C., M.D., Diseases during lactation, .....	15, 54
WILSON, D., M.D., Veterinary Homœopathy, .....	114, 276

## APPENDIX.

### APIS MELLIFICA.

Resume of the Symptoms by C. HERING, M. D., translated from *Americanische Arzneipruefungen*, by P. P. Wells, M.D. For remarks see REVIEW Vol. VI. p. 13.

#### **Sensorium :**

Indifference. Depression of spirits.  
Anxiety, excitement, presentiment of death.  
Irritable, perverse temper; nothing is right with him.  
Passionate during the itching, the sufferings attending the catamenia, and other difficulties.  
Restlessness of disposition, mind and body.  
Bustling, frivolous, laughing, gay.  
Delirium, with congestions, eruptions, heat; during sleep.  
Cannot direct his thoughts to any determinate object.  
Vertigo while standing, sitting, lying down, closing the eyes, with obscuration of sight, nausea, headache, and sneezing.

Dull confusion (*eingenommenheit*) especially over the eyes.

#### **Head :**

The head as if too full; it seems too large.  
Heaviness, pressure; pressure in the head, especially when rising from sitting or lying, increased in a warm room, relieved by pressing together with the hands.  
Pain in the head extending as far as the eyes, over the eyes and in the eyes.

Sharp shooting pains in the temples.

In the scalp, drawing, tightness, increased sensibility, burning, shooting, itching and pricking and falling out of the hair.

**Eyes :**

Eyes sensitive to light with the headache. Redness of the eyes. Weakness of the eyes with aversion to using them ; indistinct vision. Whirling before the eyes.

Twitching and jerking of the left eyeball, especially at night.

Heaviness, fullness and pressure in the eyes and eyelids.

Severe shooting pains into the eyeball ; borings and stickings.

Cuttings, burnings and redness of the eyes. Shooting itchings in the eyes and lids and about the eyebrows.

Flow of tears with restlessness of the mind, at night, with headache, sensibility to light, and redness and burning of the eyes.

Sensation as if there were mucus in the eyes.

Itching in and around the eyes and lids, and in the angles of the eyes with smarting.

Sticking together of the lids.

Swelling of the lids.

Dropsical and erysipelatous swelling around the eyes.

**Ears, Nose and Face :**

Sensitive to noise. Sticking burning of the ears. Tension around the ears.

Sneezing, then pressure in the forehead and vertigo.

Coryza, with sensation of swelling in the nose, dryness and burning of the lips.

Itching, pain, redness and swelling of the nose.

Paleness of the face. Burning sticking, with sensation of fullness, heat, redness, and desire for washing in cold water. Livid, blue red color of the face.

Tension, swelling and redness. Crawling and pricking in the face.

The lips are painful, the pains extending even to the gums and head, or over the whole body.

**Mouth :**

The lips as if crushed, as if swollen, pricking, chopping, tension, burning and swelling, in which the inner surface is everted.

Jerking closing of the under jaw.

Jerking in the left upper back teeth.

The pains in the teeth extend to the head.

The tongue as if scalded, especially on the edges. Vesicles along the edges of the tongue, especially the left, with burning, rawness and stickings.

Dryness, fiery redness, burning sticking and swelling of the tongue.

The tongue is coated, with diarrhœa.

Dryness of the mouth, fauces and throat. The surface is sensitive as if scalded.

Salivation. The saliva is tenacious and frothy.

**Throat :**

Hawking up of mucus every morning.

Pressing pain in the upper and back part of the throat, as if from a hard body.

Sticking, itching and contraction in the throat which hinders swallowing.

As if raw in the throat, with tenacious saliva when hawking.

Burning, smarting, sticking in the throat especially when swallowing.

The tonsils red, swollen, painful, smarting.

**Stomach :**

Loss of appetite. No thirst with dropsy ; with dryness of the throat, during the heat. Desire for a drink of water with sinking of the vital forces.

Eruclations with waterbrash with taste of the food, increased after drinking water.

Disgust, nausea with vertigo, fainting, sinking of the forces, even to vomiting, with headache, swelling of the head, pain in the stomach and diarrhœa.

Pressure in the stomach ; prickings, as with needles ; rawness ; burning ; and extreme sensitiveness to pressure.

Below the ribs, sensation as if crushed, more on the left side. Burning. Pains which extend from below upwards.

**Abdomen :**

Throbbing boring over the left os ileum, relieved by eructation.

Rumbling in the abdomen.

Sensation of nausea in the abdomen.

Pain in the abdomen in the morning, with urgency to stool.

Heaviness, painful pressure, severe squeezing, contractions (*zusammenziehen*) in the abdomen.

Pain in the abdomen while walking.

Severe pain while lying down, relieved by rising up.

Burning, internal rawness, externally sensitive to pressure even of the bed-covering (of the abdomen).

The abdomen is full, swollen and sensitive to pressure, with swelling of the feet and scanty urine.

**Stool :**

Sensation as of diarrhœa, with urgency, pressure and tenesmus.

Soft stool every morning, of a light color.

Greenish yellow, watery, slimy, diarrhœa, without pain, especially in the morning.

Offensive diarrhœa, then tenesmus with blood. Discharge of mucus with pain as if the bowels were crushed.

The anus as if completely stopped, with heat and throbbing in the rectum.

Electric shocks in the rectum before the inclination to stool. Rawness in the anus with diarrhœa. Insupportable itching, with swelling; intolerable shooting, boring pains in the hæmorrhoids; a bloody oozing with swelling of the anus.

**Urine and Genitals :**

There is little or no urine discharged, with great pain.

Frequent inclination to urinate.

Increase of urine, day and night. Scanty and high colored urine.

Burning and excoriation in the urethra, as if scalded.

Uneasiness in the spermatic cord.

Pain in the ovarian region as if dislocated, with sensibility to pressure. Cuttings in the left side, then in the right, drawings, shootings, with bearing down.

Bearing down in the uterine region as if the menses would appear.

Swelling of the labia.

The catamenia are interrupted for a single day, and then appear again, and this is repeated many times. Hæmorrhagè from the uterus with abortion.

**Respiration :**

Hoarseness with sensitive larynx, roughness in the throat and dryness.

Coughing and tickling behind the throat-pit, in the evening. Cough before midnight, after lying down and sleeping with headache; it ceases immediately on the least expectoration.

Respiration slow, difficult, with constriction in the throat, accelerated especially by motion, ascending stairs, walking, with soreness as if bruised under the ribs, with heat, headache and drowsiness. Sensation as if the breath would fail.

A heated room is insupportable.

Fullness in the chest, he must sit up.

Pressure in the chest, especially in the upper part. Pain in the left side near the sternum. Sharp pains. Shootings, especially in the left side.

Excoriation and bruised, as if crushed, especially in the false ribs and more in the left side.

Coldness and heat in the chest.

Pain in the region of the heart, shooting and impeding respiration.

Pulse accelerated, full and strong; hard small and rapid.

**Trunk and Extremities :**

Tense pain in the nape of the neck, on the left side from the shoulder over the head; shooting in the right side when moving the head to this side.

Pains under the shoulder-blade, aggravated by motion.

Stiffness of the loins.

Drawing pains which begin at the shoulder and extend to the finger ends. Numbness, especially of the left arm.

Burning and shooting in the hands, redness, heat, swelling, they are blueish and cold.

Itching, burning and chapping of the hands.

Weakness and pain as if from excoriation in the hip joint.

Drawing pain through the leg to the end of the toes.

Sensation as if bruised, in the flesh.

Pains about the knee, swelling, burning and shooting.

Shooting in the left outer ankle and in the toes. Burning of the feet and toes.

Swelling of the feet. As if the toes were too large.

In the evening the feet were heavy, stiff, painfully full, swollen, crawling, itching, as if they had been frozen.

Itching nodules on the joints.

Extreme sensitiveness of the fleshy parts to the least pressure.

**Disposition and Strength :**

Irritability and restlessness ; weakness and trembling. Painful weakness.

Exhausted, as if after severe labor, especially in the back. Must lay himself flat on the ground.

Weakness, especially in the back, in paroxysms, with vertigo. Fainting, with paleness, coldness, vomiting and diarrhœa

**Sleep :**

Yawning and great desire for sleep, starts up suddenly from sleep. Frequent waking. Tension in the face, stitch in the skin, burning pain under the left ribs and other troubles prevent sleep.

Sleep is restless, frequent waking and incessant dreaming.

Dreams full of cares and troubles,—of flying through the air—of traveling long roads.

Tossing about, especially the last half of the night. No enjoyment of sleep. Long sleep in the morning.

**Fever :**

Shivering, in the afternoon, at three or four o'clock, aggravated by warmth, afterwards heat and cough.

Slight shiverings on the least movement, while sitting, in the evening, with headache, heat of the face and hands.

Shaking chill, with nettle rash after the heat.

Sensation of heat in the whole body, especially over the chest and region of the stomach.

**Skin :**

Heat and redness of the skin, evening and night ; with excitement, headache and diarrhœa, swellings and cough. Burning of the hands and feet.

Alternation of sweating and dryness of the skin. (Emaciation.)

Violent itching, like pricking of needles, as if from insects, recurring after motion. Itching, in small and defined spots ; hindering sleep, nights.

Burning, sticking, irritating, insupportable itching.

Violent shooting pains with swellings.

Bright red swellings, with red streaks lengthwise the limbs. Swelling of the skin, pale red, as if puffed, extending itself farther and farther over the surface.

Burning, shooting, flat swellings, with redness or paleness or both.

Nettle rash, red spots, small white spots, with red areola, which itch violently ; pale blotches ; elevated spots, which are very sensitive ; blueish red, painful, hard spots.

Dropsical swellings of the body, limbs, hands, feet ; of the abdomen, without thirst.

**Character and Condition :**

Burning sticking pains in all parts, with and without eruption. Excoriating pains, especially under the ribs ; tension of skin and muscles, especially about the shoulders, neck and head.

Warmth aggravates the sufferings, especially in a close room.

Cold water relieves the pains, swelling and burning.

Aversion to cold air.

Extreme sensibility to touch and external pressure, especially on the abdomen.

External pressure relieves the headache.

Lying down increases many of the sufferings which are relieved by sitting. Walking and movement relieve many of the most violent sufferings.

Evening attacks of vertigo, headache, pains in the eyes, teeth, and abdomen; hoarseness, cough, chilliness and heat.

Night attacks, besides those connected with sleep, especially in the eyes and chest. Towards morning, increased restlessness, chills, headache, slimy mouth, pain in the abdomen, inclination to stool and diarrhœa.

Apis is especially indicated, where there is the required similarity of symptoms, in cases of widows and children, and for many of the results of repelled or suppressed eruptions, or in those cases when the appearance of acute eruptions on the surface is delayed; as of nettle rash, scarlet rash, measles, miliary rash and other important eruptions.

When cases of disease present the above symptoms and indications, we may expect Apis to prove curative, especially if the other symptoms of these show correspondence to the other symptoms of the poison, and also, in these circumstances, in the following acute and chronic diseases and groups of symptoms:

Different forms of mania, especially sexual mania of females. Hydrocephalus of children, and apoplexia of the aged. Headache of all varieties. Neuralgias of the head, with bilious and abdominal complications. Migrane, proceeding from ganglionic centres; also gastric. Baldness. Inflammations of the eyes, internal and external, rheumatic and gastric. Iritis. Corneitis. Blindness. Cloudiness of the cornea, cicatrices, staphyloma, œdema of the eyeball. Hordeola. Fistula lachrymalis. Neuralgia of the lips, tongue and gums. (See Dolichos.) Œdema of the face. Erysipelas of the face, especially if the pale and livid, of one side, of the chin, under jaw and throat. Inflammation of the tongue, swelling, ulcers, and cancer of the tongue. Inflammation of the palate, mouth, fauces and throat, erysipelalous and other ulcers in the throat. Gastralgias. Erysipelalous and nettle rash affec-

tions of the stomach and intestines. Abdominal inflammations. Inflammations of the diaphragm and spleen. Ascites. Chronic diarrhœa, especially bilious and erysipelalous. — Hæmorrhoidal affections. Cystitis. Morbus Brightii. Diabetes, dysuria, strangury. Gonorrhœa. Pains, inflammations, swellings, hypertrophy and dropsy of the ovaria. Uterine hypertrophy. Uterine dropsy. Menstrual affections. Swelling and neuralgia of the vulva. Threatening abortions. Uterine hæmorrhage. Cancer of the breast. Œdema of the larynx. Hydrothorax. Hydrops pericardii. Pleuritis. Pericarditis. Rheumatism. Gout. Gouty concretions in the joints. Œdema of the limbs. Swelling of the knees. Swellings, spots, nettle and scarlet rash on the skin. Measles. Boils. Inflammation of the fingers. Hysteria. Hysterical spasms. Punctured wounds, erysipelas of wounds and many other affections too numerous to mention.

#### ALOES.

Translated from HERING'S *Amerikanische Arzneiprûfungen*, by T. F. Allen, M.D., New York. Continued from the AMERICAN HOMŒOPATHIC REVIEW, Vol. V, p. 325.

#### **Hæmorrhoids:**

- . Galen makes the first mention of Aloes as a remedy for hæmorrhoids.
- 900. Aloes is mentioned in the Talmud as a remedy for hæmorrhoids. *T. Gitten*. 696.
- According to Wunderbar's *Bibl. talm. medicin.*
- . In bleeding hæmorrhoids. *Greek Physicians.*
- . It scrapes the intestines too much (in cold people) and drives out blood with the evacuation. *J. Mesue.*
- . But one who has an injury in the hæmorrhoidal veins or hot swelling in the hinder parts, should not use Aloes. *T.*
- . It opens the hæmorrhoidal veins. *Schrœder.*
- 905. Of one hundred persons who took Aloes, ninety were attacked with hæmorrhoidal flux, which ceased as soon as Aloes was discontinued. *Fallopious. p. 109, opera omnia. Fref. 1600. Gottfr. Moebius, Olaus Borrichius Act. Havn. 1673 obs. 64, and Trnka von Krzowitz Treatise on*

*Hæmorrhoids* 1798 p. 75, made observations similar to Fallopius. *Jonseca Consult. med. t. I. cons. 27*, writes that in the region of Padua and Venice Aloes was a very prolific cause of hæmorrhoids. *Stahl, collect. pract. p. 418* says: The inhabitants of lower Saxony suffer very much from hæmorrhoids from the abuse of Elixir proprietatis. *Aloe aperit ora venarum ani et vulvae. Geoffrey*. A life-prolonging-remedy containing Aloes, much used in the region of Lauterbach makes hæmorrhoids prevalent. *Raue* treatise on Hæmorrhoids. 1821.

If it is given before the flux of the hæmorrhoidal veins, it should cause them to flow, but if they already are flowing, it should, on the contrary, check it. Some say this even of the monthly courses. *Lætrike Mat. Med. 6th Edit. p. 146*.

- . I have had cases of its large and liberal use, in which it produced hæmorrhoidal troubles; but, in moderate use, it is not a frequently exciting cause. *Cullen*.
- . It appears to produce local plethora in the lower portion of the abdomen; hence, used for a length of time, it certainly contributes not a little to the production of hæmorrhoidal troubles and the re-establishment of suppressed menstruation. This Cullen, without reason, denies. *S. Hahnemann, Notes on Cullen*.
- . It often produces hæmorrhoids. *Hahnemann, Apothekerlex.*
- 910. It aggravates the cases of hæmorrhoids, when the production of severe bleeding does not warrant relief. *W.*
- . It, indeed, produces bleeding from the rectum but not from hæmorrhoids. *C. W. Sachs*.
- . Never actual hæmorrhoidal tumors. 870.
- . Being applied to hæmorrhoids, it produces hæmorrhoidal attacks. *W.*
- . It excites artificial hæmorrhoids without being itself applied. *Sundelin. I, 403*.
- . It never produces hæmorrhoids; on the contrary, he affirms that Aloes has removed the pain and flow from hæmorrhoids. *Giacomini*.
- . It appears to act especially on the larger intestines. A full dose produces in many people an irritation of the large intestines and tenesmus. *Pereira*.
- . \* Gaudius also gave it with benefit for burning and blind hæmorrhoids. *Weikard*.
- . \* Molimina hæmorrhoidalia. *A. A.*
- . \* To make hæmorrhoids flow. *A.*
- 920. \* In suppressed hæmorrhoids, one accomplishes his purpose surely with pure Aloes; small doses are sufficient. *Hahnemann. Notes to Arzneischatz, pp. 61, 62*.
- . It is considered especially effective in suppressed hæmorrhoidal flux. *J. A. Schmidt Mat. Med.*
- . In blind hæmorrhoids which depend upon torpidity. *Bischoff. Med. Bot. 432*.
- . If the hæmorrhoids are rigid, complex, in connection with affections of the spleen and liver, Aloes is serviceable in small doses. *Pitschaft*.

- . For suppressed hæmorrhoids, if the hæmorrhoidal flow had become habitual and had been suppressed by sluggishness, or if the diffused hæmorrhoidal congestion produces disturbance in the whole organism and gives rise to evident diseased conditions. *Schreger*.
- 925. In lingering, habitual, or atonic, painless, mucous, hæmorrhoids. *K.*
- . \* If the hæmorrhoidal tumors project from the anus in great quantity like bunches of grapes, with much pressing. *Neidhard*.
- . \* In protruding hæmorrhoids of the right side, very painful while standing and walking, obliging the legs to be spread apart while lying; the appetite very good, notwithstanding the lack of exercise: after eight or ten days; everything else had been of no avail. *C. Hg.*
- . Copious discharge of blood from the anus, though without hæmorrhoidal tumors. *Trousseau. Compare 553*.
- . Blood passes after the stool. *St.*
- 930. Passage of very much blood with the stool, with severe pain in the loins. *F. R. L.*
- . Sense of fullness, like congestion of the protruded, strangulated hæmorrhoids, later, an indefinite urgency to stool, and a second small stool, which was entirely unusual, whereby the hæmorrhoids protrude very much, and pain as if sore and chapped in the anus; after three hours, forenoon. 3. *C. Hg.*
- . Swelling of the hæmorrhoids; they pain as if raw. *F. R. L.*
- . Soft piles at the anus, itch evening and morning; the eighteenth day. *III.*
- . After rising, a hard, small, tough stool, with sore pains in the hæmorrhoids, which, sensitive to touch, pain as if inflamed even in sitting still; at ten in the evening another stool, with smarting in the hæmorrhoids, some of which are still protruded; the nineteenth day. *III.*
- 935. Continual smarting of the hæmorrhoids, even during rest, on sitting and lying, as if rubbed raw; the twenty-second day. *III.*
- . Hæmorrhoids, very sensitive on wiping after the stool; the twenty-third day. *III.*
- . In the morning the piles in the anus are small and little sensitive, through the day more swollen and sensitive, sometimes stitches therein and itching; the twenty-fourth day. *III.*

- . In the afternoon much itching in the piles and anus generally; the twenty-second day. *III.*
- . Toward evening on rising from sitting, many fine, sensitive stitches in the hæmorrhoids, so also later in the evening when sitting; the twentieth day. *III.*
- 940. \* Heat in the hæmorrhoids. *Williamson.*
- . Twenty-four hours relief from the hæmorrhoids; on that day for the first time, much blood with the stool. *3. C. Hg.*
- . If cold water applications afford relief from the hæmorrhoids, an indication for Aloes? *C. Hg.*

**Mucous Evacuations :**

- . Evacuation of very large conglomerate pieces of intestinal mucus.
- . After loud grumblings and moving about in the abdomen, a thin evacuation, passing almost involuntarily, consisting in part of thin yellow fœces, partly of bilious streaked pieces of mucus mixed with the fœces; thereafter, crawling in the anus which compels one to rub it. *Helbig.*
- 945. \* In mucous constipation, it causes a passage of a great quantity of tough, in the highest degree offensive, green and otherwise unnaturally colored mucus infarctus which gave rise to much rumbling and uneasiness before the passage, and great relief thereafter. *Ideler in Hufeland's Journal.* 4. 1. 119.
- . Passage of a membranous looking mucus through the anus. *N. T.*
- . \* Fœces covered with mucus. *Williamson.*
- . \* Well formed stool, streaked with blood and mucus. *Williamson.*

**Worms :**

- . \* With garlic and ox gall it is given by the Hottentots and Caffres for worms and worm affections. *Sparrmann's Travels* p. 475.
- 950. \* Scribonius Cargus and Alex. Tralles recommend it for intestinal worms.
- . \* It kills and expels abdominal worms; even when taken by an injection. *Schroeder.*

- . \* *Ascaris vermicularis*, as injection and otherwise; also Rademacher again.
- . \* For ascarides better than other remedies, because it attacks the worms in their habitation without impairing the digestion. *W.*
- . For ascarides in two boys. *Helbig.*
- 955. \* Necessary for ascarides. *A. Z. f. H. Vol. III, p. 149.*

**Kidneys and Urinary Passages :**

- . Severe pains in the kidneys. *N. T.*
- . \* The Indians give it with milk for ulcerations of the kidneys and bladder. *Weikard. Fragm. p. 83.*
- . Bloody urine. *Bartolinus, act. med. ann. 1768, obs. 64.*
- . Passage of blood from the urethra. *N. T.*
- 960. At times painful burning in the neck of the bladder on urinating. *F. R. L.*
- . Burning on urinating. *Richter.*
- . Burning and urging on urinating, and general agitation. *Weikard.*
- . Urine passed with some difficulty. *Richter.*
- . Burning on urinating. *Weikard. Voigtel. Schreger. Fechner.*

**Urine :**

- 965. In small quantity and hot. *W. St.*
- . Deep colored, yellow. *B.*
- . \* Saffron color. *W.*
- . It passes only sparingly, is deeply reddened. *F. R. L.*
- . Transparent, dark, not increased; the first day. *II.*
- 970. Highly colored, of strong odor, remaining clear; the third day. *III.*
- . Urine scanty, dark, with a slimy sediment; the sixteenth day. *I.*
- . The afternoon urine becomes cloudy on standing, with a whitish coat on the bottom of the vessel, a fine granular cloudiness in the urine; smell putrid, ammoniacal; the first day. *III.*
- . Urine copious and cloudy; from eight to ten grains. *Giacomini.*
- . Urine yellow, or brown, with a yellowish red sediment. *W.*

975. In the forenoon frequent passage of copious discharge of light yellow urine; the third day. *II.*
- . Urine for the first time again, clear as water; the eighteenth day. *II.*
  - . Secretion of a greater quantity of urine. *Greenhow.* *Lond. Med. Gaz., Vol. XIX, p. 270.*
  - . Copious urination after fifteen grains. *Giacomini.*
  - . Urine increased, and more deeply colored, the fourth day. *I;* much at one time; the sixth day. *I.*
980. Copious urination and burning therewith. *K*
- . Increased, paler urine, after the stool. *N. b.*
  - . Passage of urine increased after the stool. 858.
  - . Urinating, in children, increased in quantity and frequency. *C. Hg.*
  - . \* The frequent and copious urinating is moderated. *C. Hg.*

**Passage of Urine at Night:**

985. Rising to urinate; the seventh day. *I*
- . Wakened to urinate at two o'clock; the fifteenth, sixteenth and following days, *I,* and 1025. 1362. 1364.
  - . Urination at three o'clock; the fourth day. *III.* 1386.
  - . Wakened many times by urgency to urinate. *I.* 1368. 1369.
  - . Urgency to urinate on waking. 1393, 4.

**Urgency to Urinate:**

990. Frequent urgency to urinate. *B.*
- . More urgency, less urine; the first day. *III.*
  - . Increased urgency through the day, with no increase of quantity; the fifth day. *II.*
  - . One is driven to urinate so quickly, that he can scarcely retain it; forenoon at eleven o'clock the third day. *II.*
  - . More frequent, quicker urgency in the afternoon, with smaller quantity than in the morning; the third day. *II.*
995. Increased quicker urgency, and more copious discharge; the seventh day. *I.*
- . Must run quickly to urinate, on rising at five o'clock,

- then at eight, and half past nine, with no increase of quantity; the third day. *III,*
- . On rising, quicker urgency to urinate; the fourth, sixth and eighth days; evening of the twenty third day. *III.*
- Passage of Urine:**
- . Urine passes with difficulty. *Richter.*
  - . With the last stool, at ten in the evening, the passage of urine is somewhat impeded, it presses out from the bladder a few seconds before it appeared, then with interruptions, and every time with some urgency, which the urine does not immediately follow; the tenth day. *I.*
1000. \* The urine passes more easily; formerly he had always to wait a while before it came. *N. b.*
- . Urination with the stool; the second day. *III.* Urgency to stool on urinating. 745.

**Sexual Desire:**

- . Increased desire. *W.*
  - . Sexual excitement, with erection after urinating, two o'clock at night. 1363.
  - . He awakes at four o'clock with great sexual desire; the thirteenth day. *I.*
1005. Desire more active after eating. *III.*
- . Rather an inner sensuality than irritation of the parts compels him to satisfy himself; at evening on going to bed; the fifth day. *I.*
  - . Active desire at evening and uncommon thirst for water; the eleventh day. *I.*
  - . He awoke at one o'clock at night with active desire; without being wide awake, he seized hold of the parts until the emission of semen; he had to make water, and on fully awaking, it seemed as if the time must be much later; the fourth day. *I.*
  - . The increased desire relieved, the amorous mood removed; the fifth day. *II.*
1010. \* Probably one of the best remedies to repress a too lively desire, especially in children, which only a few remedies do. *C. Hg.*