

- . Small quantities cause frequent erections and increase the sexual desire. *Rust's Magazine*, Vol. 24, p. 304.
- . Erections without occasion, the first day, *II*; in the morning, *W*; awoken at two a. m. 1025.

**Emission of Semen:**

- . Pollution during the mid-day nap; the second day. *Preu. c.*
- . Pollution at three o'clock at night; then strong sexual desire. 1370.
- 1015. Toward morning, pollutions with amorous dreams, which had not been the case for a long time, the twelfth and seventeenth days. *III*.
- . After the seminal emission he had to go to stool immediately, the first time at night; the thirteenth day. *I*.
- . After the seminal emission, urinating. 1008.
- . After the seminal emission, restless sleep. 1361.

**Sexual Organs:**

- . Drawing forward, in the urethra, on sitting; mid-day, the fourth day. *II*.
- 1020. \* *Gonorrhœal sequela*: sticking, burning in the urethra as far as the bladder, with a thin discharge; the penis is bent in erection, it pains as if constricted behind the glans, as from some ulceration; very much improved. *Helbig*.
- . The right testicle feels cold in the night; the third day. *III*.
- . The left epididymus is very painful on walking and handling, the whole forenoon.  $\frac{1}{\overline{v\overline{v\overline{v}}}}$ . *Koch*.
- . Soft, painless varicose tumor, tumors on the perineum; the fourteenth day. *III*.
- . On a walk of two miles the perineum became very sore; which otherwise seldom happened in five or six miles; the fourteenth day. *I*.
- 1025. With a lax scrotum he wakes with urgency to urinate and erection, at two o'clock in the morning, the third day. *III*.

- . The member is fallen away small, scrotum drawn up; the seventh day.
- . Itching of the prepuce after a stool; second day. *III*.
- . Sweat on the genitals, of an offensive, pungent, urinary smell, like a child-bed, morning and evening on going to sleep; the fifth day, again the fourteenth to the seventeenth day. *I*.
- . Ill-looking blisters on the genitals. *Galen*.
- 1030. \* It is wonderfully good for ulcers on the genitals. *T*.
- . \* Discharging sores on the private parts. 280.
- . \* Sprinkled over condylomata which bleed very much, it stops it. *T*.
- . \* It unites the torn prepuce of a child. *T*.
- . \* Ulcers on the edge of the anus and the genitals. *A. A.*

**Female Genital Organs:**

- 1035. Sticking pain over the arch of the pubis; the fourth day. *t. Raue*.
- . Heaviness in the uterine region, with pains in the loins and groin. *K*.
- . Heaviness in the uterus and pains in the back. *Trousseau*.
- . Determination of blood to the uterus. *Arnemann*.
- . Ten violent, labor-like pains in the hips. *N. N.*
- 1040. Irritative action on the uterus and pelvic organs, from the determination of blood to these organs, repletion of the blood-vessels, especially the veins; hence it is in a condition to augment existing irritated conditions or bleedings and to act as an emmenagogue in amenorrhœa and chlorosis. *Pereira*.
- . Pressing and drawing in the uterus. 1052.
- . A sharp pain, drawing down through the flank into the middle of the thigh; after three to four hours. *t. Raue*.
- . \* Uterine pains. *East Indian Physicians according to Honiberger*.

**Menstruation:**

- . Great caution is counseled by many, in the years of puberty. *K*.
- 1045. It is considered injurious, by many, in the climacteric years, *K*. unconditional, *Trousseau*.



- . Menstruation comes on too early, too copious. *Williamson.*
- . It often produces a large evacuation of the monthly purification. *Hahnemann, Apoth. Lec.*
- . Given for too copious menstruation, it increased it. *W.*
- . Menstruation appears, very copious, though it had occurred not long before. *F. R. L.*
- 1050. Increase, with colic. *K.*
  - . It can easily produce abortion in pregnant women. *Vogt, Pharm.*
  - . Abortion; thereupon copious discharge of bloody slime, often with pressing and drawing in the uterus. *F. R. L.*
  - . Those women who have gone past their time, should swallow every day twenty-four grains of Aloes. *T.*
  - . To bring on the monthlies in retentio mensium, and amenorrhœa, *A.A.* seldom useful. *Cullen.*
- 1055. It is considered especially effective in suppressed menstruation. *J. A. Schmidt. Mat. Med.*
  - . It promotes menstruation in the chlorotic and unfruitful. *Schroeder.*
  - . In amenorrhœa from torpidity of the uterine vessels, in phlegmatic, cachectic, chlorotic women and girls. *Schreger.*
  - . \* In suppressed and too scanty courses, chlorosis. *K.*
  - . \* Retarded and scanty courses. *Trousseau.*
- 1060. \* In chlorotics, in very small doses, with or after iron. *Trousseau.*
  - . A young girl, suffering from amenorrhœa, took daily, three grains of the watery extract; thereupon pappy taste, loss of the previous good appetite, congestions to the head, headache, relieved by cold applications, alternating with pain in the loins, gripings; three soft stools a day. The periods, which had stayed away three months, came on at night with severe pain in the loins. *B.*
  - . With the courses, ear-ache. 193.
  - . With the courses, flatulent distension of the intestines. *Williamson.*
  - . During the monthlies, dragging down in the rectum with sense of fullness in the pelvis. *Williamson.*
- 1065. With the monthlies, pain in the loins. 1061.
  - . Increase of the fluor albus. *K.*
  - . A good remedy to relieve sterility. *Amat. Lusitanus. c. m. c. 50. 83.*
  - . \* Hereupon many had their courses regularly and became pregnant,

which they had long desired. (Pills made of Gum amm., Aloes, Fe., and Bals. Peruv.,) *Weickard.*

\* Nausea of pregnant women. *Schroeder.*

#### **Voice:**

- . In a dream at night, he was in danger, he would scream out but could not from hoarseness; in the morning he awaked with hoarseness low down in the fauces, which disappeared after breakfast; the third day. *I.*
- 1070. Voice husky; hawking; coryza feeling in the nose, with chilliness; the twenty fourth day. *III.*
  - . Raw voice; morning. 287.

#### **Cough:**

- . Scraping in the throat producing cough. 285.
- . A scraping feeling in the throat shows itself sometimes in the morning hours and forces a not entirely dry hacking, many times. *Helbig.*
- 1075. A tickling irritation to cough in the fauces, without expectoration but with the taste in the mouth of ink or iron, evening of the fourteenth and morning of the fifteenth and sixteenth days. *III.*

#### **Congestion and Hæmoptysis:**

- . Congestion of the chest. *W. and 1443.*
- . Determination of blood to the chest sometimes provokes a dry cough; the second day. *Hencke, c.*
- . Oppression and anxiety in the chest. *N. T.*
- . Five drops of the tincture were given for pressure in the abdomen, with pain in the loins and weakness in the legs; there followed, apprehension, the breath will stay away on going up stairs, could not work, became anxious, with paralysis in all the limbs; the cutaneous veins disappeared, must sit and sleep; at first he felt better walking than sitting. After a few hours these symptoms and those of the disease were much relieved. (*F.*) *Helbig.*
- 1080. Hæmoptysis. *F. R. L. B.*
  - . Given in massive doses to a girl of fourteen whose courses did not appear, it produced hæmoptysis. *Keller.*
  - . \* For the congestions of the lungs preceding the development of tubercle in young people, especially girls. *Trousseau and Pidoux.*



**Respiration:**

- . On drawing a deep breath, it pains in the front part of the chest. 1111.
- . Jerks in the chest interrupting respiration. 1098.
- 1085. Stitches in the chest, stopping respiration. 1106.
- . Stitches in the chest impeding respiration. 1101—2—3.
- . Stitches through the chest restricting respiration. 1099.
- . Pains in the abdomen interrupting the breath on speaking. 503.
- . Stitches from the liver into the chest interrupting the respiration. 463.
- 1090. Restricted inspiration and hæmoptysis. *B. F. R. L.*
- . — Wheezing, panting inspiration; evenings, after smoking tobacco. 3. *C. Hg.*
- . Asthma and wheezing. *Dioscorides.*
- . Free respiration. 478.
- . Weakness of the whole chest, now and then; the second and third days and following. *III.*
- 1095. Weakness of the chest, on bodily exertions; the fifth and eighth days. *III.*
- . Weakness of the chest. *N. b.*

**Pains in the Chest:**

- . Constriction, with periodic pressure and squeezing in the chest, especially in the right half; the second day. *Hencke. c.*
- . Cutting, tearing, sticking jerks in the chest, which suddenly stop the breath, especially if he would recover himself from a stooping or twisted posture; many days, the fifteenth day; in the epigastric region also. *III.*
- . Dyspnœa and dull stitches in the lower part of the chest. *Hencke. c.*
- 1100. On bending to the left side, short pinching stitches deep within at the back part of the left chest and under the left nipple; at one time impeding respiration, at another, permitting deep respiration.
- . Every stitch is scarcely an inch long and very severe. After a few minutes its place is changed; it seems more

- in front and higher up. Twenty to thirty minutes later similar stitches in the right chest in the same place, though less severe; after three to four hours. 3. *C. Hg.*
- . Severe stitches in the fore part of the middle of the left chest, in the region of the sixth rib, so that on attempting a deep respiration he must give it up; evenings at nine, the fourth day. *III.*
- . Jerking stitches through the chest, also in rest, in lying, impeding respiration, with some palpitation; the eighteenth day. *III.*
- . Stitches through the left chest. 147.
- . Stitches proceeding from the hepatic region into the chest stopping respiration. 463.
- 1105. Sticking pains through the left chest, when crouching on account of pain in the abdomen. 577.
- . On stretching in the morning, a sticking drawing in the left chest from the region of the sixth and seventh ribs, only superficial, but preventing respiration; the fifth day. *III.*
- . Severely pressing pains behind the upper part of the sternum, alternating with the same pains under the right ribs. 457.
- . Immediately on rising, sensitive pressive pains, as if sprained, behind the middle of the sternum, only on moving the arms, on stooping and crouching together, relieved by stretching the chest out straight and throw it forward; the whole of the thirteenth day. *I.*
- . Pains from the epigastric region into both sides of the chest. *t. Rare.*
- 1110. \* Pain in the chest and ears. 196.
- . The anterior portions of the chest and the sides up into the axillæ are painful to the touch as if beaten, as if the pain were seated between the bones and the flesh. The fore part of the chest is also painful on deep inspiration. The abdomen is also painful in the same manner, especially the umbilical region, painful of itself and worse on touch, still more in the deeper tissues or in the intes-



tines themselves, and for the most part in the morning. The abdominal muscles are painful for many days on rising up from lying. On moving the arms, the muscles which go from the chest to the arms are painful. On straining at stool the abdominal muscles are painful at their costal attachments, continuing eight days. *Helbig.*

**Heart:**

- . Pain in the precordial region which extends through to under the left scapula. *t. Raue.*
  - . In bed the heart beats quicker, and frequently it gives a very strong beat, which shakes the whole body: for the most part after mid-night, after two o'clock. *t. Raue.*
  - . Palpitation, with stitches in the chest. 1102.
1115. Strong beat of the heart. *A. A.*

**Neck and Nape:**

- . Goitre. *Greek Physicians.*
- . On the right side of the neck it feel sore, on motion, as if one of the muscles were drawn and painfully stretched; the sixteenth day. *III.*
- . Cracking of the cervical vertebræ on moving them, morning, at eight o'clock; the second day. *II.*
- . On sitting in the forenoon, drawing, tensive burning on the right side of the nape, as if in the muscles; it disappears on motion, the second day. On sitting in the afternoon, the same tensive drawing; on stooping, burning; morning of the third, and afternoon of the fourth days. *II.*

1120. Drawing pain in the right side of the nape, only on moving the neck, after rising from the mid-day rest; the first day. The same pain, on motion, tensive, almost burning; the eleventh to the nineteenth day. *III.*

**Pains in the Back:**

- . Pain under the left shoulder-blade coming from the precordial region. *t. Raue.*
- . Dull, sticking pains under the shoulder-blade the second day, and outward pressing (pains), the third day. *Preu. d.*

- . Dull, sticking pain and squeezing between the shoulders more on the right side, continuing through the night and following day. *t. Hencke. a.*
  - . Bruised pain in the whole back, between and on the shoulder-blades, as after long stooping; the second day. *II.*
1125. Very little appetite for many days; on one afternoon, a very great one, ate two large portions at evening. In the following night pain in the region of the last dorsal vertebra, as if seated in the spinal cord, could not lie on the back, only on the sides; now stretched out straight, now with the thighs flexed on the body. On rising, it disappeared; the twenty-first day. *Helbig.*
- . \* Pains in the back, with the stool. 849.
  - . Pressure and drawing in the right kidney region; the second day. *t. Hencke. a.*
  - . Pains in the back and heaviness in the uterus. *Trousseau.*
  - . Lumbago alternating with headache. 122.
- Pains in the Sacrum:**
1130. Drawing and burning in the sacral region. *Richter.*
- . Sacral pains. *Sundelin.*
  - . The sacral troubles are increased. *Voigtel. Schreger.*
  - . Morose and ill humored for several days; on the fourth day severe drawing, sacral pains, which spread over the whole pelvis; they filled him with ill-humor; they were aggravated evenings, and continued eight days; *L. S.*, two grains triturated with milk-sugar. *Helbig.*
  - . Sacral pains, on rest and motion; the second day. *t. Raue.*
1135. Sacral pains, on rising in the morning; during the day it is drawing about in the sacrum, with the feeling of heaviness therein, especially on sitting; the second day. *t. Hencke. a.*
- . A heaviness in the sacral region which involves the pelvis and acts on the rectum, loading it; the third and fourth days. *t. Hencke. a.*



- . A dull, heavy sensation in the sacral region; the first and following days. *t. Hencke. b.*
- . Pressing and heaviness in the sacral region especially on sitting, relieved by motion, continues over eight days. *t. Hencke. b.*
- . Completely stiff in the sacrum after sitting, the rising up is difficult for him; then it feels like a load in the sacrum and pelvis; the third to the fifth day. *Hencke. c.*
- 1140. Burning, biting and sticking on the sacrum between the skin and flesh, as of a mustard plaster; afternoon of the third day, after the nausea had disappeared. *t. Raue.*
- . Stitches in the right sacral region. *Hencke. c.*
- . Stitches in the spleen drawing into the loins, at night. 448.
- . Stitches, into the loins. 864.
- . Clucking in the region of the coccyx, periodic, lasting several minutes; the first and second days. *t. Hencke. b.*
- 1145. Pain in the coccyx as if he had fallen on it. *Helbig.*
- . Pains in the loins on waking, with lassitude. *A. Koch.*
- . Pains in the loins with the appearance of the menses. 1062, with ill-humor, 4, alternating with headache; 1061; and discharge of blood from the anus. 930.
- Upper Extremities:**
- . Outward pressing pain in the shoulder, the first day; in the left shoulder, the second day. *Preu. d.*
- . Dull, sticking pains from the shoulder into the ulna; the second day. *Preu. d.*
- 1150. Cracking in the left shoulder-joint, on moving it, morning of the fourth day. *II.*
- . Sweat in the axilla. 1470.
- . Heaviness of the right arm: the second day. *Preu. d.*
- . Pressive or paralytic drawing in the right, upper arm near the shoulder-joint, in rest and motion; the third day. *II.*

- . Furuncle on the upper arm. 1496.
- 1155. At night in bed, pressive pain in the right fore-arm; it began in the middle of the fore-arm, and ended in the wrist joint, where it seemed as if it would press the bones of the wrist asunder; the ninth day. *Helbig.*
- . Pains in the elbow. 1318.
- . Paralytic drawing in the anterior part of the fore-arm; the third day. *II.*
- . Sensitive jerking drawing, as in the flesh, from the left fore-arm into the palm of the hand, six to eight times in quick succession; on sitting still and writing; afternoon, three to four o'clock the third day. *III.*
- . Pains in the fore-arm, ending in the wrist joint. 1155.
- 1160. Drawing into the palm of the hand. 1158.
- . On stretching out the left hand, it feels as if the nerves were too short, and were dragged, like an electric shock. *C. Hg.*
- . In the left hand and fore-arm the sensation as if internally asleep, now and then, an internal jerking and twitching without pains; the third day. *C. Hg.*
- . The left hand falls asleep, forenoons, on sitting in a wagon; the third day. *C. Hg.*
- . Transient stiches in the metacarpal joint; the second day. *Preu. c.*
- 1165. Habitual, sensitive drawing in the metacarpal bones and joints of the right middle finger; afternoon of the first day, at three o'clock. *III.*
- . In the metacarpal joint of the fourth finger, a frequently recurring sticking and clamping pain; the first day. *Preu. a.*
- . Pain, pressing asunder the wrist bones. 1155.
- . Weakness of the wrist joint. 1322.
- . Painful drawing and stiffness of the left middle finger, seated especially at the metacarpal joint, the first day. Jerking drawing pain in the metacarpal joint of the left fourth finger, the second day. Pains and stiffness in the right; the third day. *Preu. d.*



- . Drawing in the joint of the left thumb, soon after taking it, then in the forenoon, and the midday rest; the first day. *III.*
- 1170. Habitual drawing pain, as if sprained, in the left last joint of the thumb (had been sprained three months before); the fourth day. *III.*
- . Extremely painful tearing stitches in the second joint of the left fourth finger; the fourth day. *Preu. d.*
- . Pain as if sprained or taken cold in the last joint of the left fourth finger; the ninth day. *I.*
- . Aching in the lower condyles of the first phalanges of the right hand; evenings. *Helbig.*
- . Fine stitches in the finger joints; the seventh day. *Preu. d.*
- 1175. Stitches in the finger joints. 447.
  - . Cold hands. 1346, 1417, 1420, 1428.
  - . Cold hands, warm feet; evenings. 1423.
  - . Sensation as if a hair lay on the back of the hand, also on the back of the fingers; many times. 3. *C. Hg.*
  - . A peculiar sensation on the last phalanges, of the left hand particularly, as if the hairs there slowly raised up; it seems to him as if a hair lay on the fingers; the seventh day. *III.*
- 1180. Swollen hands in the evening, 8 to 10 o'clock, with heat and tickling itching, especially in the balls of the thumb, compelling vigorous rubbing, feels as if frozen; the thirteenth day. *I.*

\* In a pregnant woman, who suffered from "red blood" between the fingers, with chilblain-like, swollen, red finger joints—referred herein, endured neither cold nor wet, sometimes also warmth neither, sometimes warmth relieved—Aloes operated very beneficially. *Helbig.*

#### **Lower Extremities.**

- . Heaviness of the legs; the second day. *t. Henke a.*
- . Weariness and heaviness of the lower extremities; the second, third and eighth days. *Preu. d.*
- . The whole left leg is asleep, without provocation; after one hour. *III.*

- 1185. On lying down after eating the limbs fall asleep; the fifteenth day. *III.*
  - . \* Old paralysis, with torpidity of the intestines. *A. A.*
  - . Painful weakness in the legs, with pain in the hypochondrium. 434.
  - . Painful weariness, on walking, especially in the calf, ankle joint and inguinal region. *A. Koch.*
  - . Heaviness and pain from prostration in the right upper thigh; the fourth day. *Preu. d.*
- 1190. Heaviness of both thighs; the sixth day. *Preu. d.*
  - . Cracking of the right hip joint, on rising in the morning and on walking; the second day. *II.*
  - . Tearing in the right thigh. *B.*
  - . Outward pressing pain in the thigh; *d.* first day. *Preu. d.*
  - . Pain drawing downward from the flank into the middle of the thigh. *t. Rawe.*
- 1195. Drawing in the left buttock, soon passing away, but frequently recurring. *t. Henke. a.*
  - . Pain in the inside of the left thigh; after one hour. *C. Hg.*
  - . Itching on the inner side of the left thigh. 1489.
  - . Pains in the knee. 1318.
  - . Itching in the popliteal space. 1490.
- 1300.\* Painful weariness in the calf. 1188.
  - . Weakness of the ankle joint. 1322.
  - . Pains in the foot. *Hong.*
  - . At evening severe pain, as if sprained and bruised, in the tendo Achilles, especially of the left foot, after nine hours. 3. *C. Hg.*
  - . Evening on lying in bed and in the morning the sensation as if the ankle joint were sprained, or the left great toe, or in a finger or thumb which had been sprained a few months before; the third day. *II.*
- 1305. In the middle of the right sole, internally as in the

\* This should be 1200; but I retain the error as in the original for the sake of uniformity and reference.—TRANSLATOR.



bone, an habitual sensitive drawing in a circumscribed spot; the first day. *III.*

- . The sole of the foot pains in rest. *Helbig.*
  - . The soles pain on walking on pavement, as though he had performed a long journey. *Helbig.*
  - . Pain on the inner margin of the metatarsal bone of the left great toe, on walking and in rest; first there is a pressure, then follows a slight drawing as if the pressure extended itself, after fifteen hours. *Helbig.*
  - . He awakes many times in the night with some chilliness and sensitive pain in the great toe on every motion, as if it were sprained; sometimes in the right, sometimes in the left; whether in the first or last joints could not be distinguished; the first day, again the sixth. *I.*
1310. In the afternoon, on walking in boots, pain in the right third toe, as if frozen; the fourteenth day. *I.*
- . For several days pain in the right little toe, as from chilblains; the twenty-fifth day. *III.*
  - . \*Pale swelling of both feet, with remarkable coldness on touching them. In a boy of eighteen months remaining after a more erysipelalous or erythematous swelling. *Helbig.*
  - . Coldness of the lower thigh. 1432, '34, '36, 1463, to over the knee. 1437.
  - . Cold feet. 1417-21, 1428, 1431, 1436. After eating, without sleepiness, 1346; at evening, 1444; evening in bed, 1365; preventing sleep at night, 1421; mostly in the fore part of the toes only, 1429.

#### GENERALITIES.

#### **Pains:**

1315. Transient pains, as if bruised or sprained, in various places; on the left fore arm, right shoulder blade, left side of the ribs, etc.; the fifteenth day. *III.*
- . Paralytic drawing in various muscles; the eighteenth day. *III.*
  - . Frequently a sensitive drawing in different places on the body, as if it involved the bones; for example, in the

- right knee, as if in the joint, on sitting still; sooner fatigued on motion; the fourth day. *III.*
  - . Jerking drawing, dull sticking pain in the finger, knee, and elbow joints; the fifth day. *Preu. d.*
  - . Dull sticking pains in the joints; the eighth day. *Preu. d.*
1320. Wearied pain in the hip joint. 1188.
- . Pains in the knee joint. 1318.
  - . Pains from weakness in the ankle bones and the joints of the hand. *C. Hg. tinct.*

#### **Weakness, Etc.**

- . Paralysis in all the limbs, with anxiety. 1079.
  - . General prostration, after fifteen grains. *Giacomini.*
1325. Great weakness, phlegmatic temperament, the second day; weariness the first and third days. *Preu. c.*
- . Lassitude and pain in the loins, on waking. 1146.
  - . The strength and pulse sunken, after vomiting. 413.
  - . Weakness and inclination to vomit, after sour food. 100.
  - . Indolent; if he sits, he deliberates about standing up. *C. Hg.*
1330. Makes a pedestrian tour of five miles, very quickly, without fatigue or difficulty; the third day. *I.*
- . Stronger than usual for bodily exercise, and not so weak and used up the next day as usual; afternoon of the first day. *III.*
  - . Weariness, weakness and creeping coldness, when he came from bed into a hot room. 1425.
  - . Anxious starting up. *B.*
  - . \*Epilepsy of a horse, it tumbles down first on the fore legs. A kind of falling paralysis of the fore foot. *G.* Cures of domestic animals. 194.
1335. In cramps with jaundice, it is injurious, or it is of no use. *W.*

#### **Sleep Symptoms.**

- . At evening, in the open air, violent, frequent yawning, without sleepiness. *C. Hg.*
- . Frequent, deep, loud yawning after the midday sleep. 1347.



- . Much yawning; evening at eight o'clock. 1355.
- . Yawning, with hunger, at evening. 1352.
- 1340. Frequent violent yawning with stretching in the forenoon; it pulls the mouth wide open; the eleventh and twelfth days. *I.*
- . It also produces sleep, not only because it eliminates disturbing causes, but also because it possesses volatile properties. *Schræder Arzneischatz.*
- . Completely quiet sleep at night; after fifteen grains, morning and evening. *Giacomini.*
- . After a meal very sleepy; he lay two hours in a dozy, half senseless condition, from which he must make an effort to arouse. During this sleep he was conscious of hearing many things, without being able rightly to recollect or arouse himself; the second day. *I.*
- . After a meal no sleep; could immediately labor well without sleepiness; the fifth day. *I.*
- 1345. After a meal sleepy, the eleventh day; midday sleep; the fifteenth and sixteenth days. *I.*
- . No sleepiness while reading after a meal, with cold hands and feet; the first day. *III.*
- . Long dozy midday sleep, cannot arouse himself; after getting up frequent deep, loud yawning; the third day. *III.*
- . Dozy sleep only at midday, not morning nor evening; the third day. *III.*
- . After dinner, dozy napping; it closes his eyes; the fourth day. No sleep; the fifth day. *III.*
- 1350. Midday sleep, with chasing visions, a crowd of dreamy thoughts; the fourteenth day. *III.*
- . Tired early in the evening, the first day; he even sleeps on the sofa; the fifth day. *I.*
- . At seven o'clock in the evening much yawning, with hunger; the sixth day. *I.*
- . Very sleepy, indifferent in the evening; the thirteenth and thirty-first days.
- . Wakeful a long time at evening; the first day. *II.*

- 1355. Tired early at evening, much yawning, even at eight o'clock; the first day. *III.*
- . Itching in the arms, preventing sleep. 884.
- . Cannot get to sleep for a long time, because the evening fatigue vanished; a crowd of thoughts busy him; in the morning he lies in a doze till it is day, tired and prostrated; sexual desire frequently aroused; the nineteenth day. *III.*
- . Cannot get to sleep till one o'clock, on account of cold legs. 1434 '36.
- . Falling asleep hindered by cold feet. 1430.
- 1360. Restless sleep, with waking up and feeling cold; the fifth day. *I.*
- . After an emission of semen, restless sleep with repeated wakings; at eight o'clock in the morning, when he must go immediately to stool, a copious passage, with vigor, seven hours after the previous one; the fifth day. *I.*
- . He felt very cold at night, passing urine at two o'clock; he thought it must be later than two; the ninth day. *I.*
- . Restless sleep (the tenth and eleventh days), with repeated wakings; at half-past one he had to urinate, shortly thereafter sexual excitation with erection. *I.*
- . The nights, from the eleventh to the twelfth, and from the twelfth to the thirteenth days, little chilliness, better sleep; at half-past two he waked up and had to urinate: had thick mucus in the mouth and fauces. *I.*
- 1365. After evening sleepiness, poor night sleep, constantly half awake, coldness of the feet in bed, much chilliness, excited brain; the thirteenth and fourteenth days. *I.*
- . Wide awake for a long time many evenings, on account of coldness and activity in the head; dozy sleep first towards four or five in the morning; the eleventh to the fourteenth days. *I.*
- . Awaked at night with thirst; drinks a glass of cold water and breaks out into a sweat; several nights. *t. C. Hg.*
- . Wake up frequently, with urgency to stool and urinating, but went to sleep again until four o'clock, when the