

- urgency compelled him to get up, then a slight passage ; the fourteenth day. *I.*
- . Slept badly, excited (mentally), dozy ; great urgency to urinate ; the sixth day. *II.*
1370. Restless the night from the first to the second day, awake many times ; pollution towards three o'clock, which he had not had for a long time, and immediately thereafter irresistible sexual excitability, on rubbing it suddenly went away. *III.*
- . Twitching of the left arm and head at night during sleep. In a weaned baby. *C. Hg.*
  - . Chilliness, with restless sleep and excited brain. 1365 '66.
  - . Feels cold at night, 1362, 1422 ; at three o'clock, on getting up. 1431.
  - . Chilliness, waking one up at night. 1360, 1416.

**Dreams.**

1375. Heavy dreams at night.
- . At night in a dream, he was in danger and would cry out, but could not from hoarseness. 1069.
  - . Good for nightmare. *Zacut. Lusit. P. H.* 1, 8. Compare 1376.
  - . Visions chase one another in the midday sleep. 1350.
  - . Awakening completely active before seven, with many indistinct dreams ; otherwise he wakes at nine ; the second day. *II.*
1380. No sound sleep ; coldness ; awakes at three o'clock from a mass of confused dreams ; the last was remembered, but on rising was also forgotten ; the fourth day. *III.*
- . Dreams toward morning that he has defæcated in his breeches ; the twenty-fourth day. *III.*

**Symptoms at Night and on Waking.**

- . Dry cough. 1073.
  - . Pains in the forearm in bed. 1155.
  - . Pain in the back. 1125.
1385. After getting up at three o'clock he remained wide awake ; the fourth day. *II.*

- . He awoke at three o'clock with urgency to urinate, the fourth day ; without stool and urgency to urinate, the fifth day. *II.*
  - . Dozy sleep toward morning, with less coldness than in the night ; the fourteenth day. *I.*
  - . In the morning he lay till toward eight o'clock ; the fifteenth day. *I.*
  - . Dozy lying after waking ; the second day. *III.*
1390. In the morning he lay longer, in a dozy sleep ; the fourth day. *III.*
- . He wakes at five o'clock, cannot arouse himself on account of dreamy thoughts, feels agreeably tired, lying seems very comfortable ; the fifteenth day. *III.*
  - . Long, dozy morning sleep ; sexual desire before rising ; the twentieth day. *III.*
  - . Urgency to stool, and urinate, drives him out of bed at six o'clock the fifteenth day ; early on waking the twenty-first and twenty-second days. *III.*
  - . Late rising, with great urgency to stool and urinate ; the eleventh day. *I.*
1395. Wakes in good health at five o'clock ; the fifth day. *III.*
- . At times complete awakening. 60.
  - . On waking, it seems as if it were much later. 1099. 1362.
  - . Pains in the loins on waking. 1146.
  - . Pains in the loins on rising in the morning, 1135 ; cracking of the hip joint. 1191.

**Chill :**

1400. Seldom chilliness or sensation of coldness. *F. R. L.*
- . He feels cold as often as he goes away from the stove. 434.
  - . Shivering through the whole body, with griping in the abdomen. 588.
  - . Cold feeling with the stool. 747.
  - . Cold feeling of the occiput, with throbbing of the arteries. 136.



1405. Chill, then distension and shocks over the hips. 503.  
 . Chill on waking at night, with pain of the great toe. 1309.  
 . Chilliness, with sensation of coryza. 1076.  
 . Chilliness. 1431, 3, 5,  
 . Chilly, in the open air and in the room. 1431.
1410. Less chilliness, in warm weather. 1426.  
 . Cold creepings, 1427; through the skin, 1431; down the back. 1433, 37.  
 . Creeping chills, with weariness and weakness, when he comes from bed into a hot room. 1425.  
 . Coldness through the body, with weak pulse. 1463.  
 . Coldness of hands and feet. 1417, 20, 28.
1415. Cold hands and feet after eating, without sleepiness. 1346.  
 . Wakes many times at night, with chill; the second day. *I.*  
 . Coldness of the hands and feet; the fourth and fifth days. *I.*  
 . Cold feet on going to bed at nine o'clock; the fifth day. *I.*  
 . Coldness of the feet up into the calves at evening in bed, occurring after a seminal emission, preventing sleep for two or three hours; the fifth day. *I.*
1420. Cold hands and feet in the morning; the feet are cold the whole afternoon; toward evening they become suddenly warm, so also the hands; the sixth day. *I.*  
 . Cold feet the whole night, little sleep; the eighth day. *I.*  
 . He feels very cold in the night; the ninth to the tenth days. *I.*  
 . Warm feet and icy-cold hands the whole evening; they alternated often through the day; now the feet and hands, now only the hands, cold; the tenth day. *I.*  
 . The night from the tenth to the eleventh days, chilliness, mostly from one to two o'clock, decreasing toward morning. *I.*
- 1425: As he, in the forenoon, came from a cold room into

- one much heated, weariness, weakness, and creeping chills through the whole body; the eleventh day. *I.*  
 . The night, from the fourteenth to the fifteenth days, without chill, and with a good sleep; the weather had become warmer. *I.*  
 . Shivering through the whole body, it creeps through all his bones like cold, on slowly swallowing the Aloes, becoming after fifteen minutes like a cold shivering creeping, it goes especially down the back, also in the limbs; on sitting it makes his body erect, not changed by moving about; lasts forty minutes. *II.*  
 . After eating coldness and chilliness of the hands and feet; after walking the feet become warm, the hands less so; in the evening both warm; the first day. *II.*  
 . At midday the thighs down to the knees are cold, the forepart of the feet, around the toes especially, particularly in the midday nap; at three o'clock the feet become warm, the hands at four o'clock; the first day. *III.*
1430. At evening the feet become cold, on account of which he cannot get to sleep; the third day. *III.*  
 . Chill at three o'clock, on rising; throughout the day very sensitive to the cold; chilly in the open air and in the room; more severe in the afternoon; the cold runs through the skin of the whole body, with some confusion, especially of the forehead; at evening the chills disappeared, except the cold feet; the fourth day. *III.*  
 . Afternoon and evening cold legs as far as the knees, in spite of lying on the sofa in a warm room; the ninth day. *III.*  
 . Chilly, it often creeps down his back; the tenth day. *III.*  
 . Could not get to sleep before one o'clock, on account of coldness of the legs, which first became cold in bed; the twentieth day. *III.*
1435. Chilly, and sensitive to the air; the twenty-third day. *III.*



- . At evening cold feet as far as the calves, on account of which he could not get to sleep: the twenty-third day. *III.*
- . It frequently creeps down the back, with very cold legs as far as over the knee: the twenty-fourth day. *III.*

#### **Inflammation and Orgasm:**

- . Inadmissible in *too great!* congestion. *a. a.*
- . In orgasm, anxiety, burning on urinating, desire with the stool, increased troubles in the loins, contraindicated, even in small doses *Voigtel. Mat. Med.*
- 1440. If the patient experiences, even from small doses, orgasm, anxiety, burning urine, urgency to stool, increased pain in the loins, etc.; he must be cautious. *Schreger.*
- . To be discontinued as soon as orgasm, pain in the loins, burning on urinating set in *Fechner.*
- . The body is not cooled by purging with Aloes, as by the neutral salts, but heated, and *the more so the more copious the evacuation and the stools.* *W.*
- . Some heat, congestions to the head and chest, acceleration of the pulse; dryness of the mouth, thirst; urine scanty, hot; sensation of warmth in the abdomen, as well as throbbing; pressure and tension in the right hypochondrium. *W.*
- . Agitation and uneasiness in the whole body, as if everything would fly to pieces; distension of the veins, accelerated full pulse, strong impulse of the heart. *F. R. L.*
- 1445. General orgasm after burning urine. *Weickard and 962.*
- . Congestions to the head, chest, abdomen, and genitals. *R.*

#### **Heat:**

- . Internal fever. 1461.
- . \*Especially a febrifuge remedy, with camphor and opium. *Audourd.*
- . It increases the fever. *W.*
- 1450. In fever of a synochal character it is, as a pernicious thing, inadmissible. *W.*
- . Heating. *Selle Med. Chir., 7th edition, p. 357.*
- . Burning heat in various parts of the body, especially in the face and on the scalp. *F. R. L.*
- . Most violent thirst with the fever. *F. R. L.*
- . Cold is better endured, although he had slept in a warm room. *C. Hg.*
- 1455. Sensation of warmth on the scalp, 97. Heat, 153. 1452.
- . Very red, especially in the face. *B.*

- . Sufficient doses frequently accelerate the pulse. *W.* and 1443.
- . Pulse fuller, much accelerated. *F. R. L.* Pulse more accelerated than usual. *B.*
- . \*Pulse diminished in force and rapidity. *W.*
- 1460. Pulse diminished from four to eight beats a minute; after three hours from eight to ten grains. *Giacomini.*
- . Pulse 104, with sensation of internal fever, and want of appetite. *t. Raue.*
- . Pulse sunken. 413.
- . Pulse very slow, 55 beats, weak and suppressed, with coldness, especially through the legs; half an hour later the pulse is still irregular in force and frequency. The sensation of hunger increases; an hour later more frequent, 60, weak sometimes intermitting a beat; soon (after taking it.) *III.*
- . Pulse before eating 60, after the midday rest 70, sluggish and weak; at half past three in the afternoon scarcely 60; at nine in the evening regular; the first day. *III.*
- 1465. In the morning, after rising, pulse only 60, weak and suppressed; in the afternoon over 60 beats; the second day. *III.*
- . In the morning the pulse scarcely 70; at three p. m., 62; the third day. At half past two, p. m., 62; at ten, p. m., 70; the fourth day. At nine, a. m., 75; the fifth day. *III.*

#### **Sweat:**

- . General turgescence of the skin; it is very red, especially in the face, and the temperature is raised. *F. R. L.*
- . \*The skin feels dry to the touch, the perspiration is diminished. *W.*
- . Heat, followed by sweat. *F. R. L.*
- 1470. Sweat under the axillæ after two, p. m.; the first day. *III.*
- . All his perspiration smells very strong, it taints the air, especially at night in the bedroom; the nineteenth day. *III.*



- . Nauseous smelling sweat on the genitals. 1028.
- . Sweat in the night after drinking. 1367.

**Jaundice:**

- . \*With goat's milk for jaundice. *J. Mesue*
- 1475. It dissipates jaundice. *Tabernamont, Frankenau, and others.*
- . \*Jaundice, not from inflammation or mechanical hindrance. *a. a. Asthenic. Schreger.*
- . \*In jaundice the cure was complete, for the most part, in less than eight days; in most it had arisen by degrees in the camps, without the patients knowing how it arose. Only two had colic, or attacks of intermittent fever, previously. *W.*
- . \*In jaundice, originating as usual from an insufficient secretion of bile, Aloes acts specifically by removing the causes; it (the jaundice) decreased in proportion as the bilious evacuations appeared, and disappeared if these were continued sufficiently long. The smallest part of the jaundiced patients complained of distension of the abdomen, pains in the bowels, flatulence, tension and pressure in the præcordium in the right hypochondrium, also hardness in the region of the liver was seldom observed, except when the jaundice had broken out after intermittent fever, when epistaxis also sometimes accompanied it. *W.*
- . Aloes produces no change in atonic jaundice; so long as the stools are white, gray, and not colored by bile; but it acts as soon as the stools begin to be bilious. *W.*
- 1480. *Weakness inconsiderable, even when the skin was very golden colored. W.*

**Emaciation:**

- . Emaciation. *Greenhow Lond. Med. Gazette, Vol. XIX., p. 270.*
- . Gradual emaciation, in jaundice. *W.*
- . A fat, stout child, weaned by means of Aloes, was for a week flabby, and fallen away. *C. Hg.*

**Swelling:**

- . The cutaneous veins disappeared, with anxiety of the chest. 1079.
- 1485. Pains in various places, with swelling. *R.*
- . Great distension of the veins. *F. R. L.*
- . \*Itching of the skin. *W.*
- . Biting itching at the navel in the evening, compelling rubbing. *Helbig.*
- . Severe itching on a small spot on the inside of the left thigh above the knee; the first day. *C. Hg.*
- 1490. Itching in the left popliteal space, later in the right, and worse. 3. *C. Hg.*
- . Itching, heat and swelling of the hands, as if frozen. 1079.
- . Symptoms of the hands, as from chilblains. 1080.

- . Pain as from chilblains on the toes. 1310—11.
- . Numerous pimples on various places; the fifth day. *Preu. d.*
- 1495. On the abdomen small pimples as large as the point of a pin, elevated, raw, with circumscribed redness, which itch, and compel one to scratch. From rubbing in the tincture. *Helbig.*
- . A furuncle on the upper arm; the fifth day. *Preu. d.*
- . Painful pimples, like nodules in the skin; under the chin behind the jaw on the right side; the third day. *C. Hg.*
- . The epidermis cracks, and thick matter discharges. *a. a.*
- . After he had torn some hard skin from the foot too deeply a sore resulted, suppuration slowly and did not heal; the third to seventeenth day. *I.*
- 1500. Places scratched sore pain very sensitively. 3. *C. Hg.*
- . Applied externally to sore spots, it produces burning and suppuration. *Strumpf 2, 238.*
- . \*Old angry sores. *Galen.*
- . \*In indolent sores, proud flesh. *J. Mesue.*
- . \*With dragon's blood and myrrh, it cures old indolent offensive injuries and ulcers, it also kills the worms therein. *T.*
- . With honey, it cures blood marks and ringworms. *T.*
- . It arrests putrefaction. *Frankenau.*
- . \*It preserves from putrefaction and pestilence. *Schröder.*
- . \*Offensive ulcers applied externally. *Lange,*
- . Externally (applied), it possesses disinfectant and balsamic power. *Hahnemann.*
- 1510. In ulceration of the soft parts and bones. *Bischoff, Medic. Botan. 432.*
- . \*In indolent unhealthy ulcers. *Schreger.*
- . \*Humid gangrene. *Schreger.*
- . \*Caries. *Schreger.*
- . Disinfectant, stimulant, purifying, drying up. *a. a.*
- 1515. In all indolent, angry ulcers. *a. a.*
- . I have found nothing more efficacious against cutaneous worm than *Alloe littoralis.* *Anderse. Hufel. Journ.. 1813.*
- . \*Burns: Aloe leaves. *Rauscher, in Rust's Magazine, 22, 597. 1826.*
- . *Aloe leaves in Burns.* It is not ascertained whether the precise species or varieties of the same genus of plants, which yield Aloes, were used for this. The name, *Aloe perfoliata*, has notoriously been given to many species. But it might also have been the Aloe known as *Agave americana*, whose leaves possess a balsamic juice, which, as healing all wounds in general, is a well known popular remedy. *C. Hg.*
- . The people of India make extensive use of the juice of the Aloe, and



- ascribe to it a curative power in very many diseases. They use it in bruises and sores, in which case they dissolve it in water or Arrack. *Charpentier Cassigny, Travels in China and Bengal*, p. 121. Published by Franz., Berlin. 1801.
1520. \*Galen extols it for wounds of Arteries.  
 . \*The powder sprinkled into wounds soon heals them. *Dioscorides*.  
 . \*Sprinkled into fresh wounds it helps them unite, heals, and fills them with flesh. *T*.  
 . \*It heals wounds, fistulæ, and other angry injuries, draws them together, and causes the flesh to grow. *Kostuwitz*.  
 . \*It draws wounds together, and stops the hæmorrhage. *Frankenau*.
1525. It produces hæmorrhages. *Loesecke*, 6th ed, p. 135.  
 . \*It stops all kinds of hæmorrhages, externally applied. *Schroeder* and others.  
 . It is forbidden those who are hæmorrhagic and consumptive. *Weickard*.
- Constitution and Habit :**  
 . \*Consequences of too much spicy food. 385.  
 . \*Consequences of a sedentary mode of life. 385.
1530. \*People who take little exercise, and sit long at meals. 725.  
 . \*All people inclined to apoplexy. 143.  
 . \*Good for the aged, for their cold stomachs. 363. 386.  
 In dry, melancholic people, particularly those who are very old, Aloes should not be carelessly used. *T*.  
 Injurious to dry and old people, who have a hot stomach, and incline to hectic and decline. *Schroeder*.
1535. \*Contraindicated in plethoric people (compare contrary to this Giacomini and the French), bilious (compare Wedekind to the contrary), in pregnant women (compare Schroeder to the contrary), in hæmorrhages, painful, bleeding hæmorrhoids (compare Giacomini to the contrary), profuse menstruation, great irritability of the intestinal canal, old chronic eruptions, or organic affections of the bowels. *Kurz*.  
 . The tincture is especially injurious to dry and old people with hot stomachs, to hectics, hæmoptyses, when the menses or hæmorrhoids are flowing. *Schroeder*.  
 . \*In diseased conditions of men or the old in torpidatonic troubles of the large intestines and liver. *Strumpf*.  
 . Result of being heated and congestion, applicable only in sanguinous, stiff, dry, irritable persons. *Sundelin*.  
 . Only to be given in torpid, unirritable, phlegmatic constitutions. *Schreger*.
540. \*For status pituitosus and atrabiliaris with a puffy phlegmatic temperament, watery accumulations in the female organs, œdematous swellings of the extremities, and so forth. *Schneider Adversarien*.  
 . \*The Greek physicians found its use advantageous only in irritable, flabby, phlegmatic temperaments. *Strumpf*.

- . \*Applicable for the most part to lymphatic, flabby persons, without energy or irritability, hence so common in more advanced age. *Kurz*.  
*Comp. Giacomini*.  
 . \*It does good service in hypochondriacal and phlegmatic constitutions. *Schreger*.  
 . \*In diseases of the mucous membrane generally. *Hong*.

**Cold and Warmth :**

1545. Cloudy weather causes ill humor. 13.  
 . Very sensitive to cold weather. 228.  
 . Less endurance of cold. 1401, 1431, 1435.  
 . Greater endurance of cold. 1454.  
 . Headache relieved in the cool air. *t. Raue*.
1550. Fresh cold air increases the headache. 134.  
 . Raw voice returning in the open and cold air. 287.  
 . Pain in the abdomen, as from taking cold. 573-4-5, 590, 680.  
 . Cold applications relieve the headache. 1061.  
 . Less chilliness in warm weather. 1426.
1555. Chilly on coming from a cold into a hot room. 1425.  
 . Headache aggravated by warmth. *t. Raue*.

**In Open Air and in the Room :**

- . Pain in the soft palate, after skating. 292.  
 . Red nose in the open air. 203.  
 . Aversion to walking in the wind. *Preu. a*.
1560. Exercise, especially in the open air, relieves. *Preu. a*.  
 . All the symptoms disappear or are ameliorated on exercise in the open air; the second day. *Preu. d*.  
 . The mental condition better, after exercise in the open air. 27.  
 . Walking in the open air relieves the pains in the bowels. 591.  
 . He feels better in the open air; especially the headache and ill humor abate; the third day. *C. Hg*.

**On Motion :**

1565. Exercise increases the headache. 124.  
 . Pain in the nose, only on motion. 202.  
 . Motion increases the nausea, *t, Raue*; the cutting abdominal pains, 503; it increases the pain from flatulence.



515; it aggravates the pains from the stomach to the chest. *t. Raue.*

- . On motion, particularly of the arms, pain in the breast-bone. 1108.
  - . On motion, cracking of the cervical vertebræ, 1118; pain in the neck, 1120; the great toe feels as if sprained, 1309.
1570. Relieved by motion, drawings, 1317; burning in the neck, 1117; sacral pain, 1138.

**On Walking:**

- . Better than when sitting, 1079; the pain in the loins is relieved. 503.
  - . After walking the cold feet become warm, the hands less so. 1428.
  - . On walking, it shakes in the head, 132; jerks in the left hypochondrium, 443; stitches in the anus, 894; cracking of the hip joint. 1191.
  - . Relieved by going about, the shiverings not so. 1427.
1575. Vertigo on going up stairs and turning quickly. *t. Raue.*

- . At every step the stitches in the temples are made worse. 106.
- . On making a miss-step, pain at the pit of the stomach. 500.
- . On bodily exertion, pain in the chest. 1095.

**Particular Movements:**

- . Stretching the body increases the pains in the abdomen. 593.
1580. On stretching, a sticking drawing in the chest. 1106.
- . On rising up from lying, the abdominal muscles pain. 1111.
  - . On stretching out the hand, pain as if it were too short therein. 1161.
  - . The pain in the breast bone is relieved by stretching out straight. 1108.
  - . Jerks in the chest, on rising up from stooping. 1098.
1585. On rising in the morning, pain in the chest as if sprained. 1108.

- . On chewing, the palate is painful, not however on swallowing. 289, 290.
  - . On pressing the teeth together, a sensation of numbness behind the ear, 190; pain, 192.
  - . On writing, drawings in the left forearm. 1158.
  - . On moving the arms, the arches from the arm to the chest,\* pain. 1111.
1590. Stooping aggravates the headache, 124.
- . On lying down and a while afterward, throbbing in the head. 134.
  - . Stooping forward increases the pain in the liver. 459.
  - . On stooping, pain in the breast bone, 1108. Burning in the neck. 1118.
  - . Pains in the abdomen, compelling one to crouch together, 577; compelling one to sit crouched together, 587; it (crouching) relieves the cuttings in the abdomen. 593.

**Sitting, Standing, Lying:**

1595. While sitting, pulsating in the anus. 892.
- . Must sit down and sleep, with anxiety of the chest. 1079.
  - . While sitting, more pressing in the loins, 1138; heaviness in the loins. 1135.
  - . After sitting, stiffness in the loins. 1139.
  - . On standing, the pain in the liver becomes worse. 459.
1600. \*Lying on the abdomen, especially children. *C. Hg.*
- . Lying crouched together, with bellyache. 579.
  - . Lying on the abdomen, with cuttings around the navel, but not relieved. 595.
  - . Cannot lie on the back for pain in the back, only on the side. 1125.
  - . On lying in a warm room, cold legs. 1432.

**Rest:**

1605. Beating in the abdomen and palpitation, 496; increased pain across the loins. 503.
- . In the midday rest, cold feet. 1429.

\* Armbeuge, the lower boundaries of the axilla, forming an arch; the lower borders of the pectoralis and latissimus dorsi muscles. [*Trans.*]



. Must sit still, else he would have to vomit. *Rawe.* 406.

**Pressure :**

. Affords relief to a beaten feeling in the head. 150.  
 . He is compelled to press on the abdomen, which relieves him. 579.

. It increases the abdominal pains. 499, 500, 501, 502.  
 1610. The abdomen is sensitive to touch. 501.

**Water :**

. It seems to aggravate the symptoms. 13, 355, 439.  
*Giacomini.* 413.  
 . It relieves. 942.

**Times of Day :***After Midnight.*

. Bellyache and diarrhoea.  
 . Sexual desire at one. a. m. 1009.  
 1615. Chill at one to two, a. m., disappearing toward morning. 1424.  
 . At two, a. m., stool, 771; awake with urgency to urinate. 1025.  
 . After two, a. m., palpitation; in bed. *t. Rawe.*  
 . At three o'clock swelling in the throat. 289.  
 . Awake at three, a. m., 1385, 86, 87; with dreams, 1380; for a thin stool, 757; stool, 759; with chilliness, 1431.  
 1620. At four, a. m., stool, 1368; sexual desire, 1004.

*Early Morning.*

. Before five o'clock, aroused and excited in the head. 125, 126, 127; stool, 761.  
 . Five, a. m., swelling in the throat, 289.  
 . Six o'clock, thin stool, 1361; Tormina in the umbilical region. 532.  
 . Seven o'clock, hunger on waking. 339.  
 1625. After waking, pains in the bowels. and a pappy stool; after taking Aloes the previous afternoon. 579.  
 . After rising, a stool. 744, 749.  
 . On rising, urgency to urinate. 997.  
 . Eight to nine o'clock, swelling in the throat. 288.

*Morning.*

. A crowd of thoughts busy him, and prevent his falling asleep again, 1357, stool and headache, 121; nasal pains, 202; dryness in the nose, 205; fruitless irritation to sneeze, 213; nose-bleed, 207, 208; stitch in the tongue, 253; rawness in the fauces, 287; mucous expectoration, 294, 297, 298; bitter taste, 303; little appetite, 315; in the morning the abdomen pains, especially on touch, 1111; pain in the bowels (also evenings), 574; flatulent troubles, 515, 520; passage of flatus, 541, 544; offensive flatus, 557; thin stool, 756; diarrhoea, 578, 703, '4, \*5; yellow diarrhoea, after taking Aloes the previous afternoon, 578; itching near the anus, 883; hoarseness, 1069; dry hackings, 1074; drawings in the chest, 1106; cracking of the cervical vertebræ, 1116; cold hands and feet, 1420; weak pulse, 1465.

*Forenoon.*

1630. An unhappy mood since the forenoon, better at evening, 17; conciliatory, 38; much excited, 66; pressure in the head after eleven o'clock, 134; earache, 191; bad taste at the root of the tongue, 307; canine hunger, 338; griping in the bowels from ten to twelve o'clock, 575; burning in the nape, 1043; epididymis sensitive, 1022; the hand asleep, 1117; chilliness, etc.. 1425.

*Afternoon.*

. *The afternoon was generally the time of aggravation, especially of the symptoms of the mucous membranes C. Hg.*  
 . Ill humor worse, 14; excited, 57; pain in the forehead, 86; suppurative pain in the upper part of the head, 149; sudden fluent coryza, 216; coryza aggravated, 217; blood blown from the nose, 208; hunger, 326, 335; thirst, 349; cutting abdominal pains, 593; easy passage of flatus, 565; offensive flatus, 551; diarrhoea, 706; four stools, 748; stool, 776, 744; at three p. m., 742; itching of the hæm-



orrhoids, 938; drawing in the urethra at midday, 1019; increased urgency to urinate, 994, 986; pain in the neck; 1118, 1120; burning in the sacrum, 1140; drawings in the finger joints, 1165; pain in the toes, 1310; the legs and hands cold at midday, at three o'clock the feet warm, at four the hands; cold feet (warm in the evening), 1429; cold legs, 1432; at noon, sluggish, 48; also in the afternoon without sleep, 62; chilliness, 1431; pulse slower, 1464, 1466.

*Evening.*

- . *The symptoms appear in the evening particularly.* Helbig.
- . Inclined to work, 32; not vexed, 36; aroused, 40; happy mood, 42; increased ill humor, and pain in the loins, 21; Indifferent and sleepy, 31; shootings in the head (and the following morning), 112; pressure in the eyes, 64; coldness of the tip of the nose, 204; earache, 186; twinging in the ear, 187; cracking in the maxillary joint, 198; diminished dryness of the lips, 239; dryness in the mouth with thirst, 254; swelling in the throat, 289, 292; little appetite, 316; itching of the navel, 1488; copious passage of flatus, 525, 543-4; offensive, 549, 550, 1, 2; urgency to stool, 767-8, 793; stool, 804; at ten p. m., 875; late, 713, 740-1-2-3; diarrhœa, 706-7-8; crawlings in the anus, 881; itching of hæmorrhoids (and in the morning), 933; stitches in the hæmorrhoids, 939; urgency to urinate, 997; sexual desire, 1006-8; tickling in the throat, forcing cough (and mornings), 1075; stitches in the chest, 1101; pains in the phalanges, 1173; hands swollen and hot, 1180; attacks of distress and heating over the hips, into the loins, 503; pains in the tendon Achilles, 1303; cold feet, 1418-19, 1430-41; into the calves, 1436; wrenching pains (and in the morning), 1304; yawning and hunger, 1352; chilliness better, 1431; hands and feet again warm, 1428.

*Night.*

- 1635. Toothache, 262; stitches in the spleen awaking one, 448;

throbbing in the abdomen on lying, 496; pains over the loins waking one, 503; passage of flatus through the whole night, 567; urgency to stool, 801; with urinating, 745; shocks that force him to rise upright out of bed, 503; waking with chill, 1410; and pain of the great toe, 2309; offensive perspiration, 580; excessive perspiration, 580.

*Left; then Right.*

- . Sensitive spots on the scalp, in the morning on the left, at evening on the right side, 152.
- . Stickings in the ear, 189; coryza, 72; stitches in the hypochondria, 462; stitches in the chest, 1190; pain in the fingers, 1168; itching of the patella, 1490.
- . Pain in the great toe, now right, now left, 1309.
- . Pressure in the temples, right, then left, 100-1. \*200.

## RIGHT.

1640. In the forehead drawings and stickings, 91.

Stitches between the forehead and crown, 111.

Pressure in the temples, 100.

Stitches over the temples, 105.

In the middle of the right half of the head, pressure, 113.

Sudden shootings on the side of the head, 112.

Pressure on the occiput, 117.

Pain in the orbits, 163.

Pressure in the eyeball, 164.

Pustules in the outer canthus, 185.

In the ear pain, 186; cracking, 200; cracklings, 199.

Sore nostril and coryza, 218.

Nose constantly scurfy and sensitive, 225.

Nose bleed, early, 208.

Pimples on the lower jaw, 1497.

Cracked about the corner of the mouth, 246.

Toothache, 261, 263, 267.

The back part of the tongue painful, 252.

In the stomach pain, 419.

In the hypochondrium, sensations, 451-465.

## LEFT.

Pressure in the temples, 101; stitches, 106; through the temples into the brain, 107; boring in the temples, then drawing through the eye, 104.

On the top of the parietal bone pressure, 110.

As if beaten near the vertex, 150.

Drawing in the occiput, 118.

Drawing over the eye and drawing pain through it, 91.

In the ear pain, 192-3.

Half of the face painful, 226.

Pimples on the lips, 247.

Toothache, 262.

Cold sensation on the tongue, 251.

Soreness in the mouth, 276, 278; of the arch of the palate, 291.

In the hypochondrium, 441-9; pain, 426.