

The pain in the sacrum is worse when lying on the back, and when lying on the left side is worse toward the right; second day. *R.*

215. The pain in the sacrum begins again when standing bent over, diminishes when walking; second day. *R.*

The beaten pain across the sacrum, the drawing in the right thigh (compare 220) and the tiredness are so violent after lying down, eleven-and-a-half, p. m., that for awhile they prevent sleeping and compel frequent turning and twisting; second day. *R.*

The pressure across the sacrum comes again immediately after stooping and by a continued stooping is rendered almost intolerable, early the third day. *R.*

Pains in the sacrum and thigh pass away after motion in the open air; third day. *R.*

When pressing to stool, when coughing and laughing, the pain in the sacrum becomes worse and passes into the right thigh; morning of the fifth day. *K.*

220. The sacral pain increases when pressing to stool, when coughing and laughing, then extends from the sacral plexus through the great sciatic foramen along the sciatic nerve, down into the thigh, especially the right side. *R.*

Sacral pain, worse when stooping or when standing up from a sitting or lying posture, extends down the right hip in the direction of the sciatic nerves. The pain makes it almost impossible for him to strain at stool. *K.*

The pain in the sacrum and in the ligaments of the sacrum was sometimes like a stab with a knife. *K.*

— The pain which begins in the evening in the region of the kidneys with pressing downwards in the hypogastrium, is, in the morning, most violent in the sacrum (according to 170). *P.*

Upper Extremities:

— A radiating sensitiveness from the region of the first dorsal vertebra extending into the shoulders. 206.

Drawing and dull pressure at the right scapula, soon afterwards also at the left. *O. T.*

Shoulder as if beaten, after walking. 362.

225. In the anterior wall of the left axillary cavity an internal swelling as if a boil were about to appear; it pains on pressure and on motion; but passes away after a few days; fifth and sixth day. *C. Hg.*

Sharp, quick pains in the elbows; after 259.

Elbows as if beaten, after walking. 262.

— Drawing, spasmodic pain, as it seems, in the spinator longus of the left arm; more below the elbow bend; after fifteen minutes, lasting a half hour. *Metcalf.*

About ten, p. m., heaviness and numb sensation in the left forearm and in the hand; second day. *R.*

Unpleasant drawing in the right hand, later involving the whole forearm. Sometimes tearing toward the elbow, and in the ball of the hand towards the thumb-joint.—*O. T.*

Violent pressing pain in the metacarpal bone of the fourth finger, on the right hand. *C. Hg.*

230. Pain in the first phalanx of the left little finger on motion, as if he had fallen upon it; on feeling of it, no sore spot can be discovered; eighth day. *R.*

Sensation as if the skin on the hands had contracted, especially on the right hand, so that it seems, on stretching out the fingers, as though one must forcibly stretch the skin from the ends of the fingers; at the same time a kind of dead sensation in the ends of the fingers. *O. T.*

Eruption on the inside of the forearm especially above the wrist. 316.

Itching points on the hand. 310.

Lower Extremities:

Itching between the buttocks. 166.

235. Pain from hip to hip. 261.

Hips as if beaten, after walking. 262.

Pain in the sockets of both hips after walking. 268.

An hour after going to bed, dull pain deep in the right thigh, its whole length; later in the head, left side, and in the pelvis, left side. *P.*

The pain in the thigh is not relieved by any change of position. *P.*

240. Drawing in the right limb, posteriorly from the right posterior superior spinous process down into the calf, worst in the popliteal region. *R.*

Drawing in the right thigh, from the sacrum. 216.

The pain extends from the sacrum along the sciatic nerve into the thigh, worse from pressing to stool, coughing and laughing. 220.

— * Helped a patient (long unsuccessfully treated) with sciatica on the right side, so that he could work again as a blacksmith and remained healthy. One dose^s. *Dr. A. Bauer.*

The left thigh goes asleep when he lies upon it. 107.

Itching papules on the inside of the thighs. 314.

245. Itching on the internal, upper part of the left thigh. 160.

Burning aching, internally, on the outside of the right knee. *C. Hg.*

The whole evening, very tired in the knees and legs, especially on the right side; second day. *R.*

Knees as if beaten, after walking. 262.

The popliteal region pains the most. 240.

250. Pain in the shin, 250; right side in the shin bone. 258.

Itching points at the calves. 311.

Eruption at the calves outside. 316.

Pain in the right metatarsal bones, as if the bones were pressed repeatedly. *C. Hg.*

Sharp, quick pains in the ankles; after 259.

Sharp pain passes quickly over the toes of the right foot, then into the heel; evening in bed. *P.*

255. Sweaty feet especially anteriorly in the toes, somewhat ill smelling, lasting six weeks; late in the autumn. *C. Hg.*

Cold feet when lying down; afternoon. 107.

The feet itch, worse on the left side. 310.

All the Limbs:

The pains during the morning change their locality more

than the previous day and are more on the left side; only now and then on the right side in the chest and over the right eye, once or twice in the right tibia; tenth day. *P.*

At nine, a. m., after going out, pain over the right eye comes toward the temple, then toward the chest below the ribs; hereupon into the right side of the pelvis and into the right shin; later over the left eye and left ear; then over the right eye; at the same time chilliness; eleventh day. *P.*

After lassitude and weakness, pains in the elbows, the ankles, and other parts of the body, sharp and quick. *F. Gsw.*

260. In the parts in which the pains were, there remains a wound-pain. *P.*

After a long walk, stitch through both temples and pain from hip to hip. *P.*

On coming home from a short walk after supper, the joints, knees, hips, elbows and shoulders are as if twisted and beaten. *N. Gsw.*

Sensation as after over-exertion, and bruised-pain all over, as if he had taken cold after hard work. *N. Gsw.*

The pressure of the clothing is felt unpleasantly in the hypochondria. 130.

She must loosen her clothing, with fullness in the epigastrium. 106.

265. Bruised sensation, as after taking cold. 263.

Sensation of numbness in the occiput and nape of the neck, 40; in the abdominal walls, 140, in the left forearm and hand, 227; sensation, as if they were dead, in the ends of the fingers, 231; the thighs fall asleep. 107.

Pain in a small spot, in a line, 16, 17; headache in a spot as large as a hazel-nut. 27.

Strength, etc:

— Fatigue after a long walk; at the same time stiches through both temples; pain from hip to hip and in the hollows of the joints of both thighs; for twenty-four hours. *P.*

. Obligated to remain at home on account of the pain; tenth day. *P.*

270. Had felt heavy and sleepy for several days; this condition disappeared during the proving; instead of it, there was a restless feeling on going to bed. *N. Gsw.*

Lassitude along with the pains in sacrum and joints which prevents going to sleep. 216.

Heavy, dull feeling in the morning, after a deep sleep and bad dreams. *N. Gsw.*

Lassitude and weakness; then, pains in various parts of the body. *F. Gsw.*

Attacks compelling her to lie down, on Tuesday of several weeks; at last on Thursday, with other symptoms. *P.*

Jerkings, evacuations of the bowels, and after four minutes, death; after eight grains of Tellurite of Potassa introduced into the jugular vein of a dog. *Hausen.*

Sleep and Night Symptoms:

Yawning after belching, *C. Hg.*; at the belching and with water in the mouth. 115.

Difficulty in going to sleep because of fatigue, pain in the sacrum and thighs. 216.

275. Restlessness on going to bed. 270.

Increased itching, after going to bed. 316.

In the evening on going to bed, pain over the ear. 47.

Before going asleep, frequent tossing and turning on account of pain in the sacrum. 216.

At night, after going to bed, pain in the thigh. 238.

280. Pains in the sacrum and thighs which increased at half past eleven o'clock at night. 216.

At night, pain in the back above the sacrum. 207.

Evening in bed, pain in the toes and heels. 254.

At night, longing for apples. 103.

At night, during a coryza, breathing through the mouth. 60.

285. Erections at night. 165.

Sore throat, awaking him at night. 197.

Itching increased at night. 316.

Head-ache on waking, towards morning. 27.

Peculiar vertigo from the second week, recurring eight

or nine days; every evening while going to sleep about half an hour after lying down, no matter whether he go to bed earlier or later; a sensation as if he were drawn away forcibly and very quickly in the direction of his legs, whereupon he wakens; not recurring the same night. *O. T.*

290. Dreams in the night of smoking cigars, which he never did before. (A person not in the habit of smoking.) *Grd.*

Bad dreams. 272.

Nightmare with pain in the back and downwards pressing into the hypogastrium; after 170. *P.*

Sleepiness compels him, contrary to his custom, to sleep half an hour after eating; the first two days, not subsequently. *Hausen.*

Uncommon sleepiness, after he had eaten with more than ordinary appetite; really goes asleep; first day. *Roeder.*

Sleep very good, with relief of all pains; second day. *R.*

Awakes with sweat about four, a. m.; third to fourth day. *R.*

Towards morning, headache. 27.

Towards morning, cough. 183.

295. Morning, on awaking, heavy and dull. 272.

Morning, on awaking, an œdematous swelling has formed at the eye. 43.

On awaking, thick mucus in the nose. 60.

Early in the morning, mucus from the choanæ. 76.

Early in the morning, dryness in the fauces, 80; sensation of dryness. 81. 83.

300. Early, after rising, hoarseness. 179. 181.

Pressure over the eyes, as if one had been up several nights. 18.

Chill, Heat, Sweat:

Inward chilliness, with single shiverings. *O. T.*

Chilliness with the pains; eleventh day. *P.* (Compare 259.)

Skin hot and dry, morning. *N. Gsw.*

As he chanced once, while busy with Telluric æthyle, to get into a very profuse perspiration at night, after taking

cold, the sweat possessed so strongly the repulsive Tellurium odor that he could hardly endure it. *Wähler.*

305. Copious sweat after throbbing throughout the whole body. 202.

Sweat on awaking, four a. m. 292.

Sweat at the feet. 255.

The spots which sweat itch more. 313.

— General warm sweat over the whole body when sitting writing on a cool summer afternoon, with open windows and a sea breeze; simultaneously (compare 313) sticking itching, after a half hour; lasting several hours. *Metcalf.*

Glands:

All the glands, even the parotid, are colored blue-black. *Dog. 2. Hausen.*

Skin:

— Skin dry and hot. 304.

— Smelt of Tellurium the next day and for three days longer. *Dog. 1. 2. Hausen.*

310. Small red points shining through the skin on the left hand which sometimes itch; also itching at the feet, especially at the left foot; after five days. *O. T.*

Isolated, red itching points on the calves, and gradually extending up to the thighs; a few days later than those at the hand. (310.) *O. T.*

In the course of a few days, after the eruption on the thigh, innumerable small, red, itching points appear at the epigastrium, which become more perceptible by rubbing, with an itching, as after bed-bugs. From the epigastrium the eruption extends to the left nipple and continues longer there (as in the epigastrium) than it did in the spots first affected; it finally goes to the left axilla. At the same time various spots on the back itch; later also at the head, but only behind and above. *O. T.*

Itching, especially in those parts of the skin which sweat most. *O. T.*

Eruption of isolated small red papules which itch very much; especially at the abdomen at the inner side of the thighs and at the perineum. *Gsw.*

315. The eruption itches more in the cold or in cool air. *Gsw.*

Eruption of small red spots, very bright red and sharply defined with minute vesicles, appeared first below, then above, on the outsides of the calves and on the inside of the forearms, especially above the wrist, and more on the left side. The itching was very severe day and night, worse at night, especially after going to bed. *Whitey.*

Itching on the head, for fourteen days. *O. T. 39.*

Itching at the upper lids. 43.

Itching in the ears, 51, and burning with bluish-red swelling of the ear. 54.

Watery eruption at the external ear and neck where the discharge from the ears runs to. 54.

320. Itching at the scrotum, especially on the right side, at the left thigh above, at the right side of the abdomen, then at the left side, at last between the nates. 166.

Itching eruption ascending from the calves to the thighs. 311.

Eruption first below, then above. 316.

Fine sticking prickling in the skin in various places, soon after taking Tellurium, annoying one the whole afternoon and evening; it compels to rub the parts quickly. *Metcalf.*

Fine sticking pricklings like flea bites, now here, now there, during the entire second day; for several weeks together, very troublesome sometimes, especially during repose. *Metcalf.*

In the third week, the nineteenth day, the itching sticking was very troublesome, wandering over the whole body during the evening. *Metcalf.*

— * With great heat of the skin and full, quick pulse, very restless, complains of thirst and headache. The whole body covered with ringworm, consisting of red, elevated rings, very distinctly marked, especially on the lower extremities. It first broke out the previous evening, after being unwell for several days; the vesicles very clearly perceptible. The rings intersect each other at the most various angles, in many

places so closely together that the annular form is hard to be recognized. After three weeks, every two hours.

The next day all had disappeared also the heat and restlessness, but the skin was still rough; after a few days well and remained so. *Metcalf.*

— Small itching herpes at the perineum. 167.

— * Ringworm on the abdomen. *Neidhard.*

Conditions :

In the cold, the itching of the eruption is increased. 315.

— Spine sensitive to pressure and touch. 206.

When lying on the left side, painless throbbing below the ribs on the right side; when lying on the right side, a pressure on the the left side in the same place. 135.

325. When lying on the right side, headache on the left side. It goes away when lying on the left side. 37.

Pain in the sacrum worse on the right side when lying on the left side. 214.

Pain in the heart after lying on the left side. 197.

The thigh goes asleep when lying on the left side. 107.

When lying on the left side, pain in the throat extending into the left ear. 53.

330. When lying, numbness of the abdominal walls. 140.

When lying on the back, the sacral pain is aggravated. 214.

When lying on the back, pain in the region of the heart goes away. 197.

When lying, the fullness in the epigastrium is not ameliorated. 107. — Sensitiveness of the back is not ameliorated.

When sitting up in bed, vertigo. 5.

335. When sitting, rush of blood to the head, 12, pressing and burning in the region of the liver 133, recurring pain in the sacrum. 213.

When rising from a sitting or lying posture increased pain in the sacrum. 221.

Pain in the sacrum aggravated by standing bent forward. 215.

Pain in the sacrum worse from stooping. 213. 221.

Pain in the sacrum, returning after stooping. 217.

340. Vertigo, on every movement when lying, on turning the head. 5.

On the slightest motion, the brain is as if bruised. 34.

On moving, stitch in the sacrum. 222.

On going out, increased vertigo. 5.

Fluent coryza, on walking in the cool autumn air. 57. 58.

345. Dryness of the fauces ceasing when walking in the open air. 86. 87.

After walking out, pains. 259.

After walking, the joints as if bruised and twisted. 262.

After a long walk, symptoms 261, 268; even after a short walk, 259, 262.

Bruised as if after hard work. 263.

— Exertions increase the sensitiveness in the spine. 206.

350. Better when walking in the open air; pain in the sacrum, 213, 215; pain in the sacrum and thighs. 218.

Direction of Pains :

— Pain in the chest extending through from the front to the back. 187.

— From the back through the trunk into the sternum. 206.

After stomach cramp, pain in the left side; the next day, after pain in the back, most in the right side. *F. Gsw.*

The pains go more from above downwards, or first right, then left; the eruption and the itching more on the left and from below upwards. 311. 316.

On the right side over the eye, etc., and then left, over the eye, etc. 259.

On the right side in the thigh, then left in the head and pelvis, pains, *P.* 238; right, in the scapula, pressure, then also left, 223; right, itching at scrotum, then left at the thigh, then right, then left, itching at side of abdomen, 166; right, sore throat, fourth day; left, seventh day. 89. 90. 92.

First left then right; feeling of dryness in fauces. 89. Pressure and flatus under the ribs. 131.

355. RIGHT, OR, LEFT.
- In sinciput, pain, 27; worse, 33.
In head, pain. 238.
Over eyes, pain. 13, 14, 17, 259.
- Externally on head, tension. 37.
Distortion of facial muscles. 66.
Cataracts. *Dog.*, 45.
Itching and pressure in upper lid. 43.
Eye reddened. 44.
Ear obstructed, 49. Deaf. 54.
In the eustachian tube—catching of the air. 50.
Pain from throat into the ear. 53.
Ear inflamed, swollen and discharging. 54.
Nose obstructed, mucus in choanæ, right. 55.
Nose obstructed, early. 80.
- Dryness in fauces, then right. 89.
Dryness in fauces worse. 80.
Dryness in fauces. 83.
Sore throat worse. 92.
- Pain in plugged teeth. 74.
- Pain in the groin. 130.
Pain in the flank. 168.
Deep in the pelvis, pain, 173. In the pelvis pain. 238.
Stitches out of the middle of the pelvis towards the left. 174.
Stitches in the region of the uterus. 175.
Chest pain, 108. Stitches in chest. 192.
Stitches over the fifth rib. 191.
Cutting in the region of the nipple. 190.
In the nipple, eruption; in the axilla. 312.
In the side of the neck, a stopping and streaming. 13.
- Pressure on the scapula. 223.
In the anterior muscles of the axilla, swelling pain. 225.
Pain and numbness in the forearm. 227.
- Pain in the little finger. 230.
- Pressure over the eyes, worse. 16.
Over the eye and in shinbone. 258.
Over the eye, pain, then left, then, again, right. 259.
External soreness on the forehead. 38.
- Ear as if obstructed. 89.
- Nose obstructed, 56. Mucus out of the choanæ (left one stopped). 55.
Feeling of dryness in the throat. 84.
- Aching in fauces on swallowing. 90.
- In throat pain on empty swallowing. 89.
Under the ribs, throbbing. 135.
- In the pelvis, pain, 259. Throbbing above in the pelvis. 171.
- Pain in chest. 258.
- Sacral pain worse. 44.
Pressure on the scapula. 230.
- In the hand, drawing extending to the forearm. 278.
Pressure in the metacarpal bones and fourth finger. 229.
Contractive feeling in the skin of the fingers. 231.

- RIGHT, OR, LEFT.
- Itching of the hand. 310
- The thigh goes to sleep when he lies on it. 107.
- In the thigh, drawing from the sacrum outwards. 216.
Pain in the thigh, extending from the sacrum. 216, 220.
Pains from the sacrum, down the hips. 221.
In the thigh, pain at night. 238.
Drawing in the thigh. 240.
Aching on outside of knee. 246.
Tired feeling in knee and leg. 247.
Pain in tibia. 258, 259.
Pressure in metatarsus. 253.
Sharp pain in the toes, then in the heels. 254
- Itching at the foot. 310.
Pains in morning. 258.
More eruption. 316.

Periodicity and Times of Day:

356. The symptoms were most severe, the day after taking (Tuesday) and were aggravated on the two successive Tuesdays; the fourth Tuesday was free, but many symptoms came on Thursday. *P.*

At the same hour, fluent coryza. 58. 59.

Attacks of sudden rush of blood, twice daily. 12.

Now and then, repeated pain over left eye. 14.

360. Coryza increased at irregular periods. 64.

By day, at various hours, early or afternoon, rush of blood 12; by day, pains in chest, 187; during the day, weakness in the back. 208.

Morning on awaking see Sleep symptoms.

Morning; when dressing attack of vertigo, 5; external tension at head, 37; nose obstructed on right side, 56; dry in fauces, 83; and evening, throat dry, 87; pain in fauces on swallowing, 90; pinching in abdomen, then stool, 144; pain in sacrum, 213. Pain in sacrum from a stooping attitude, 217; sacral pain 219.

The pains change locality more, 258; hot dry skin. 304.

Forenoon; nine o'clock, pain over left eye, in the temple, chest, etc. 259.

Ten o'clock, pain over left eye, 13, like a shot before the ears. 48.

Sneezing and heaviness over the eyes. 62.

Obstruction of nose and discharge from choanæ. 55.

Eleven to twelve o'clock, fluent coryza. 57. 58.

Fullness and pressure in the epigastrium, 106, 107; stool 151; diarrhœic, 153.

Afternoon; headache, left, 33; towards evening headache.

11. Heat of face and head and bleeding of gums, 67; burning of the lips, 69, 70; increased scratchy feeling in the throat. 79.

Five o'clock, recurring sensation of dryness in the throat, 82; dryness of the fauces, 85; itching of the scrotum, 166; falling asleep of the thigh and cold feet. 107.

Evening; headache, 28; itching and pressure in the eye, 43; ears obstructed, 49, and throat in the morning dry, 87; sore throat on empty swallowing, 91, 92; after eating, fullness in the abdomen, 125; pinching in the abdomen relieved after discharge of *wind*, 113; numbness of the integuments of the abdomen, 143; stools (instead of in the morning) 150; stool, 152; pain in the forearm and hand. 227.

Antidotes and Sequences :

365. *Nux mosellata* helped for the stomach cramps given after Tellurium. *Gsw.*

Mercurius acted well, given after Tellurium, in ulcers. *Gsw.*

Nux vomica relieved symptoms. 107.

Aconite, *Glonoin* and *Bellad.*, did no good in the vertigo. 5.

Similar:

Vertigo, 5, like *Selenium*. Longing for beer reminds of longing for liquor in *Selenium*. *C. Hg.*

Eruclations tasting of food, 113, like *Antimonium crud.* *C. Hg.*

Longing for apples, *Tart. emet.*

C. G. Raue remarked after his proving: Tellurium seemed to him to resemble *Graphites*; we find in it the following reddish mucus about the lumpy *faeces*. 509.

Catching of air in the Eustachian tube. 185.

Pain in the sacrum, better during motion. 136.

We may add to this, the ringworms, the dryness in the mouth, particularly in the morning early, as well as the flowing of saliva out of the mouth, 340, and many other symptoms.

HAHNEMANN'S ORGANON.*

There has recently been issued in Germany from the private press of Mr. Arthur Lutze of Coethen and under his editorship, what purports to be a sixth edition of the *Organon* of Hahnemann, with additions from the pen of Hahnemann and with annotations from the Editor, Mr. Lutze.

This alleged "Sixth Edition of Hahnemann's *Organon*" thus edited and printed by Mr. Arthur Lutze, appears to contain unwarranted alterations from the original text, as Hahnemann left it, together with suppression of important parts of the text. And these changes are of so important a character, that the editors of all the homœopathic periodicals of Germany, differing widely as they do on many points of doctrine and practice, have united in a solemn and earnest protest against the reception of this edition of the *Organon* as authentic. In this protest they earnestly beseech all homœopathic physicians throughout the world and especially all societies, institutes and organized bodies of homœopathic physicians, after due investigation of the subject, to unite with them.

The object of this memorial is to lay before the profession this unanimous protest of the German homœopathic press and, in connection therewith, to present likewise such additional history and testimony bearing on the subject as may be necessary to a full comprehension of it.

The protest of the German press appears in the following words in the *Allgemeine Homœopathische Zeitung*, Vol. 70, 15, April 10th, 1865.

PROTEST.—In view of the fact that Mr. Sanitaets-Rath, A. Lutze of Coethen, has undertaken to publish a sixth edition of S. Hahnemann's *Organon* of the Healing Art, the undersigned, in the interest of their science and as the present representatives of the German homœopathic press, feel it their duty to make the following explanation.

* A memorial to the American Institute of Homœopathy and all Homœopathic Societies, Physicians and Journals.

Homœopathy has always excited the interest of the laity in a far greater degree than any other system of medicine, and to this very interest it is largely indebted for its extension and recognition. Even now, many places, in which the number of its representatives is far from corresponding to the needs of the public who confide in it, are dependent upon practitioners who are not regularly educated physicians, (*Nichtaerzte*) and whose true devotion to Homœopathy must in part compensate for their lack of a scientific study of it. It would be ungrateful to wish to conceal this fact and not to lay aside all spirit of caste and recompense, with the most public recognition, the services of very many of these persons in the matter of the propagation of Homœopathy.

But it is no less true, that there are limits within which an active and independent participation by laymen and dilettanti becomes an impossibility, unless it should reduce science to a piece of mechanism and make the healing art a handicraft. It is the duty of every honorable representative of Homœopathy to keep a zealous watch, to the end that no unqualified hand grasp and jostle its inner sanctuary, whether it be the hand of an opponent or of an adherent.

The *Organon*, this work of Hahnemann's which comprises the collected principles of Homœopathy and establishes them on scientific bases, has already, with great propriety, been called the Bible of Homœopathy. A new edition of this work which, it is well known, has long been out of the book trade, must be a welcome circumstance to every Homœopathician! But assuredly, everyone will also be constrained to ask, how comes Mr. Lutze to undertake this honorable duty? And still more, how comes Mr. Lutze to introduce this new edition of Hahnemann's work, with *his own name* upon the title-page, since assuredly he can have exercised no function but simply and purely that of a publisher and bookseller? But this reasonable question is completely silenced in the face of an incomparably more important and weighty fact, which nothing short of a complete misapprehension of his own position and the greatest self-conceit on the part of Mr. Lutze could have rendered possible.

Lutze has permitted himself not only to add to Hahnemann's work a new and emphatic dedication and several additions in the way of annotations and an appendix, but has even removed several paragraphs of Hahnemann's (272—274 of the fifth edition) and has substituted for them a new paragraph which expresses directly the opposite of what was heretofore said therein, and he has, by so doing, deliberately and without any right, annihilated one of the cardinal principles of Homœopathy.

The annulled paragraphs contain the precept, that in homœopathic practice, *only one single simple remedy should be given at one time to the patient*; they contain the reason for this precept and moreover an impressive warning against the danger of ever combining remedies. Instead of all this, the paragraph which has been smuggled in sanctions the administration of the so-called double and triple remedies for certain alleged cases. Everyone who is only tolerably familiar with Homœopathy must know that the exclusive administration of simple and uncombined remedies is one of the three principal pillars on which the entire edifice of Homœopathy rests. To take this away means nothing less than to entirely overturn Homœopathy.

And how does Mr. Lutze justify this outrage or at least cloak it with the semblance of a title? In this way. He perpetrates a falsification of history and he confounds with one another circumstances that occurred in former years, in that he appeals to a letter of Hahnemann's written in 1833, from which it appears that Hahnemann, at the instance of Dr. Ægidi, had for some time been ready to introduce into the fifth edition of the *Organon* a paragraph in favor of "double remedies."

But, in order to a right understanding of this circumstance and in justice to the history of Homœopathy and to the name of Hahnemann, it should not be concealed that, upon the unanimous representations of his followers, Hahnemann immediately reconsidered this momentary weakness towards a dear friend, and that he not only did not introduce the unwholesome paragraph into the said fifth edition, but even considered it his duty to repeat, more impressively than ever, the before mentioned warning against combining remedies. And in this conviction he remained true and firm; for up to the day of his death, ten full years, he did and published nothing which could be alleged as bearing against this claim. But can any one, who has any knowledge whatever of Hahnemann's character, suppose for an instant, that he could be turned back by any but the most conclusive reasons, or that, for the space of ten years, he would have failed, through hesitancy or indecision, to recall this fifth edition, if he had been really convinced of the correctness of other views than those therein stated? No! Hahnemann, that Iron-Head, was not the man of cowardly compliance or of passive sufferance who would have let that befall, in regard to his own Homœopathy, which he did not hold to be the right! And now, twenty-two years after his death, there comes an officious, meddling fellow, who would make us believe, as though he had only soft heads and neophytes to deal with, that Hahnemann had "like Saturn, devoured his own children."

Have we then said too much, when we speak of falsification of history and of a perversion of the facts? Truly, even were Lutze quite another than in fact he is, we should be compelled to fling in his face the charge of the boldest assumptions, the most unheard-of self exaltation and of falsification, and without mercy tear him down from the dictatorial chair which he has usurped. He, least of all, is the man who should offer to do such things. Out of such timber may indeed be hewn lubbers for the masses who are incapable of reflecting and of calling to account, but never the reformers of medicine!

In view of these facts, we, the representatives of the scientific Homœopathic Press of Germany, hereby solemnly protest against this alleged sixth edition of Hahnemann's *Organon*, and we declare the same to be spurious and apocryphal and at the same time we repudiate all fellowship with such conduct, and with its perpetrators, and we denounce it and them. Confident of the entire support of all the true representatives of Homœopathy, we anticipate, first of all from all parts of Germany, and from foreign lands, from individuals and from societies, a formal concurrence in this protest, and we anticipate with more especial confidence from the Central Union of the Homœopathic Physicians of Germany, that, at its next meeting, it will adopt more positive regula-