

## B I B L I O G R A F I A

Akingbala, J.O. Palacios, L.G. Sweat, V.E. y Rooney, L.W. 1981. Thermal Properties of Sorghum starches. Cereal Foods World 26 (9):486. (Abstract).

Anonymus, 1985. Chemical and Physical aspects of food and nutritional quality of Sorghum. In: Smic Newsletter, August, 1985, INCRISAT, Issue No. 17, pp. 3-4 INCRISAT, Patanchera, Andhra Pradesh, India.

Association Official Agricultural Chemists Washington D.C. Official methods of analysis of the A.O.A.C. 12 th 'ed. Washington, D.C., 1975.

Baroccio, A., Mariani, G., Corsaro, F., Gaddi, S., y Scarino, D. 1985. Content and quality of the tannins present in Sorghum grains. (It). Informatore Agrario 41 (13): 79-82, 85-86 29 ref.

Bate-Smith, E.C. y Rasper, V. 1969. Tannins of grain Sorghum. Luteoforol (Leucoluteolinidin) 3', 4, 4', 5, 7 Pentahydroxyflavan. Journal of Food Science 34: 203-209.

Beck, E. y Ziegler, P. 1989. Biosynthesis and degradation of starch in higher plants. Plant Physiol. Plant Mol. Biol. 40:

Blakely, M.E., Rooney, L.W., Sullins, R.D. y Miller, F.R. 1979  
Microscopy of the pericarp and the testa of different  
genotypes of Sorghum. Crop Science 19:837-842.

Burns, R.E. 1971. Method for estimation of tannin in grain  
Sorghum. Agronomy Journal 63: 511-512.

Butler, L.G., Riedl, D.J., y Lebryk, D.G. 1983. Interaction of  
proteins with sorghum tannins: mechanism, specificity and  
significance. Journal of the American Oil Chemists Society 60  
(4): 730.

Chibber, B.Á.K., Mertz, E.T. y Axtell, J.D., 1978. Effects<sup>1</sup> of  
dehulling on tannin content protein distribution and quality  
of high and low tannin Sorghum. J. Agric. Foods Chem. 26 (3):  
679-683.

Cohen, R.S. y Tanksley, J.R., T.D. 1972. Energy and protein  
digestibility of Sorghum grain with different endosperm  
textures and starch types in growing swine. Texas A&M Univ.  
Agr. Exp. Sta. Consolidated PR-3047.

Cummins, D.G. 1971. Relationships between tannin content and  
forage digestibility in Sorghum. Agronomy Journal 63: 500-502.

Daniel, W.W. 1977. Bioestadística Ed. Limusa. pp. 1-485.

Deosthale, Y.G., Mohan, V.S. y Rao, K.W. 1970. Varietal differences in protein, lysine, and leucine content of grain sorghum, J. Agr. Food Chem. 18 (4): 644-646.

Doherty, C., Faubion, J.M. y Rooney, L.W. 1982. Semiautomated determination of phytate in sorghum and sorghum products. Cereal Chem.

Duffus, D. y Slaughter, C. 1985. Las semillas y sus usos. AGT Editor, s.a. PP 1-188.

Earp, C.F. y Rooney, L.W. 1982. Scanning electron microscopy of the pericarp and testa of several sorghum varieties. Food Microstructure 1:125-134.

Ejeta, G. y Axtell, J.D. 1987. Dry-matter accumulation and carbohydrate composition in developing normal - and high lysine Sorghum grain. J. Agric. Food Chem. 35: 981-985.

El-Tuhami, M.M.K. 1982. Development of tannin in different parts of the Sorghum plant (*Sorghum bicolor* L. Moench). Sorghum Newsletter 25:100.

Fahn, A. 1978. Anatomía vegetal Ed. Blume pp. 1-643.

Featherston, W.R. y Rogler, J.C. 1975. Influence of tannins on

the utilization of sorghum grain by rats and chicks. Nutrition Reports International 11 (6): 491-497.

Glennie, C.W., Harris, J., y Liebenberg, N.V.D.W. 1983. Endosperm modifications in germinating sorghum grain. Cereal Chemistry 60 (1) 27-31.

Glennie, C.W., Liebenberg, N.V.D.W., y Van Tonder, H.S. 1984. Morphological development in sorghum grain. Food Microbiology 3: 141-148.

Hahn, D.H., McDonough, C., Rosenow, D.T., Miller, F.R., Rooney, L.W. y Meckenstock, D. 1984. Shawaya: A "Black" Sorghum from the Western Sudan. Sorghum Newsletter 27: 51-52.

Hahn, D.H., Rooney, L.W., y Faubion, J.M. 1983. Effect of genotype on content and distribution of sorghum phenols. Cereal Foods World 28 (9): 559-560. (Abstract).

Hamaker, B.R., Kirleis, A.W., Mertz, E.T. y Axtell, J.D. 1986. Effect of cooking on the protein profiles and in vitro digestibility of sorghum and maize. J. Agric. Food Chem. 34: 647-649.

Harris, H.B., Cummins, D.G. y Burns, R.E. 1970. Tannin content and digestibility of sorghum grain as Influenced by bagging.

Agronomy Journal 62: 633-635.

Hibber, C.A., Wagner, D.G., Schemm, R.L., Mitchell, E.D.JR., Weibel, D.E., y Hintz, R.L. 1982. Digestibility characteristics of isolated starch from Sorghum and corn grain. Journal of Animal Science 55 (6): 1490-1497.

Hoshino, I., Duncan, R.R. 1981. Factors contributing to variation in the vanillin-HCL analysis method for sorghum grain tannin. Bulletin of the Chugoku National Agricultural Experiment Station A 29: 71-80.

House, L.R. 1980. A Guide to Sorghum breeding. International Crops Research Institute for the Semi Arid Tropics ICRISAT. Patancheru P.O. Andhra Pradesh, India 502324 pp: 1-238.

Instituto de Nutrición de Centro América y Panamá. 1968. Tabla de composición de pastos y forrajes y otros alimentos de Centro América y Panamá. Publicación No. INCAP E-440. Primera edición pp. 1-153.

International Board for Plant Genetic Resources IBPGR, 1980. Sorghum descriptors Roma. Italia.

Johansen, D.A. 1940. Plant microtechnique. McGraw-Hill Book Company, INC New York and London. pp. 126-154.

Kock, J.L.F., Groenewald, E.G., Kruger, G.H.J., Eloff, J.N., y Lategan, P.M. 1985. Extraction of polyphenols and hidrolisis of bird proof sorghum starch. *Journal of the Science of Food and Agriculture* 36 (11): 1140-1144.

Leucere, J.N. 1982. Polyphenols in grain sorghum Chemistry and nutritional adversities of condensed tannins. *Abstracts of papers of the American Chemical Society* 183: 21.

Lux, A., y Ruiz, J.O. 1987. Manual de microscopía electrónica ultraestructura y citología vegetal. *Fac. de Ciencias Biológicas, Universidad Autónoma de Nuevo León (U.A.N.L.)* 1: 1-70.

Maiti, R. 1986. *Morfología, crecimiento y desarrollo del sorgo*. Facultad de Agronomía, U. A. N. L., Marín, Nuevo León, México pp. 3-419.

Maxon, E.D., Clark, L.E., Rooney, L.W. y Johnson, J.W. 1972. Factors affecting the tannin content of sorghum grain as determined by two methods of tannin analysis. *Crop Science* 12: 233-235.

Maxon, E.D. y Rooney, L.W. 1972. Two methods of tannin analysis for *Sorghum bicolor* (L) Moench grain, *Crop Science* 12: 253-254.

Maxon, E.D., Rooney, L.W. Lewis, R.W., Clark, L.E. y Johnson, J.W. 1973. The relationship between tannin content enzyme inhibition rat performance, and characteristics of sorghum grain. *Nutrition Reports International*. 8 (2): 145-152.

McGrath, R.M., Kaluza, W.Z., Daiber, K.H., Riet, W.B., Van Der., y Glennie, C.W. 1982. Polyphenols of sorghum grain, their changes during malting and their inhibitory nature. *Journal of Agricultural and Food Chemistry* 30 (3): 450-456.

Meyer, R.O., y Gorbet, D.W. 1984. Waxy and normal grain sorghums with varying tannin contents in diets for young pigs. *Sorghum Newsletter* 27:51.

Meyer, R.O., Gorbet, D.W. y Combs, G.E. 1985. Nutritive value of high and low-tannin grain sorghums harvested and stored in the high-moisture state for growing-finishing swine. *Sorghum Newsletter* 28

Murray, D.R., Ed. 1984. *Seed Physiology*. Vol. 1 Development. Academic Press. Sydney pp. 1-279.

Neucere, N.J. y Sumrell, G. 1979. Protein fractions from five varieties of grain sorghum: aminoacid composition and solubility properties. *J. Agric. Food Chem.* 27 (4): 809-812.

Neucere, N.J. y Sumrell, G. 1980. Chemical composition of different varieties of grain sorghum. J. Agric. Food Chem. 28: 19-21.

Ogunlela, V.B. y Ologunde, O.O. 1982. Effect of nitrogen fertilization and plant density on sorghum grain nitrogen and crude protein contents. Sorghum Newsletter 25:22-23.

Okoh, P.N., Obilana, A.T., Njoku, P.C., y Aduku, A.O. 1982. Proximate analysis, aminoacid composition and tannin content of improved Nigerian Sorghum varieties and their potential in poultry feeds. Animal Feed Science and Technology 7: 359-364.

Osagie, A.U. 1987. Total lipids of Sorghum grain. J. Agric. Food Chem. 35: 601-604.

Reichert, R.O. Fleming, S.F. y Schwab, D.J. 1980. Tannin deactivation and nutritional improvement of sorghum by anaerobic storage of water-HCl or NaOH treated grain. Sorghum Newsletter 23: 112.

Rodríguez de Mora, D. 1982. Efecto de los polifenoles sobre la digestibilidad in vivo e in vitro de la proteína del frijol. Tesis de maestria del Instituto de Nutrición de Centro América y Panamá de la Fac. de Ciencias Químicas y Farmacia de la Universidad de San Carlos de Guatemala. pp 1-66.



Rooney, L.W. y Clark, L.E. 1968. The chemistry & processing of Sorghum grain. Cereál Science Today. 13 (7): 258-286.

Rooney, L.W. 1979. Sorghum for food: oportunities, problems and potential. Reprinted from thirty-fourth Annual Corn and Sorghum Research Conference: 180-187.

Rooney, L.W., Khan, M.N. y Earp, C.F. 1980. The technology of Sorghum products chapter in recent progressin cereal chemistry: Cereals for Food and Beverages. Inglett, G. (ed). Acadmic Press Inc. New York, In Press 513-554.

Rooney, L.W. y Murty, D.S. 1982. Evaluation of Sorghum food quality. In: Sorghum in the eighties. Proceedings of the International Symposium on Sorghum Vol. 2 House, L.R., Mughogho, L.K. y Peacock, J.M. (Ed.). The International Crops Research Institute for the Semi Arid Tropics (ICRISAT) Patancheru, A.P. India pp 571-588

Sanders, E.H. 1955. Developmental morphology of the kernel in grain Sorghum. Cereal Chem. 32: 12-25.

Sarani, S., Kovak, K., Teeter, R.G., y Hibberd, C.A. 1983. Feeding value of reconstituted high-tannin Sorghum in a practical ration in a chick trial. Animal Science research report. Stillwater, Oklahoma USA: Oklahoma State University,

Animal Science Department pp 255-257.

Schelling, G.T., Rooney, L.W., y Ellis, W.C. 1981. The complete order of limiting amino acids in sorghum grain. Presented at the Meeting of the American Society of Animal Science, Southern Region, 1-4 February 1981, Atlanta, Georgia, USA. (Abstract).

Sheuring, J. F. Sidibe, S. Rooney, L. W. y Earp, C. F. 1983. Sorghum pericarp thickness and its relation to decortication in a wooden mortar and pestle. Cereal Chemistry 60 (1): 86-89.

Sell, D. R., Rogler, J.C., y Featherston, W.R. 1983. The effects of sorghum tannin and protein level on the performance of laying hens maintained in two temperature environments. Poultry Science 62 (12): 2426-2438.

Sikka, K.C. y Johari, R.F. 1979. Comparative nutritive value and amino acid content of different varieties of Sorghum and effect of lysine fortification. J. Agric. Food Chem. 27 (5): 962-965.

Slack, C.R. y Browse, J.A. 1984. Synthesis of storage lipids in developing seeds. In: Seed Physiology (Ed. Murray, D.R.). Academic Press Sydney pp 209-240.

Strumeyer, D.H. y Malin, M.J. 1975. Condensed Tannins in grain Sorghum: Isolation, fractionation, and Characterization. J. Agric. Food Chem. 23 (5): 909-914.

Subramanian, V., Butter, L.G., Jambunathan, R., y Rao, K.E.P. 1983. Same agronomic and biochemical characters of brown sorghums and their possible role in bird resistance. Journal of Agricultural and Food Chemistry 31 (6): 1303-1307.

Sullins, R.D., Rooney, L.W. y Rosenow, D.T. 1975. Endosperm structure of high lysine Sorghum. Crop Science 15: 599-600.

Tanksley, J.R., y Brzozowski, G .R. 1972. Effects of four methods of processing sorghum grain on the energy and protein digestibility in growing swine. Texas A & M Univ. Agr.Exp. Sta. Consolidated PR-3046.

Tanksley, J.R.N., T.D. y Osbourn, L.k. 1972. Four methods of processing sorghum grain for growing finishing swine. Texas A & M Univ. Agr. Exp. Sta. Consolidated PR-3045.

Taylor, J.R.N., Novellie, L. y Liebenberg, N.v.d.W. 1984. Sorghum protein body composition and ultraestructure. Cereal Chem. 61 (1): 69-73.

Taylor, J.R.N., Novellie, L. y Liebenberg, N.V.D.W. 1985.

Protein body degradation in the starchy endosperm of germinating Sorghum. *Journal of Experimental Botany* 36 (169): 1287-1295.

Wagner, D.G. 1981. Improving Sorghum grain. *Feed management* 32 (12): 12-16.

Watson, S.A., Sanders, E.H., Wakely, R.D. y Williams, C. B. 1955. Peripheral cells of the endosperms of grain Sorghum and corn and their influence on starch purification. *Cereal Chem.* 32: 165-82.

WU, Y.V. y Stringfellow, A.C. 1981. Protein concentrate from air classification of flour and horny endosperm from high-lysine Sorghum. *Journal of Food Science* 46 (1): 304-305.

Yadav, S.P., y Rana, B.S. 1983. Tannin content at different stages of grain development in some bird susceptible and resistant sorghums. *Current Science* 52 (17): 804-806.

Zeleznak, K. y Varriano-Marston, E. 1982. Pearl Millet (*Pennisetum americanum* (L.) Leeke) and grain Sorghum (*Sorghum bicolor* (L.) Moench) ultraestructure. *Amer. J. Bot.* 69 (8): 1306-1313.