

11. Friend, S.H., Bernards, R., Rogelj, S., Weinberg, R.A., Rapaport, J.M., et al. (1986). A human DNA segment with properties of the gene that predisposes to retinoblastoma and osteosarcoma. *Nature* 323: 643-646.
12. Royer-Pokora, B., Kunkel, L.M., Monaco, A.P., Goff, S.C., Newburger, P.E., et al. (1986). Cloning the gene for an inherited human disorder -chronic granulomatous disease- on the basis of its chromosomal location. *Nature* 322: 32-38.
13. Cawthon, R.M., Weiss, R., Xu, G., Viskochil, D., Culver, M., et al. (1990). A major segment of the neurofibromatosis type 1 gene: cDNA sequence, genomic structure, and point mutations. *Cell* 62:193-201.
14. Wallace, M.R., Marchuk, D.A., Andersen, L.B., Letcher, R., Odeh, H.M., et al. (1990). Type 1 neurofibromatosis gene: identification of a large transcript disrupted in three NF1 patients. *Science* 249:181-186.
15. Charcot, J.M., Marie, P. (1886). Sur une forme particulière d'atrophie musculaire progressive, souvent familiale, debutant par les pieds et les jambes et atteignant plus tard les mains. *Rev. Med.* 6:97-138.
16. Tooth, H.H. (1886).The peroneal type of progressive muscular atrophy. London: HK Lewis.
17. Henriksen, J.D. (1956). Conduction velocity of motor nerves in normal subjects and patients with neuromuscular disorders. Thesis, University of Minnesota.
18. Gilliat, R.W. and Thomas, P.K. (1957). Extreme slowing of nerve conduction in peroneal muscular atrophy. *Ann. Phys. Med.* 4:104-106.
19. Dyck, P.J., and Lambert, E.H. (1968). Lower motor primary sensory neuron diseases with peroneal muscular atrophy. I. Neurologic, genetic, and electrophysiologic findings in hereditary polyneuropathies. *Arch. Neurol.* 18:603-618.
20. Dyck, P.J., and Lambert, E.H. (1968). Lower motor and primary sensory neuron diseases with peroneal muscular atrophy. II. Neurologic genetic, and electrophysiologic findings in various neuronal degenerations. *Arch. Neurol.* 18:619-625.

21. Brust, J.C.M., Lovelace, R.E., and Devi, S. (1978). Clinical and electrodiagnostic features of Charcot-Marie-Tooth syndrome. *Acta Neurol. Scand. Suppl.* 58:1-42.
22. Davis, C.J.F., Bradley, W.G., and Madrid, R. (1978). The peroneal muscular atrophy syndrome clinical, genetic, electrophysiologic, and nerve biopsy studies. *J. Genet. Hum.* 26:311-349.
23. Bird, T.D. (1989). Hereditary motor-sensory neuropathies. Charcot-Marie-Tooth syndrome. *Neurol. Clin.* 7:9-23.
24. Dyck, P.J. (1984). Inherited Neuronal Degeneration and atrophy affecting peripheral motor, sensory, and autonomic neurons in Dyck, Thoma, Lambert, and Bunge (2nd Ed.). *Peripheral Neuropathy*. Philadelphia, WB Saunders Co., pp. 1600-1655.
25. Lupski, J.R., Garcia, C.A., Parry, G.J., and Patel, P.I. (1991). Charcot-Marie-Tooth Polyneuropathy Syndrome: Clinical, Electrophysiological, and Genetic Aspects. In *Current Neurology*. S. Appel, ed. (Chicago: Mosby-Yearbook), pp. 1-25.
26. Berciano J., Combarros O., Calleja J., Polo J.M., and Leno C. (1989). The application of nerve conduction and clinical studies to genetic counseling in hereditary motor and sensory neuropathy type I. *Muscle Nerve* 12:302-306.
27. Gutmann L., Fakadej A., and Riggs J.E. (1983). Evolution of nerve conduction abnormalities in children with dominant hypertrophic neuropathy of the Charcot-Marie-Tooth type. *Muscle Nerve* 6:515-519.
28. Dyck, P.J., Karnes, J.L., and Lambert, E.H. (1989). Longitudinal study of neuropathic deficits and nerve conduction abnormalities in hereditary motor and sensory neuropathy type I. *Neurology* 39:1302-1308.
29. Allan W. (1939). Relation of hereditary pattern to clinical severity as illustrated by peroneal atrophy. *Arch. Intern. Med.* 63:1123-1131.
30. Killian J.M., Kloepfer H.W. (1979). Homozygous expression of a dominant gene for Charcot-Marie-Tooth neuropathy. *Ann. Neurol.* 5:515-522.

31. Bird, T.D., and Kraft, G.H. (1978). Charcot-Marie-Tooth disease: Data for genetic counseling relating age to risk. *Clin. Genet.* 14:43-49.
32. Patel, P.I., Franco, B., Garcia, C., Slaugenhaupt, S.A., Nakamura, Y., et al. (1990). Genetic mapping of autosomal dominant Charcot-Marie-Tooth disease in a large French-Acadian kindred: Identification of new linked markers on chromosome 17. *Am. J. Hum. Genet.* 46:801-809.
33. Garcia, C.A., Malamut, R., Parry, G., Patel, P.I., and Lupski, J.R. (1991). Clinical heterogeneity in two pairs of identical twins. In preparation.
34. Weiden P.L., and Wright S.E. (1972). Vincristine neurotoxicity. *New Engl. J. Med.* 286:1369-1370.
35. Hogan-Dann C.M., Fellmeth W.G., McGuire S.A., and Kiley, V.A. (1984). Polyneuropathy following vincristine therapy in two patients with Charcot-Marie-Tooth syndrome. *J. Am. Med. Assoc.* 252:2862-2863.
36. Griffiths J.D., Stark R.J., Ding J.C., and Cooper, L.A. (1985). Vincristine neurotoxicity in Charcot-Marie-Tooth syndrome. *Med. J. Aust.* 143:305-306.
37. Rosen S.A., Wang H., Cornblath D.R., Uematsu, S., and Hurko, O. (1989). Compression syndromes due to hypertrophic nerve roots in hereditary motor sensory neuropathy type I. *Neurology* 39:1173-1177.
38. Botstein, D., White, R.L., Skolnick, M.H., and Davis, R.W. (1980). Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *Am. J. Hum. Genet.* 32:314-331.
39. Southern, E.M. (1975). Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J. Mol. Biol.* 98: 503-517.
40. Morton, N.E. (1955). Sequential tests for the detection of linkage. *Am. J. Hum. Genet.* 8:80-96.
41. Ott, J. (1985). Analysis of human genetic linkage. The Johns Hopkins University Press.

42. Bird, T.D., Ott, J., and Giblett, E.R. (1980). Linkage of Charcot-Marie-Tooth neuropathy to the Duffy locus on chromosome 1. *Am. J. Hum. Genet.* 32:99A.
43. Bird, T.D., Ott, J., and Giblett, E.R. (1982). Evidence for linkage of Charcot-Marie-Tooth neuropathy to the Duffy locus on chromosome 1. *Am. J. Hum. Genet.* 34:388-394.
44. Guiloff, R.J., Thomas, P.K., Contreras, M., Armitage, S., Schwartz, G., and Sedgwick, E.M. (1982). Linkage of autosomal dominant type I hereditary motor and sensory neuropathy to the Duffy locus on chromosome 1. *J. Neurol. Neurosurg. Psych.* 45: 69-674.
45. Stebbins, N.B., and Conneally, P.M. (1982). Linkage of dominantly inherited Charcot-Marie-Tooth neuropathy to the Duffy locus in an Indiana family. *Am. J. Hum. Genet.* 34:195 A.
46. Lebo, R.V., Dyck, P.J., Chance, P.F., King, M.C., Lynch, E., et al. (1989). Charcot- Marie-Tooth locus in FCyRII gene region. *Am. J. Hum. Genet.* 45:A148
47. Chance, P.F., Murray, J.C., Bird, T.D., and Kochin, R.S. (1987). Genetic linkage relationships of Charcot-Marie-Tooth disease (HMSN-Ib) to chromosome 1 markers. *Neurology* 37:325-329.
48. Bird, T.D., Ott, J., Giblett, E.R., Chance, P.F., Sumi, S.M., et al. (1983). Genetic linkage evidence for heterogeneity in Charcot-Marie-Tooth neuropathy (HMSN Type I). *Ann. Neurol.* 14:679-684.
49. Dyck, P.J., Ott, J., Moore, S.B., Swanson, C.J., and Lambert, E.H. (1983). Linkage evidence for genetic heterogeneity among kinships with hereditary motor and sensory neuropathy. Type 1. *Mayo. Clin. Proc.* 58:430-435.
50. Griffiths, L.R., Zwi, M.B., McLeod, J.G., and Nicholson, G.A. (1988). Chromosome 1 linkage studies in Charcot-Marie-Tooth neuropathy type 1. *Am. J. Hum. Genet.* 42:756-771.
51. Vance, J.M., Nicholson, G.A., Yamaoka, L.H., Stajich, J., Stewart, C.S., et al. (1989). Linkage of Charcot-Marie-Tooth neuropathy Type 1a to chromosome 17. *Experimental Neurol.* 104:186-189.

52. Raeymakers, P., Timmerman, V., DeJonghe, P., Swerts, L., Gheuens, J., et al. (1989). Localization of the mutation in an extended family with Charcot-Marie-Tooth neuropathy (HMSNI). *Am. J. Hum. Genet.* 45:953-958.
53. McAlpine, P.J., Feasby, T.E., Hahn, A.F., Komarnicki, L., James, S., et al. (1990). Localization of a locus for Charcot-Marie-Tooth neuropathy type Ia (CMT 1A) to chromosome 17. *Genomics* 7:408-415.
54. Middleton-Price, H.R., Harding, A.E., Monteiro, C., Berciano, J., and Malcolm, S. (1990). Linkage of hereditary motor and sensory neuropathy type 1 to the pericentromeric region of chromosome 17. *Am. J. Hum. Genet.* 46:92-94.
55. Patel, P.I., Garcia, C.A., Montes de Oca-Luna, R., Malamut, R.I., Franco, B., et al. (1990). Isolation of a marker linked to the Charcot-Marie-Tooth disease type 1A gene by differential *Alu*-PCR of human chromosome 17 retaining hybrids. *Am. J. Hum. Genet.* 47:926-934.
56. Vance, J.M., Barker, D., Yamaoka, L.H., Stajich, J.M., Loprest, L., et al. (1991). Localization of Charcot-Marie-Tooth disease type 1a (CMT 1a) to chromosome 17p11.2. *Genomics* 9:623-628.
57. Greenberg, F., Guzzetta, V., Montes de Oca-Luna, R., Ellen-Magenis, R., Smith, A.C.M., et al. (1991). Molecular analysis of the Smith-Magenis syndrome: a possible contiguous gene syndrome associated with del(17)(p11.2). *Am. J. Hum. Genet.*, 49:1207-1218.
58. Guzzetta, V., Franco, B., Zhang H., Saucedo-Cárdenas, O., Montes de Oca-Luna, R., et al. (1992). Somatic cell hybrids, sequence tagged sites, simple repeat polymorphisms and yeast artificial chromosomes for physical and genetic mapping of proximal 17p. *Genomics*, 13:551-559.
59. Hamada, H., Petrino, M.G., and Kakunaga, T. (1982). A novel repeated element with Z-DNA-forming potential is widely found in evolutionarily diverse eukaryotic genomes. *Proc. Natl. Acad. Sci.* 79:6465-6469.
60. Hamada, H., Petrino, M.G., Kakunaga, T., Seidman, M., and Stollar, B.D. (1984). Characterization of genomic Poly(dT-dG).Poly(dC-dA) sequences; structure, organization, and conformation. *Mol. Cell. Biol.*

4:2610-2621.

61. Sun, L., Paulson, K.E., Schmid, C.W., Kadyk, L., and Leinwand, L. (1984). Non-Alu family interspersed repeats in human DNA and their transcriptional activity. *Nucleic Acids Res.* 12:2669-2690.
62. Tautz, D., and Renz, M. (1984). Simple sequences are ubiquitous repetitive components of eukaryotic genomes. *Nucleic Acids Res.* 12:4127-4138.
63. Jeffreys, A.J., Wilson, V., and Thein, S.L. (1985). Hypervariable 'minisatellite' regions in human DNA. *Nature* 314:67-73.
64. Nakamura, Y., Leppert, M., O'Connell, P., Wolff, R., Holm, T., et al. (1987). Variable number of tandem repeat (VNTR) markers for human gene mapping. *Science* 235, 1616-1622.
65. Tyler-Smith, C., and Brown, W.R.A. (1987). Structure of the major block of alphoid satellite DNA on the human Y chromosome. *J. Mol. Biol.* 195:457-470.
66. Waye, J.S., Durfy, S.J., Pinkel, D., Kenrick, S., Patterson, M., et al. (1987). Chromosome-specific alpha satellite DNA from human chromosome 1: hierarchical structure and genomic organization of a polymorphic domain spanning several hundred kilobase pairs of centromeric DNA. *Genomics* 1:43-51.
67. Motulsky, A.G. (1988). Normal and abnormal color-vision genes. *Am. J. Hum. Genet.* 42:405-407.
68. Kemp, D.J., Coppel, R.L., and Anders, R.F. (1987). Repetitive proteins and genes of malaria. *Annu. Rev. Microbiol.* 41:181-208.
69. Weber, J.L., and May, P.E. (1989). Abundant class of human DNA polymorphisms which can be typed using the polymerase chain reaction. *Am. J. Hum. Genet.* 44:388-396.
70. Dracopoli, N.C., and Meisler, M.H. (1990). Mapping the human amylase gene cluster on the proximal short arm of chromosome 1 using a highly informative (CA)<sub>n</sub> repeat. *Genomics* 7:97-102.

71. Litt, M., and Luty, J.A. (1989). A hypervariable microsatellite revealed by in vitro amplification of a dinucleotide repeat within the cardiac muscle actin gene. *Am. J. Hum. Genet.* 44:397-401.
72. Weber, J.L. (1990). Human DNA polymorphisms based on length variation in simple-sequence tandem repeats. *Genome Analysis* vol. 1 Genetic and Physical Mapping. K.E. Davies, S.M. Tilghman (Eds.) Cold Spring Harbor Press, Cold Spring Harbor, New York pp. 157-181.
73. Lupski, J.R., Montes de Oca-Luna, R., Slaggenhaupt, S., Pentao, L., Guzzetta, V., et al. (1991). DNA duplication associated with Charcot-Marie-Tooth disease type 1A. *Cell*, 66:219-232.
74. Miller, S.A., Dykes, D.D., and Polesky, H.F. (1988). A simple salting out procedure for extracting DNA from human nucleated cells. *Nucl Acids Res.* 16:1215.
75. Nakamura, Y., Gillilan, S., O'Connell, P., Leppert, M., Lathrop, G.M., Lalouel, J.-M., and White, R. (1987). Isolation and mapping of a polymorphic DNA sequence pYNH24 on chromosome 2 (D2S44). *Nucleic Acids Res.* 15:10073.
76. Maniatis, T., Fritsch, E.F., and Sambrook, J. (1982). *Molecular Cloning: A laboratory manual*. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
77. Davis, L.G., Dibner, M.D., and Battey, J.F. (1986). *Basic Methods in Molecular Biology*. Elsevier Science Publishing Co. New York, pp 147-149.
78. Sanger, F., Nicklen, S., and Coulson, A.R. (1977). DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci.* 74:5463-5467.
79. Kraft, R., Tardifs, J., Krauter, K.S., and Leinwand, L.A. (1988). Using mini-prep plasmid DNA for sequencing double stranded templates with sequenase. *Biotechniques* 6:544-547.
80. Saiki, R.K., Gelfand, D.H., Stoffel, S., Scharf, S.J., Higuchi, R., et al. (1988). Primer directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science* 239:487-491.

81. Feinberg, A.P., and Vogelstein, B. (1983). A technique for radiolabeling fragments to high specific activity. *Anal. Biochem.* 132:6-13.
82. Wallace, D.M. (1987). Precipitation of nucleic acids. *Methods Enzymol* 152:41-48.
83. Bedford, M.T. and van Helden, P.D. (1990). A method to analyze allele-specific methylation. *BioTechniques* 9:744-748.
84. Zoghbi, H.Y., Sandkuijl, L.A., Ott, J., Daiger, S.P., Pollack, M., et al. (1989). Assignment of autosomal dominant spinocerebellar ataxia (SCAI) centromeric to the HLA region on the short arm of chromosome 6, using multilocus linkage analysis. *Am. J. Hum. Genet.* 44:255-263.
85. Westerveld, A., Visser, R.P.L.S., Khan, P.M., and Bootsma, D. (1971). Loss of human genetic markers in man-Chinese hamster somatic cell hybrids. *Nature New Biol.* 234:20-24.
86. Wright, E.C., Goldgar, D.E., Fain, P.R., Barker, D.F., and Skolnick, M.H. (1990). A genetic map of human chromosome 17p. *Genomics* 7: 103-109.
87. Beeson, D., Jeremiah, S., West, L.F., Povey, S., and Newsom-Davis, J. (1990). Assignment of the human nicotinic acetylcholine receptor genes: the alpha and delta subunit genes to chromosome 2 and the beta subunit gene to chromosome 17. *Ann. Hum. Genet.* 54:199-208.
88. Boulter, J., O'Shea-Greenfield, A., Duvoisin, R.M., Connolly, J.G., Wada, E., et al.(1990). Three members of the rat neuronal nicotinic acetylcholine receptor-related gene family form a gene cluster. *J. Biol. Chem.* 265:4472-4482.
89. Smith, A.C.M., McGavran, L., Robinson, J., Waldstein, G., Macfarlane, J., et al. (1986). Interstitial deletion of (17)(p11.2p11.2) in nine patients. *Am. J. Med. Genet.* 24:393-414.
90. Stratton, R.F., Dobyns, W.B., Greenberg, F., De Sana, J.B., Moore, C., et al. (1986). Interstitial deletion of (17)(p11.2p11.2): Report of six additional patients with a new chromosome deletion syndrome. *Am. J.*

101. Franco, B., Rincon-Limas, D., Nakamura, Y., Patel, P.I., and Lupski, J.R. (1990). An *MspI* RFLP at the D17S258 locus. Nucleic Acids Res. 18: 7196.
102. Nakamura, Y., Lathrop, M., O'Connell, P., Leppert, M., Barker, D., et al. (1988). A mapped set of DNA markers for human chromosome 17. Genomics 2, 302-309.
103. Guzzetta, V., Montes de Oca-Luna, R., Lupski, J.R., and Patel, P.I. (1991). Isolation of region-specific and polymorphic markers from chromosome 17 by restricted Alu polymerase chain reaction. Genomics 9:31-36.
104. Ray, R., Rincon-Limas, D., Wright, R.A., Davis, S.N., Lupski, J.R., and Patel, P.I. (1990). Three polymorphisms at the D17S29 locus. Nucleic Acids Res. 18: 4958.