

Tabla 6. Tabla de Mortalidad y Supervivencia (Deevey 1947) para larvas de *An. pseudopunctipennis* utilizando una dieta a base de polen de *Heliantus laciniatus*.

X	REPETICIONES																								
	I					II					III					IV					V				
	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex
1	12	8	11.5	87.0	7.25	15	5	13.5	93.0	6.20	17	3	10.5	77.5	4.56	15	5	14.5	95.5	6.37	17	3	10.5	83.0	4.88
3	11	1	10.5	76.5	6.95	12	3	11.0	79.5	6.63	14	3	12.0	65.5	4.68	14	1	13.0	81.0	5.79	14	4	12.0	72.5	5.18
4	10	1	9.5	67.0	6.70	10	2	10.0	69.5	6.95	10	4	10.0	55.5	5.55	12	2	11.5	68.0	5.67	10	0	10.0	60.5	6.05
5	9	1	8.5	58.5	6.50	10	0	10.0	59.5	5.95	10	0	9.5	46.0	4.60	11	1	8.5	56.5	5.14	10	3	8.5	50.5	5.05
6	6	3	6.0	52.5	8.75	10	1	9.5	50.0	5.00	9	1	8.5	37.5	4.17	6	5	6.0	48.0	8.00	7	1	6.5	42.0	6.00
7	6	0	5.5	47.0	7.83	9	3	8.5	41.5	4.61	8	2	7.0	30.5	3.81	6	2	5.0	42.0	7.00	6	1	5.5	35.5	5.92
9	5	1	4.5	42.5	8.50	6	1	5.5	36.0	6.00	6	1	5.5	25.0	4.17	4	0	4.0	37.0	9.25	5	0	5.0	30.5	6.10
11	4	1	4.0	38.5	9.63	5	0	5.0	31.0	6.20	5	1	4.0	21.0	4.20	4	0	4.0	33.0	8.25	5	1	4.5	25.5	5.10
12	4	0	4.0	34.5	8.63	5	2	4.0	27.0	5.40	3	2	2.5	18.5	6.17	4	0	4.0	29.0	7.25	4	0	4.0	21.0	5.25
13	4	0	4.0	30.5	7.63	3	0	3.0	24.0	8.00	2	1	2.0	16.5	8.25	4	0	4.0	25.0	6.25	4	0	4.0	17.0	4.25
14	4	0	3.5	27.0	6.75	3	1	2.5	21.5	7.17	2	0	1.5	15.0	7.50	4	0	4.0	21.0	5.25	4	1	3.5	13.0	3.25
16	3	1	3.0	24.0	8.00	2	1	2.0	19.5	9.75	1	1	1.0	14.0	14.00	4	1	3.5	17.5	4.38	3	1	2.5	9.5	3.17
17	3	0	3.0	21.0	7.00	2	0	2.0	17.5	8.75	1	0	1.0	13.0	13.00	3	0	3.0	14.5	4.83	2	0	2.0	7.0	3.50
18	3	0	3.0	18.0	6.00	2	0	2.0	15.5	7.75	1	0	1.0	12.0	12.00	3	0	3.0	11.5	3.83	2	1	1.5	5.0	2.50
19	3	0	2.5	15.5	5.17	2	0	2.0	13.5	6.75	1	0	1.0	11.0	11.00	3	0	3.0	8.5	2.83	1	0	1.0	3.5	3.50
20	2	1	2.0	13.5	6.75	2	1	1.5	12.0	6.00	1	0	0.5	10.5	10.50	3	1	2.5	6.0	2.00	1	0	1.0	2.5	2.50
21	2	0	2.0	11.5	5.75	1	0	1.0	11.0	11.00	0	0	77.5			2	0	2.0	4.0	2.00	1	0	1.0	1.5	1.50

Tabla 7. Tabla de Mortalidad y Supervivencia (Deevey 1947) para larvas de *An. pseudopunctipennis* utilizando una dieta a base del alga *Spirogyra* sp.

X	REPETICIONES																			
	I			II			III			IV			V							
	lx	Lx	Tx	ex	lx	Lx	Tx	ex	lx	Lx	Tx	ex	lx	Lx	Tx	ex	lx	Lx	Tx	ex
1	20	19.5	204.0	10.20	20	19.5	198.5	9.93	20	20.0	194.5	9.73	20	20.0	190.0	9.50	20	19.5	188.0	9.40
3	19	18.5	184.5	9.71	19	19.0	179.0	9.42	20	20.0	174.5	8.73	20	20.0	170.0	8.50	19	19.0	168.5	8.87
4	18	17.5	166.0	9.22	19	18.5	160.0	8.42	20	19.0	154.5	7.73	20	19.0	150.0	7.50	19	19.0	149.5	7.87
5	17	16.0	148.5	8.74	18	17.5	141.5	7.86	18	17.5	135.5	7.53	18	18.0	131.0	7.28	19	18.0	141.5	7.45
6	15	15.0	133.5	8.90	17	16.5	124.0	7.29	17	16.5	118.0	6.94	18	17.0	113.0	6.28	17	16.5	125.0	7.35
7	15	13.5	118.5	7.90	16	14.0	107.5	6.72	16	14.0	101.5	6.34	16	14.0	96.0	6.00	16	14.0	111.0	6.94
9	12	11.5	107.0	8.92	12	12.0	93.5	7.79	12	11.5	87.5	7.29	12	12.0	82.0	6.83	12	12.0	99.0	8.25
11	11	10.5	96.5	8.77	12	11.0	91.5	7.63	11	10.0	76.0	6.91	12	10.5	70.0	5.83	12	10.5	88.5	7.38
12	10	10.0	86.5	8.65	10	9.5	80.5	8.05	9	8.5	66.0	7.33	9	8.5	59.5	6.61	9	8.5	80.0	8.89
13	10	10.0	76.5	7.65	9	9.0	71.0	7.89	8	8.0	57.5	7.19	8	8.0	51.0	6.38	8	8.0	72.0	9.00
14	10	10.0	66.5	6.65	9	8.5	62.0	6.89	8	7.5	49.5	6.19	8	7.0	43.0	5.38	8	7.0	65.0	8.13
16	10	10.0	56.5	5.65	8	8.0	53.5	6.69	7	7.0	42.5	6.07	6	6.0	36.0	6.00	6	6.0	59.0	9.83
17	10	9.5	47.0	4.70	8	7.5	45.5	5.69	7	7.0	35.5	5.07	6	6.0	30.0	5.00	6	6.0	53.0	8.83
18	9	8.5	37.5	4.17	7	7.0	38.0	5.43	7	7.0	28.5	4.07	6	6.0	24.0	4.00	6	6.0	47.0	7.83
19	8	8.0	29.5	3.69	7	7.0	31.0	4.43	7	7.0	21.5	3.07	6	6.0	18.0	3.00	6	6.0	41.0	6.83
20	8	8.0	21.5	2.69	7	7.0	24.0	3.43	7	7.0	14.5	2.07	6	6.0	12.0	2.00	6	6.0	35.0	5.83
21	8	8.0	13.5	1.69	7	7.0	17.0	2.43	7	7.0	7.5	1.07	6	6.0	6.0	1.00	6	6.0	29.0	4.83

Tabla 8. Tabla de Mortalidad y Supervivencia (Deevey 1947) para larvas de *Anopheles pseudopunctipennis* utilizando una dieta a base de polen de *Erigeron modestus*.

x	REPETICIONES																								
	I				II				III				IV				V								
	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex
1	19	1	18.0	140.0	7.37	17	3	17.0	128.0	7.53	20	0	19.0	155.0	7.75	20	0	19.0	154.0	7.70	20	0	19.0	122.5	6.13
3	17	2	17.0	122.0	7.18	17	2	16.0	111.0	6.53	18	2	17.0	136.0	7.56	18	2	17.5	135.0	7.50	18	2	17.0	103.5	5.75
4	17	0	16.5	105.0	6.18	15	0	15.0	95.0	6.33	16	2	15.5	119.0	7.44	17	1	16.5	117.5	6.91	16	2	15.5	86.5	5.41
5	16	1	14.0	88.5	5.53	15	1	14.5	80.0	5.33	15	1	14.5	103.5	6.90	16	1	15.0	101.0	6.31	15	1	14.5	71.0	4.73
6	12	4	11.0	74.5	6.21	14	4	12.0	65.5	4.68	14	1	13.5	89.0	6.36	14	2	13.0	86.0	6.14	14	1	13.0	56.5	4.04
7	10	2	9.0	63.5	6.35	10	4	8.0	86.0	8.60	13	2	12.0	75.5	5.81	12	3	10.5	73.0	6.08	12	2	9.5	43.5	3.63
9	8	2	7.5	54.5	6.81	6	1	5.5	45.5	7.58	11	3	9.5	63.5	5.77	9	0	9.0	62.5	6.94	7	5	6.5	34.0	4.86
11	7	1	6.5	47.0	6.71	5	0	5.0	40.0	8.00	8	1	7.5	54.0	6.75	9	1	8.5	53.5	5.94	6	1	6.0	27.5	4.58
12	6	1	5.5	40.5	6.75	5	0	5.0	35.0	7.00	7	0	7.0	46.5	6.64	8	1	7.5	45.0	5.63	6	0	5.0	21.5	3.58
13	5	1	5.0	35.0	7.00	5	1	4.5	30.0	6.00	7	1	6.5	39.5	5.64	7	0	7.0	37.5	5.36	4	2	4.0	16.5	4.13
14	5	0	5.0	30.0	6.00	4	0	4.0	25.5	6.38	6	1	5.5	33.0	5.50	7	0	7.0	30.5	4.36	4	0	3.5	12.5	3.13
16	5	0	5.0	25.0	5.00	4	0	4.0	21.5	5.38	5	0	5.0	27.5	5.50	7	1	6.5	23.5	3.36	3	1	2.5	9.0	3.00
17	5	0	5.0	20.0	4.00	4	0	4.0	17.5	4.38	5	0	5.0	22.5	4.50	6	4	5.0	17.0	2.83	2	1	2.0	6.5	3.25
18	5	1	4.5	15.0	3.00	4	0	4.0	13.5	3.38	5	0	5.0	17.5	3.50	4	2	4.0	12.0	3.00	2	0	1.5	4.5	2.25
19	4	0	4.0	10.5	2.63	4	1	3.5	9.5	2.38	5	1	4.5	12.5	2.50	4	0	3.5	8.0	2.00	1	1	1.0	3.0	3.00
20	4	1	3.5	6.5	1.63	3	0	3.0	6.0	2.00	4	0	4.0	8.0	2.00	3	1	2.5	4.5	1.50	1	0	1.0	2.0	2.00
21	3	0	3.0	3.0	1.00	3	0	3.0	3.0	1.00	4	0	4.0	4.0	1.00	2	1	2.0	2.0	1.00	1	0	1.0	1.0	1.00

Tabla 9. Tabla de Mortalidad y Supervivencia (Deevey 1947) para larvas de *An. pseudopunctipennis* utilizando una dieta a base de polen de *Zexmenia hispida*.

x	REPETICIONES																								
	I				II				III				IV				V								
	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex
1	15	5	14.5	77.5	5.17	18	2	17.0	99.5	5.53	18	2	17.5	106.5	5.92	17	2	16.0	86.0	5.06	17	3	16.5	120.0	7.06
3	14	1	13.0	63.0	4.50	16	2	15.5	82.5	5.16	17	1	16.5	89.0	5.24	15	3	13.5	70.0	4.67	16	1	15.5	103.5	6.47
4	12	2	11.0	50.0	4.17	15	1	12.5	67.0	4.47	16	1	15.5	72.5	4.53	12	2	11.0	56.5	4.71	15	1	15.0	88.0	5.87
5	10	2	8.0	39.0	3.90	10	5	9.5	54.5	5.45	15	1	12.0	57.0	3.80	10	1	9.5	45.5	4.55	15	3	13.5	73.0	4.87
6	6	4	6.0	31.0	5.17	9	1	8.0	45.0	5.00	9	6	9.0	45.0	5.00	9	0	9.0	36.0	4.00	12	2	11.0	59.5	4.96
7	6	0	4.5	25.0	4.17	7	2	7.0	37.0	5.29	9	1	8.0	36.0	4.00	9	4	7.0	27.0	3.00	10	1	9.5	48.5	4.85
9	3	3	3.0	20.5	6.83	7	0	6.5	30.0	4.29	7	2	6.0	28.0	4.00	5	1	4.5	20.0	4.00	9	1	8.5	39.0	4.33
11	3	0	3.0	17.5	5.83	6	1	6.0	23.5	3.92	5	2	5.0	22.0	4.40	4	0	4.0	15.5	3.88	8	2	7.0	30.5	3.81
12	3	0	3.0	14.5	4.83	6	0	5.0	17.5	2.92	5	0	4.5	17.0	3.40	4	1	3.5	11.5	2.88	6	2	5.0	23.5	3.92
13	3	0	3.0	11.5	3.83	4	2	4.0	12.5	3.13	4	1	4.0	12.5	3.13	3	0	3.0	8.0	2.67	4	0	4.0	18.5	4.63
14	3	1	2.5	8.5	2.83	4	0	3.5	8.5	2.13	4	0	3.5	8.5	2.13	3	2	2.0	5.0	1.67	4	0	4.0	14.5	3.63
16	2	0	2.0	6.0	3.00	3	1	2.5	5.0	1.67	3	1	2.5	5.0	1.67	1	0	1.0	3.0	3.00	4	0	4.0	10.5	2.63
17	2	0	2.0	4.0	2.00	2	1	1.5	2.5	1.25	2	1	1.5	2.5	1.25	1	0	1.0	2.0	2.00	4	1	3.5	6.5	1.63
18	2	0	2.0	2.0	1.00	1	1	1.0	1.0	1.00	1	1	1.0	1.0	1.00	1	0	1.0	1.0	1.00	3	0	3.0	3.0	1.00

Tabla 10. Tabla de Mortalidad y Supervivencia (Deevey 1947) para larvas de *An. pseudopunctipennis* utilizando una dieta a base de polen de *Baccharis neglecta*.

x	REPETICIONES																								
	I					II					III					IV					V				
	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex
1	17	3	15.5	79.5	4.68	19	1	17.5	93.5	4.92	18	2	17.0	93.0	5.17	20	3	18.5	121.5	6.08	20	2	19.0	116.5	5.83
3	14	3	14.0	64	4.57	16	3	16.0	76.0	4.75	16	0	16.0	76.0	4.75	17	0	17.0	103.0	6.06	18	1	17.5	97.5	5.42
4	14	4	12.0	50	3.57	16	2	15.0	60.0	3.75	16	2	15.0	60.0	3.75	17	0	17.0	86.0	5.06	17	0	17.0	80.0	4.71
5	10	1	9.5	38	3.80	14	3	12.5	45.0	3.21	14	2	13.0	45.0	3.21	17	3	15.5	69.0	4.06	17	2	16.0	63.0	3.71
6	9	1	8.5	28.5	3.17	11	2	10.0	32.5	2.95	12	2	11.0	32.0	2.67	14	3	12.5	53.5	3.82	15	3	13.5	47.0	3.13
7	8	2	7.0	20	2.50	9	2	8.0	22.5	2.50	10	3	8.5	21.0	2.10	11	2	10.0	41.0	3.73	12	4	10.0	33.5	2.79
9	6	3	4.5	13	2.17	7	3	5.5	14.5	2.07	7	3	4.5	12.5	1.79	9	3	7.5	31.0	3.44	8	2	7.0	23.5	2.94
11	3	2	2.5	8.5	2.83	4	2	3.0	9.0	2.25	2	2	2.0	8.0	4.00	6	1	5.5	23.5	3.92	6	3	4.5	16.5	2.75
12	2	0	2.0	6	3.00	2	0	2.0	6.0	3.00	2	0	2.0	6.0	3.00	5	1	4.5	18.0	3.60	3	0	3.0	12.0	4.00
13	2	0	2.0	4	2.00	2	0	2.0	4.0	2.00	2	0	2.0	4.0	2.00	4	1	3.5	13.5	3.38	3	0	3.0	9.0	3.00
14	2	0	2.0	2	1.00	2	0	2.0	2.0	1.00	2	0	2.0	2.0	1.00	3	0	3.0	10.0	3.33	3	1	3.0	6.0	2.00
15						2	0	0.0	2.0	1.00	2	0	0.0	2.0	1.00	3	0	3.0	7.0	2.33	2	0	3.0	3.0	1.50
16						2	0	0.0	2.0	1.00	3	2	2.0	4.0	1.33										
17											1	0	1.0	2.0	2.00										
18											1	0	1.0	1.0	1.00										

Tabla 11. Tabla de Mortalidad y Supervivencia (Deevey 1947) para larvas de *An. pseudopuncipennis* utilizando una dieta a base de polen de *Ipomoea pedatisecta*.

x	REPETICIONES																						
	I			II			III			IV			V										
	lx	Lx	Tx	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex					
1	20	19.5	142.0	20	1	19.5	118.5	5.93	20	2	19.0	117.0	5.85	20	1	19.5	124.5	6.23	20	1	19.5	123.0	6.15
3	19	0	122.5	19	0	19.0	99.0	5.21	18	0	18.0	98.0	5.44	19	0	19.0	105.0	5.53	19	0	19.0	103.5	5.45
4	19	0	103.5	19	2	18.0	80.0	4.21	18	1	17.5	80.0	4.44	19	0	19.0	86.0	4.53	19	2	18.0	84.5	4.45
5	19	1	84.5	17	1	16.5	62.0	3.65	17	0	17.0	62.5	3.68	19	1	18.5	67.0	3.53	17	0	17.0	66.5	3.91
6	18	1	66.0	16	1	15.5	45.5	2.84	17	1	16.5	45.5	2.68	18	1	17.5	48.5	2.69	17	0	17.0	49.5	2.91
7	17	1	48.5	15	0	15.0	30.0	2.00	16	2	15.0	29.0	1.81	17	2	16.0	31.0	1.82	17	2	16.5	32.5	1.91
9	16	0	32.0	15	0	15.0	15.0	1.00	14	0	14.0	14.0	1.00	15	0	15.0	15.0	1.00	16	0	16.0	16.0	1.00
11	16	0	16.0	16.0	1.00																		

Tabla 12. Tabla de Mortalidad y Supervivencia (Deevey 1947) para larvas de *An. pseudopuncipennis* utilizando una dieta del alga *Chara* sp.

x	REPETICIONES																								
	I			II			III			IV			V												
	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex	lx	dx	Lx	Tx	ex
1	19	1	18.0	107.5	5.66	20	0	18.0	115.5	5.78	20	0	19.0	113.0	5.65	20	0	19.0	115.0	5.75	20	0	19.0	113.0	5.65
2	17	2	17.0	89.5	5.26	17	3	17.0	97.5	5.74	17	3	17.0	94.0	5.53	18	2	17.5	96.0	5.33	17	3	17.0	94.0	5.53
3	17	0	16.5	72.5	4.26	17	0	16.5	80.5	4.74	17	0	16.5	77.0	4.53	17	1	16.5	78.5	4.62	17	0	16.5	77.0	4.53
4	16	1	16.0	56.0	3.50	16	1	16.0	64.0	4.00	16	1	16.0	60.5	3.78	16	1	16.0	62.0	3.88	16	1	16.0	60.5	3.78
5	16	0	16.0	40.0	2.50	16	0	16.0	48.0	3.00	16	0	16.0	44.5	2.78	16	0	16.0	46.0	2.88	16	0	16.0	44.5	2.78
6	16	0	16.0	24.0	1.50	16	0	16.0	32.0	2.00	16	0	16.0	28.5	1.78	16	0	16.0	30.0	1.88	16	0	16.0	28.5	1.78
7	16	0	8.0	8.0	0.50	16	0	16.0	16.0	1.00	16	0	9.5	12.5	0.78	16	0	10.0	14.0	0.88	16	0	9.5	12.5	0.78
8	0	16	0.0	0.0	0.00	0	16	0.0	0.0	0.00	3	13	3.0	3.0	1	4	12	4.0	4.0	1.00	3	13	3.0	3.0	1.00

Tabla 13. Medidas corporales del tercer par de patas en machos adultos de *An. pseudopunctipennis* con los diferentes tipos de dietas.

Individuo	Levadura	<i>Lippia graveolens</i>	<i>Eupatorium pycnocephalum</i>	<i>Spirogyra</i> sp.	<i>Ipomoea pedatisecta</i>	<i>Zexmenia hispida</i>
1	10.2	9.0	11.2	9.0	10.0	8.0
2	10.3	7.0	11.0	9.2	10.0	8.5
3	10.5	8.7	10.3	9.1	9.0	8.3
4	10.8	8.7	11.0	9.5	10.0	8.6
5	10.6	8.7	11.1	9.1	9.0	11.1
6	10.5	8.5	9.0	9.2	8.5	
7	10	8.5	11.5	9.3	8.0	
8	10.1	8.8	9.0	9.1	9.5	
9	10.1	8.7	10	8.9	10.0	
10	10.0	8.7	11.6	9.1	8.0	
11	10.2	9.3	11.0	9.0	8.7	
12	10.3	9.3	11.0	9.2	8.9	
13	10.4	9.3	9.5	9.3	8.8	
14	10.5		10.5	9.7	8.9	
15	10.5		11.0		8.7	
16	10.6		11.0		9.2	
17	10.5		10.6		9.1	
18	10.5		10.0		8.5	
19	10.4		10.4		10.3	
20	10.1		10.6		10.2	
21	10.2		10.6		8.0	
22	10.1		10.6		8.5	
23	10.3		10.8		8.7	
24	10.3		10.6		8.6	
25	10.4		8.5		8.9	
26	10.4		8.0		8.9	
27	10.5		9.0		8.8	
28			9.0		8.6	
29					8.4	
30					8.3	

Tabla 14. Medidas corporales de alas en machos adultos de *An. pseudopunctipennis* con los diferentes tipos de dietas.

Individuo	Levadura	<i>Lippia graveolens</i>	<i>Eupatorium pycnocephalum</i>	<i>Spirogyra</i> sp.	<i>Ipomoea pedatisecta</i>	<i>Zexmenia hispida</i>
1	3.1	3.2	3.2	3.0	3.8	3.0
2	3.2	3.2	3.2	3.1	3.7	3.0
3	3.0	3.0	3.5	3.0	3.2	3.2
4	3.3	3.0	3.8	3.2	3.0	3.1
5	3.4	3.2	3.2	3.0	4.0	4.1
6	3.3	3.1	3.2	3.1	3.5	
7	3.0	3.0	4.3	3.1	3.2	
8	3.1	3.2	4.0	3.0	3.2	
9	3.0	3.1	3.0	3.1	3.0	
10	3.0	3.1	4.5	3.2	3.0	
11	3.0	3.0	3.8	3.1	3.7	
12	3.1	3.0	4.0	3.1	3.8	
13	3.1	3.1	3.0	3.8	3.7	
14	3.2		3.9	3.9	3.9	
15	3.0		4.0		3.7	
16	3.0		3.4		4.0	
17	3.0		3.1		4.0	
18	3.0		3.9		4.0	
19	3.0		3.8		4.3	
20	3.0		3.9		4.2	
21	3.1		3.8		3.5	
22	3.1		3.7		3.4	
23	3.1		3.8		3.7	
24	3.2		3.6		3.7	
25	3.3				3.6	
26	3.3				3.7	
27	3.5				3.6	
28					3.5	
29					3.6	
30					3.4	

Tabla 15. Medidas corporales de tórax-abdomen en machos adultos de *An. pseudopunctipennis* con los diferentes tipos de dietas.

Individuo	Levadura	<i>Lippia graveolens</i>	<i>Eupatorium pycnocephalum</i>	<i>Spirogyra</i> sp.	<i>Ipomoea pedatisecta</i>	<i>Zexmenia hispida</i>
1	4.1	3.2	4.4	5.0	4.5	3.5
2	4.2	3.2	4.2	4.9	4.3	3.7
3	4.5	3.5	4.8	4.9	4.0	3.6
4	4.9	3.5	4.8	5.4	4.0	3.5
5	4.9	3.2	4.6	4.8	4.5	4.2
6	4.2	3.2	4.5	4.7	4.3	
7	4.1	3.4	4.7	4.9	4.2	
8	4.1	3.7	5.0	4.5	2.9	
9	4.1	3.7	4.1	4.8	3.7	
10	4.1	3.5	4.3	4.7	4.2	
11	4.1	3.3	4.4	4.9	4.2	
12	4.1	3.2	4.5	5.0	4.3	
13	4.4	3.1	4.5	4.8	4.2	
14	4.5		4.5	4.9	4.3	
15	4.2		3.7		4.3	
16	4.4		4.6		4.5	
17	4.2		4.7		4.4	
18	4.1		4.1		4.2	
19	4.1		4.4		4.4	
20	4.2		4.6		4.3	
21	4.3		4.5		4.0	
22	4.2		4.3		4.0	
23	4.3		4.3		3.9	
24	4.4		4.3		3.9	
25	4.5				3.7	
26	4.5				4.0	
27	4.5				3.9	
28					3.9	
29					3.9	
30					3.8	

Tabla 16. Medidas corporales del tercer par de patas en hembras adultas de *An pseudopuncipennis* con los diferentes tipos de dietas.

Individuo	Levadura	<i>Lippia graveolens</i>	<i>Eupatorium pycnocephalum</i>	<i>Spirogyra</i> sp.	<i>Ipomoea pedatisecta</i>	<i>Zexmenia hispida</i>
1	10.8	9.5	11.1	10.0	11.5	11.5
2	10.9	9.5	9.0	10.5	10.0	9.0
3	11.0	8.7	11.5	10.3	9.0	11.0
4	10.9	9.5	11.5	9.8	10.5	10.9
5	11.2	9.2	12.0	10.8	11.0	11.3
6	11.3	9.0	11.3	10.9	10.0	
7	11.2	9.0	12.5	10.6	9.5	
8	10.8	9.0	11.0	10.8	11.0	
9	10.9	8.6	9.0	10.9	11.0	
10	10.8	8.9	11.3	11.1	11.1	
11	11.0	9.6	12.0	11.0	10.9	
12	10.9	9.4	11.7	10.8	10.9	
13	11.1	9.5	12.4	10.1	10.9	
14	11.1	9.5	11.2	10.3	11.0	
15	11.0	9.5	11.0		9.9	
16	11.1	9.4	11.3		9.9	
17	10.9	9.4	11.4		10.1	
18	10.9		11.3		10.2	
19	10.8		11.1		9.3	
20	10.8		12.0		11.0	
21	10.9		11.4		10.3	
22	11.0				9.5	
23	11.1				10.4	
24	11.2				10.6	
25	11.1				11.0	
26	11.3				10.7	
27					9.6	
28					9.9	

Tabla 17. Medidas corporales de alas en hembras adultas de *An. pseudopunctipennis* con los diferentes tipos de dietas.

Individuo	Levadura	<i>Lippia graveolens</i>	<i>Eupatorium pycnocephalum</i>	<i>Spirogyra</i> sp.	<i>Ipomoea pedatisecta</i>	<i>Zexmenia hispida</i>
1	3.3	3.2	4.0	3.5	4.0	4.0
2	3.3	3.3	3.5	3.6	4.0	3.0
3	3.8	3.1	4.5	3.4	3.5	3.8
4	3.8	3.2	4.3	3.2	4.0	3.9
5	3.6	3.0	4.2	4.1	3.8	4.2
6	3.9	3.1	4.0	4.2	4.3	
7	3.9	3.1	4.7	4.1	3.9	
8	3.4	3.1	4.0	3.9	3.8	
9	3.6	3.2	4.0	4.3	3.9	
10	3.5	3.2	3.9	4.4	4.0	
11	3.5	3.2	4.0	4.1	4.1	
12	3.4	3.1	4.0	4.0	4.0	
13	3.6	3.0	4.2	4.1	3.8	
14	3.4	3.2	4.1	4.2	4.3	
15	3.6	3.1	4.0		4.3	
16	3.4	3.2	4.1		4.2	
17	3.8	3.0	3.9		4.3	
18	3.8		3.8		4.0	
19	3.7		3.9		4.0	
20	3.6		4.1		4.3	
21	3.6		4.1		4.9	
22	3.6				3.9	
23	3.5				3.9	
24	3.7				4.0	
25	3.8				4.3	
26	3.7				4.2	
27					4.1	
28					4.0	

Tabla 18. Medidas corporales de tórax-abdomen en hembras adultas de *An. pseudopunctipennis* con los diferentes tipos de dietas.

Individuo	Levadura	<i>Lippia graveolens</i>	<i>Eupatorium pycnocephalum</i>	<i>Spirogyra</i> sp.	<i>Ipomoea pedatisecta</i>	<i>Zexmenia hispida</i>
1	4.8	3.2	4.0	5.0	4.5	4.4
2	4.8	3.6	4.7	5.2	4.5	4.0
3	4.9	3.7	5.3	5.0	3.8	4.5
4	4.9	3.4	4.7	5.1	4.0	4.2
5	5.0	3.2	5.0	5.3	4.0	4.3
6	5.0	3.2	4.3	5.1	3.8	
7	5.1	3.2	5.5	5.1	4.4	
8	4.8	3.8	4.4	5.2	4.0	
9	4.7	3.4	4.3	5.1	4.5	
10	4.7	3.5	4.2	5.3	4.6	
11	4.9	3.4	4.5	4.9	4.5	
12	5.0	3.3	4.4	5.0	4.7	
13	5.2	3.4	4.5	4.9	4.7	
14	4.9	3.4	4.7	5.0	4.8	
15	5.0	3.4	4.6		4.4	
16	5.0	3.4	4.4		4.3	
17	4.8	3.3	4.8		4.8	
18	4.8		4.5		4.4	
19	5.0		4.4		4.1	
20	4.7		4.2		4.2	
21	4.6		4.2		4.5	
22	4.9				3.9	
23	5.0				4.0	
24	4.9				4.1	
25	5.1				4.2	
26	4.9				4.2	
27					4.0	
28					4.4	

"No es importante lo que uno hace, sino como lo hace, cuanto amor, sinceridad y fe ponemos en lo que realizamos. Cada trabajo es importante, y lo que yo hago no lo puedes hacer tú, de la misma manera que yo no puedo hacer lo que tú haces, pues cada uno de nosotros hace lo que Dios le encomendó".

MADRE TERESA DE CALCUTA.



