

- genes, *Nature*, 322:557-562 (1986).
34. Nelson, C., V.R. Albert, H.P. Elsholtz, L.I.W. Lu, and M.G. Rosenfeld, Activation of cell-specific expression of rat growth hormone and prolactin genes by a common transcription factor, *Science*, 259:1400-1405 (1988).
 35. Castrillo, J.-L., M. Bodner, and M. Karin, Purification of growth hormone-specific transcription factor GHF-1 containing homeobox, *Science*, 243:814-817 (1989).
 36. Nyborg, J.K., Spindler, S.R., Alterations in local chromatin structure accompany thyroid hormone induction of growth hormone gene transcription, *J. Biol. Chem.*, 261:5685 (1986).
 37. Slatfer, E.P., Rabenau, O., Karin, M., Baxter, J.D., Beato, M., Glucocorticoid receptor binding and activation of a heterologous promoter by desamethasone by the first intron of the human growth hormone gene, *Mol. Cell Biol.*, 5:2984-2992 (1985).
 38. Fitzpatrick, S.L., Walker, W.H. and Saunders, G.F., DNA sequences involved in the transcriptional activation of a human placental lactogen gene, (Submitted) (1990).
 39. Lemaigre, F.P., Courtois, S.J., Lafontaine, D.A., Rousseau, G.G., Evidence that the upstream stimulatory factor and the Spl transcription factor bind in vitro to the promoters of the human growth-hormone gene, *Eur. J. Biochem*, 181:555 (1989).
 40. Rogers, B.L., Sobnosky, M.G. y Saunders, G.F., Transcriptional enhancer within the human placental lactogen and growth hormone multigene cluster, *Nucleic. Acids. Res.*, 14:7647 (1986).
 41. Walker, W.H., Fitzpatrick, S.L. and Saunders, G.F., Human placental lactogen transcriptional enhancer: Tissue specificity and binding with specific proteins, *J. Biol. Chem.*, 265:12940-12948 (1990).
 42. Gorman, C., High efficiency gene transfer into mammalian cells. DNA cloning volume II. A practical approach. Editado por Glover, D.M. IRL Press, Oxford, Washington, D.C. pp 143-190 (1985).
 43. Cab-Barrera, E.L. y Barrera-Saldaña, H.A., Versatile plasmid vector for use in studies of eukaryotic gene expression, *Gene*, 70:411-413 (1988).
 44. Mulligan, R.C. and Berg, P., Selection for animal cells that express the Escherichia coli gene coding for xanthine-guanine

- phosphoribosyltransferase, Proc. Natl. Acad. Sci. U.S.A., 78:2072-2076 (1981).
45. Pasleau, F., Tocci, M.J., Leung, F. and Kopchick J.J., Growth hormone gene expression in eukaryotic cells directed by the Rous sarcoma virus long terminal repeat or cytomegalovirus immediate-early promoter, Gene, 38:227-232 (1985).
 46. Pavlakis, G.N., Hizuka, N., Gordon, P., Seeburg, P.H. y Hamer, D.H., Expression of two human growth hormone genes in monkey cells infected by simian virus 40 recombinants, Proc. Natl. Acad. Sci., 78:7398-7402 (1981).
 47. Lupker, J.H., Roskam, W.G., Miloux, B., Yaniv, M. and Jouannau, J., Abundant excretion of human growth hormone by recombinant-plasmid-transformed monkey Kidney cells, Gene, 24:281-287 (1983).
 48. Boshart, M., Weber, F., Jahn, G., Dorsch-Häsler, K., Fleckenstein, B. y Schaffner, W., A very strong enhancer is located upstream of an immediate early gene of human cytomegalovirus, Cell, 41:521-530 (1985).
 49. Foecking, M.K. y Hofstetter, H., Powerful and versatile enhancer-promoter unit for mammalian expression vectors, Gene, 45:101-105 (1986).
 50. Brinster, R.L., Allen, J.M., Berhringer, R.R., Gelinas, R.E. y Palmiter, R.D., Introns increase transcriptional efficiency in transgenic mice, Proc. Natl. Acad. Sci. USA., 85:836-840 (1988).
 51. Gorman, C.M., Moffat, L.F. y Howard, B.H., Recombinant genomes which express chloramphenicol acetyltransferase in mammalian cells, Mol. Cell. Biol., 2:1044-1051 (1982).
 52. Selden, R.F., Burke-Howie, K., Ellen-Rowe, M., Goodman, H.M. y Moore, D.D., Human growth hormone as a reporter gene in regulation studies employing transient gene expression, Mol. Cell. Biol., 6:3173-3179 (1986).
 53. Abdel-Meguid, S.S., Shieh, H.S., Smith, W.W., Dayringer, H.E., Violand, B.N. y Bentle, L.A., Three-dimensional structure of a genetically engineered variant of porcine growth hormone, Proc. Natl. Acad. Sci. USA., 84:6434-6437 (1987).
 54. Hughes, J.P. y Friesen, H.G., The nature and regulation of the receptors of the for pituitary growth hormone, Ann. Rev. Physiol., 47:469-482 (1985).
 55. Fuh, G., Mulkerrin, M.G., Bass, S., McFarland,

- N., Brochier, M., Bourell, J.H., Light, D.R. y Wells, J.A., The human growth hormone receptor. Secretion from *Escherichia coli* and disulfide bonding pattern of the extracellular binding domain, *J. Biol. Chem.*, 265:3111-3115 (1990).
56. Ray, J., Okamura, H., Kelly, P.A., Cooke, N.A. y Liebhaber, S.A., Human growth hormone variant demonstrates a receptor binding profile distinct from that of normal pituitary growth hormone, *J. Biol. Chem.*, 265:7939-7944 (1990)
57. Chawla, R.K., Parks, J.S. y Rudman, D., Structural variants of human growth hormone: Biochemical, Genetics and Clinical aspects, *Ann. Rev. Med.*, 34:519-547 (1983).
58. Li, C.H. Evans, Evans, H.M., Simpson, M.E., Isolation and properties of the anterior hypophysial growth hormone, *J. Biol. Chem.*, 159:353-366 (1945).
59. Phillips, L.S., Vassilopoulou-Sellin, R., Somatomedins, *N. Engl. J. Med.*, 302:438-446 (1980).
60. Edwards III, C.K., Ghiasuddin, S.M., Schepper, J.M., Yunger, L.M. y Kelley, K.W., A new defined property of somatotropin: Priming of Macrophages for production of superoxide anion, *Science*, 239:769-771 (1988).
61. Lewis, V.J., Variants of growth hormone and prolactin and their posttranslational modifications, *Ann. Rev. Physiol.*, 46:33-42 (1984).
62. Kostyo, J.L., Cameron, C.M., Olson, K.C., Jones, A.J.S. y Pai, R.C., Biosynthetic 20 - kilodalton methionyl-human growth hormone has diabetogenic and insuline - like activities, *Proc. Natl. Acad. Sci. USA*, 82:4250-4253 (1985).
63. Josimovich, J.B., Atwood, B.L., Human placental lactogen (hPL) a trophoblastic hormone synergizing with chorionic gonadotropin and potentiating the anabolic gonadotropin and potentiating the anabolic effects of pituitary growth hormone, *A. J. Obstet. Gynecol.*, 88:867-879 (1964).
64. Sherwood, L.M., Burstein, Y. y Schlechter, I., Similarities in the structure and function of both the mature forms and biosynthetic precursors of placental lactogen and growth hormone, *Ann. N.Y. Acad. Sci.*, 343:155-167 (1979).
65. Hill, D.J., Crace, C.J., Strain, A.J., Milnes, R.D.G., Regulation of aminoacid uptake and

- deoxyribonucleic acid synthesis in isolated human fetal fibroblasts and myoblasts: Effect of human placental lactogen, somatomedin-C, multiplication stimulating activity and insulin, *J. Clin. Endocrinol. Metab.*, 62:753-760 (1986).
66. Hill, D.J., Freemark, Strain, A.J., Handwerger, S., Milner, R.D.G., Placental lactogen and growth hormone receptors in human fetal tissues: relationship to fetal plasma human placental lactogen concentration and fetal growth, *J. Clin. Endocrinol. Metab.*, 66:1283-1290 (1988).
67. Press, M., Growth hormone and Metabolism en Diabetes/Metabolism reviews. Ed. John Wiley & Sons, Inc., 4:391-414 (1988).
68. Morikawa, M., Nixon, T. y Green, M., Growth hormone and adipose conversion of 3T3 cells, *Cell*, 29:783-789 (1982).
69. Morikawa, M., Green, H. y Lewis, U.J., Activity of human growth hormone and related polypeptides on the adipose conversion of 3T3 Cell, *Mol. Cell. Biol.*, 4:228-231 (1984).
70. Tanaka, T., Shiu, R.P.C., Gour, P.W., Beer, C.T., Noble, R.L., Friesen, H.G., A new sensitive and specific bioassay for lactogenic hormones measurement of prolactin and growth hormone in human serum, *J. Clin. Endocrinol. Metab.*, 51:1058-1063 (1980).
71. Paladini, A.C., Peña, C. y Poskus, E., Molecular Biology of growth hormone. Editado por Hurrell J. G. R. vol.15, pp25-56. CRC Press, Cleveland, Ohio, (1983).
72. Li, C.H., Human pituitary growth hormone: A biologically active hendkakaihekaton peptide fragment corresponding to amino-acid residues 15-125 in the hormone molecule, *Proc. Natl. Acad. Sci. USA*, 72:3878-3882 (1975).
73. Schneider, A.B., Barr, F., Russell, J., Kowalski, K. and Scherwood, L.M., Conformation of biologically active derivatives of human placental lactogen, *J. Biol. Chem.*, 256:301-303 (1981).
74. Lewis, V.J., Singh, R.N.P., Bonewald, L.F. and Seavey, B.K., Altered proteolytic cleavage of human growth hormone as a result of deamidation, *J. Biol. Chem.*, 256:11645-11650 (1981).
75. Nicoll, C.S., Mayer, G.L. y Russell, S.M., Structural features of prolactins and growth hormones that can be related to their

- 4:101-107 (1990).
85. Cunningham, B.C., Jhurani, P., Ng, P. and Wells, J.A., Receptor and antibody epitopes in human growth hormone identified by homolog-scanning mutagenesis, *Science*, 243:1330-1336 (1990).
 86. Cunningham, B.C. y Wells, J.A., High-resolution epitope mapping of hGH-receptor interactions by alanine-scanning mutagenesis, *Science*, 244:1081-1085 (1990).
 87. Retegui, L.A., DeMegts, P., Peña, C. y Masson, P.L., The same region of human growth hormone is involved in its binding to various receptors, *Endocrinology*, 111:668-676 (1982).
 88. Mazza, M.M., Gobet, M.G., Biscoglio, M.J., Mihajlovich, V., Guillemot, J.C., Vita, N., Ferrara, P. y Retegui, L.A., Relationship between the antigenic topography and the structure of human growth hormone, *Endocrinology*, 127:1002-1008 (1990).
 89. Binder, L., Gertler, A., Elberg, G., Guy, R., and Vogel, T., Site-directed mutations of human growth hormone that selectively modify its lactogenic activity and binding properties, *Mol. Endo.*, 4:1060-1068 (1990).
 90. Uchida, E., Shimokawa, S., Nishida, Y., Takasu, H., Ikehara, M., Vesugi, S., Tomita, K.I., Tanaka, A., Morikawa, M., Hayakawa, T y Nishikawa, S., An active site of growth hormone for eliciting the differentiation of preadipose 3T3-F442A cells to adipose cells. *Biochem. Biophys. Res. Comm.*, 172:357-363 (1990).
 91. Palmiter, R.D., Behringer, R.R., Qualife, C.J., Maxwell, F., Maxwell, I.H. y Brinster, R.L., Cell lineage ablation in transgenic mice by cell specific expression of a Toxin gene, *Cell*, 50:435-443 (1987).
 92. Kidd, V.J., Barrera-Saldaña, H.A. y Saunders, G.F., The human growth hormone and placental lactogen gene complex. En "Perspectives on genes and the molecular biology of cancer". Ed. D.L. Robberson y G.F. Saunders. Raven Press, pp 143-167 (1983).
 93. Vogelstein, B. y Gillespie, D., Preparative and analytical purification of DNA from agarose, *Proc. Natl. Acad. Sci. USA*, 76:615-619 (1979).
 94. Maniatis, T., Fritsch, E.F. y Sambrook, J., *Molecular Cloning: A laboratory Manual*. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y., pp 188-209 (1982).
 95. Southern, E.M., Detection of specific sequences

- among DNA fragments separated by gel electrophoresis, *J. Mol. Biol.*, 98:503-517 (1975).
96. Graham, F.L. y Van der Eb, A.J., A new techniques of the assay of infectivity of human adenovirus 5 DNA, *Virology*, 52:456-467 (1973).
97. Gorman, C.M., Moffat, L.F. y Howard, B.H., Recombinant genomes which express chloramphenicol acetyltransferase in mammalian cells. *Mol. Cell. Biol.* 2:1044-1051 (1982).
98. Foecking, M.K. y Hofstetter, H., Powerful and versatile enhancer-promoter unit for mammalian expression vectors, *Gene*, 45:101-105 (1986).
99. Bradford, M.M., A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding, *Anal. Biochem.*, 72:248-254 (1976).
100. Laemmli, U.K., Cleavage of structural proteins during the assembly of the head of bacteriophage T4, *Nature*, 227:680-685 (1970).
101. Chomczynski, P. y Sacchi, N., Single-step method of RNA isolation by acid guanidium thiocyanate-phenol-chloroform extraction, *Anal. Biochem.*, 162:156-159 (1987).
102. Feinberg, A.P. y Vogelstein B., A technique for radiolabeling DNA restriction endonuclease fragments to high specific activity, *Anal. Biochem.*, 132:6-13 (1983)
103. McMaster, G.K. y Carmichael, G.G., Analysis of single and double-stranded nucleic acids on polyacrilamide and agarose gels by using glyoxal and acridine orange, *Proc. Natl. Acad. Sci. USA*, 74:4835-4838 (1977).
104. Thomas, P.S., Hybridization of denatured RNA and small DNA fragments transferred to nitrocellulose, *Proc. Natl. Acad. Sci. USA*, 77:5201-5205 (1980).
105. Green, H. y Kehinde, O., Sublines of mouse 3T3 cells that accumulate lipid, *Cell*, 1:113-116 (1974).
106. Ramírez-Solís, R., ¿Es el gen humano hPL-1 un pseudogen? Análisis de su expresión in vitro usando técnicas de Ingeniería Genética y Cultivo Celular, Tesis para obtener el grado de Maestro en Ciencias, Facultad de Medicina, U.A.N.L. (1989).
107. Rincón-Limas, D., Clonación molecular de los DNAs complementarios que codifican para las hormonas del crecimiento de origen hipofisiario humano en Escherichia coli. Tesis para obtener el grado de Maestro en Ciencias, Facultad de

- Medicina, U.A.N.L. (1990).
108. Varela-Martínez, R., Construcción de un nuevo vehículo molecular para clonación y expresión de secuencias génicas en células en cultivo. Tesis para obtener el título de Químico Bacteriólogo Parasitólogo, Facultad de Ciencias Biológicas, U.A.N.L. (1989).
109. Alvidres-Quihui, L.E., Subclonación y expresión transitoria de los DNAs complementarios de las hormonas de crecimiento humana y bovina. Tesis para obtener el título de Biólogo, Facultad de Ciencias Biológicas, U.A.N.L. (1990).
110. Bodner, M. y Karin, M. A pituitary specific transacting factor can stimulate transcription from the growth hormone promoter in extracts of non expressing cells. *Cell*: 267-275. (1987).
111. Lewis, U.J., Dunn, J.T., Bonewald, L.F., Seaveg, B.K. y Vanderlaan, W.P., A naturally occurring structural variant of human growth hormone, *J. Biol. Chem.*, 253:2679-2687 (1987).
112. Wieringa, B., Meyer, F., Reiser, J. y Weissmann. C. Unusual splice sites revealed by mutagenic inactivation of an authentic splice site of the rabbit- β -globin gene. *Nature*: 301:38-43 (1983).

ANEXO A

